

2002
CONCORDE/INTREPID/300M
(LH)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in US by DaimlerChrysler Corporation
2	Make	B = Dodge C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Vehicle Safety	A = Restraint System Active Front & Side Air Bags (CGS) B = Restraint System Manual/Active Uni-belt (CGA) D = Restraint System w/o Air Bags (CGJ) H = Restraint System Active Driver & Passenger Air Bags (CGW)
5	Vehicle Line	Y = Chrysler 300M C = Chrysler Concorde H = Chrysler Intrepid (Canada) D = Dodge Intrepid (US, Mexico, & BUX w/MUD)
6	Series	3 = Concorde LXi 4 = Concorde LX/Intrepid 5 = Intrepid ES; Concorde Limited 6 = 300M w/o ABB * = 300M w/ ABB 7 = Intrepid R/T; 300M Special
7	Body Style	6 = 4 Door Sedan
8	Engine	G = 3.5L 6 cyl. 24 V (EGG) R = 2.7L 6 cyl. DOHC Flex (EER) M = 3.5L 6 cyl. 24 V (EGJ) K = 3.5L HO 6 cyl. 24 V MPI (EGK) V = 3.5L 6 cyl. 24V (SOHC) Magnum (EGC)
9	Check Digit	
10	Model Year	2 = 2002
11	Assembly Plant	H = Bramelea Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence






Group – 001

Component Parts for Mopar Accessories




GROUP 1 - Component Parts for Mopar Accessories

Illustration Title	Group-Fig. No.
Audio & Electronics	
Player Kit - CD Changer - 4 Disc	Fig. 001-110
Player Kit - CD Changer - 6 Disc	Fig. 001-115
Player Kit - CD Changer - 12 Disc	Fig. 001-120
Install Kit - CD Changer - Trunk	Fig. 001-130
Navigation Kit - Intrepid	Fig. 001-140
Navigation Kit - 300 M	Fig. 001-142
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount	Fig. 001-210
Bike Carrier - Roof Mount Fork Mount Style	Fig. 001-212
Bike Carrier - Roof Mount Upright	Fig. 001-214
Ski Carrier - Hitch Mount	Fig. 001-220
Ski Carrier - Roof Mount Two Pair	Fig. 001-222
Ski Carrier - Roof Mount Six Pair	Fig. 001-224
Rack Kit - Roof Removable	Fig. 001-230
Luggage Carrier	Fig. 001-235
Trailer Tow Harness	Fig. 001-290
Driving Convenience	
Mounting Kit - Cell Phone	Fig. 001-330
Fog Lights & Electrical	
Heater Kit - Engine and Battery	Fig. 001-610
Security	
Alarm - EVSII Security Plus	Fig. 001-914
Module Package - Keyless Entry	Fig. 001-920

001-100 Audio & Electronics	001-200 Carriers & Cargo Hauling	001-300 Driving Convenience	001-600 Fog Lights & Electrical
			
001-900 Security			
			

Player Kit - CD Changer - 4 Disc
Figure 001-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7506	1			41				PLAYER PACKAGE, CD Changer -
2									4 Disc CHANGER, CD, Serviced in package only, (NOT SERVICED) (Not Serviced)
3	4671 841AA	1							WIRING, Compact Disc Changer
4	4595 829AA	1	D						ADAPTOR, CD changer

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Player Kit - CD Changer - 6 Disc
Figure 001-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Use with CD-Controlled radios. For radios without CD Changer controls, use FM-Modulator Kit 82202292									
1	8220 2700	1							PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1							MAGAZINE, CD Changer
3									CHANGER, CD, Serviced in Kit, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)

**CONCORDE II
SERIES**
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Player Kit - CD Changer - 12 Disc
 Figure 001-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; For radio without CD controls. Pentastar Logo, Includes RF Modulator, Power Cord, Din Cord, Hand Held and IR Remote Controller and Operating manual, 12 Disc Magazine.									
1	8220 4730	1	C, D, Y		41				PLAYER KIT, CD Changer - 12 Disc
2	5013 804AA	1	C, D, Y		41				MODULATOR, FM
-3	5013 800AA-	1	C, D, Y		41				HARDWARE KIT, Mounting
4	5013 806AA	1	C, D, Y		41				CHANGER, CD
5	5013 802AA	1	C, D, Y		41				CONTROLLER, CD Wireless
6	5013 805AA	1	C, D, Y		41				MAGAZINE, CD Changer
7	5013 803AA	1	C, D, Y		41				CONTROLLER, CD Wired
8	4465 117	1	C, D, Y		41				ADAPTOR, A/C
9	5013 801AA	1	C, D, Y		41				DIN CORD, CD Player, 5 Meters Long

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Install Kit - CD Changer - Trunk
Figure 001-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: FM Modulator, CD Controller, wired and Mounting Hardware Kit are serviced in the Install Kit only.									
1	8220 7481	1			41				INSTALL KIT, CD Changer - Trunk
2									MODULATOR, FM Changer, (NOT SERVICED) (Not Serviced)
3	5017 217AA	1			41				CONTROLLER, CD Wireless
4									CONTROLLER, CD Wired, (NOT SERVICED) (Not Serviced)
5	4465 117	1			41				ADAPTOR, A/C
6	4465 113	1			41				CABLE, Din
7									HARDWARE KIT, Mounting, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Navigation Kit - Intrepid
Figure 001-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Items 3 and 4 are also serviced as part of item 9.

For warranty orders of items 7 and 8, use a Z prefix through function 11.

1	8220 7581	1	D		41				NAVIGATION KIT, Vehicle Western
	8220 7582	1	D		41				Central
	8220 7583	1	D		41				Eastern
2	5017 415AB	1	D		41				COMPACT DISC, Navigation Western
	5017 416AB	1	D		41				Central
	5017 417AB	1	D		41				Eastern
3	5072 411AA	1	D		41				BRACKET, Navigation Display
4	5019 727AA	1	D		41				SCREW, Thumb
5	5017 433AA	1	D		41				WIRING, Navigation Display
6	5017 420AA	1	D		41				ANTENNA, Global Positioning
7	5017 418AA	1	D		41				MODULE, Navigation Display, See Note
8	5017 419AB	1	D		41				CONTROLLER, Vehicle Navigation, See Note
9	8220 7580	1	D		41				INSTALL KIT, Vehicle Navigation System
10									STRAP, Tie, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Navigation Kit - 300 M
Figure 001-142



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Items 3 and 4 are also serviced as part of item 9.

For warranty orders of items 7 and 8, use a Z prefix through function 11.

1	8220 7593	1	Y		41				NAVIGATION KIT, Vehicle Western
	8220 7594	1	Y		41				Central
	8220 7595	1	Y		41				Eastern
2	5017 415AB	1	Y		41				COMPACT DISC, Navigation Western
	5017 416AB	1	Y		41				Central
	5017 417AB	1	Y		41				Eastern
3	5083 139AA	1							BRACKET, Navigation Display
4	5019 727AA	1							SCREW, Thumb
5	5017 433AA	1	Y		41				WIRING, Navigation Display
6	5017 420AA	1	Y		41				ANTENNA, Global Positioning
7	5017 418AA	1	Y		41				MODULE, Navigation Display, See Note
8	5017 419AB	1	Y		41				CONTROLLER, Vehicle Navigation, See Note
9	8220 7592	1							INSTALL KIT, Vehicle Navigation System
10									STRAP, Tie, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bike Carrier - Hitch Mount
Figure 001-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Folds down for access to rear deck, has anti theft bolts.


1	8220 4452	1							CARRIER KIT, Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1- Long and 1-Short Strap
3	5016 775AA	1							STRAP KIT, Bike Carrier Latch, Contains: 2-Rubber Straps
4	5016 774AA	1							BOLT KIT, Security, Contains: 1- Security Bolt, 1-Wrench, 1-Washer and Nut
5	5018 825AA	1							HARDWARE KIT, Bike Carrier, Contains: T-Handle, Top Clamp and Nylon Washer
-6	5016 610AA-	1							HARDWARE KIT, Accessory, T Handle
-7	4762 882	1							LOCK KIT, Bike Carrier Handle

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bike Carrier - Roof Mount Fork Mount Style
Figure 001-212



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Hardware Kit also contained in Carrier Kit.

1	8230 0585	1							CARRIER KIT, Bike, Fork - Mount
2	5093 779AA	1							HARDWARE KIT, Accessory, Contains: 2-T-Slot Anchors, 1-Rear T-Slot Bar, 4-Button Head Screws, 2-Lock Washers and 4-Dome Washers
3	5016 513AA	1							STRAP, Cargo Tie Down, Consists of: 2- Straps
-4	5066 632AA-	1							TOOL, Screw Driver


CONCORDE-INTREPID-300M (LH)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic				
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm				
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V					
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V					
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bike Carrier - Roof Mount Upright

Figure 001-214


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Ski Carrier - Hitch Mount
Figure 001-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: For use with a 1.25' Hitch Receiver.


1	8220 4454	1	C, D, Y		41				CARRIER KIT, Ski - 4 Pair
2	5016 775AA	1	C, D, Y		41				STRAP KIT, Bike Carrier Latch
3	5016 774AA	1	C, D, Y		41				BOLT KIT, Security

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Ski Carrier - Roof Mount Two Pair
Figure 001-222



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: New keys are Vendor Ship Direct.

1	8220 3474	1							CARRIER KIT, Ski - 2 Pair, High Mount
2	5018 389AA	1							HARDWARE KIT, Mounting
3									KEY, Master, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Ski Carrier - Roof Mount Six Pair

Figure 001-224



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7308	1							CARRIER KIT, Ski
2	5086 158AA	1							HARDWARE KIT, Accessory, Contains: 4 - 25MM Screws, 4 - 20M Screws, 4 - 16MM Screws, 4 - Lock Washers, 4 - Flat Washers, 4 - T Plates, 4 - Rubber Washers


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rack Kit - Roof Removable
Figure 001-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 6610	1			41				RACK KIT, Multipurpose
2	5072 276AA	1	Y		41				END CAP, Roof Rack Side Rail, With set of keys
-3	5066 632AA-	1	Y		41				TOOL, Screw Driver




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Luggage Carrier
Figure 001-235




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARRIER KIT, Luggage
	8220 7341	1			41				28'x90' 480L
	8220 7353	1			41				31'x71' 430L
2	5086 160AA	1			41				STRAP, Cargo Tie Down
3	5086 159AA	1			41				HARDWARE KIT

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Trailer Tow Harness
Figure 001-290



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING PACKAGE, Trailer Tow
	8220 4638	1	D, Y		41				
	8220 4639	1	C		41				
2	8220 2089	1							WIRING, Trailer Tow, Vehicle and trailer side 4 way flat repair kit
3									MODULE, Lighting Control
	4672 295	1	D, Y		41				
		1	C		41				
4									STRAP, Tie
	4641 780	1							7 Inch - Four Required
	6016 155	1							14.5 Inch - Four Required
5									BRACKET KIT, Trailer Tow
	8220 4602	1	C, D, Y		41				Consists of : L Bracket, 2 Screws, 2 Lock Nuts 4 way flat 7 way round
-6									WIRING KIT, Trailer Lights
	8220 6367	1	Y		41				European 13 pin high spec
	8220 6368	1	Y		41				European 7 pin high spec
	8220 6369	1	Y		41				European 7 pin Low Spec

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mounting Kit - Cell Phone

Figure 001-330

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Holds any wireless handset. Installs to instrument panel.									
1	8220 5270	1	C, D, Y		41				MOUNTING KIT, Cellular Phone
2	5018 103AA	1	C, D, Y		41				HARDWARE KIT, Accessory, Contains: Set of long and short support feet.
3	5016 536AA	1	C, D, Y		41				CORD, Cellular Phone, 18 inch in length, has 'Y' feed for another 12V accessory.




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Heater Kit - Engine and Battery
Figure 001-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3641	1	C, D, Y		41				HEATER KIT, Engine and Battery
2	4609 098AB	1							HEATER, Battery
3	4609 325AB	1							HEATER, Engine Block
4	4609 121AD	1							CORD, Engine Block Heater




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarm - EVSII Security Plus
Figure 001-914



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4268	1			41				MODULE, Security Alarm
2	8220 3198	1	C, D, Y		41				SIREN, Alarm
-3	4886 259AA-	1			41				INDICATOR, Valet Status
4	5011 619AA	1	C, D, Y		41				MODULE, Security Alarm
5	4886 261AB	1	C, D, Y		41				SENSOR, Shock, With Connector
-6	8220 3768	1	C, D, Y		41				WIRING KIT, Alarm Security Plus, Required for Installation

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7513	1							MODULE PACKAGE, Keyless Entry
2	56045 755AB	1							RECEIVER, Keyless Entry
3	4602 260AA	2							TRANSMITTER, Keyless Entry
-4	8350 4802	2							BATTERY, Transmitter

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 002


Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title


Group-Fig. No.

Front Suspension	
Suspension, Front	Fig. 002-110
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-210



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>		
--	---	--	--

Suspension, Front
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales codes:

[BR3]= ANTI-LOCK 4-WHEEL DISC

[BR4]=ANTI-LOCK 4-WHEEL DISC, PER

[BR5]=ANTI-LOCK 4-WHEEL DISC, PER

[BR6]=ANTI-LOCK 4-WHEEL DISC, HD

[SDB]=SUSPENSION - HEAVY DUTY

[SDC]=SUSPENSION - TOURING

[SDD]=SUSPENSION - PERFORMANCE

[SDG]=SUSPENSION - 4-WHL INDEP. TOURING

[SDE]=SUSPENSION - SPORT

[ZAC Through ZRF]=Spring Group Types Found on Individual Vehicle Sales Listing.

1									DAMPER, Strut
	4782 012AD	1							[SDC], Right
	4782 013AD	1							[SDC], Left
	4782 110AF	1							[SDD], Right
	4782 111AF	1							[SDD], Left
	4895 182AD	1							[SDG], Right
	4895 183AD	1							[SDG], Left
	4782 778AA	1							[SDB], Right
	4782 779AA	1							[SDB], Left
	4895 560AA	1							[SDE], Right
	4895 561AA	1							[SDE], Left
2	4782 228AA	1							ISOLATOR, Front Suspension
									Spring, Lower
3									SPRING, Front Coil
	4782 084AB	1							[SDC, ZND, ZAD] [SDD, ZBD,
									ZPD] [SDG, ZRD. ZCD]
	4782 085AB	1							[SDC, ZNE, ZAE] [SDD, ZPE, ZBE]
									[SDG, ZRE, ZCE]
	4782 775AA	1							[SDB, ZTK, ZEK]
	4895 686AA	1							[SDE, ZDJ, ZSJ]
4	4782 771AA	4	Y						SPACER, Shock Absorber Bushing
5	4782 335AA	1							SHIELD, Suspension, Right & Left
6	4782 233AA	1							ISOLATOR, Front Suspension
									Spring, Upper
7	4782 016	1							SEAT AND BEARING, Suspension
									Strut
8									BUMPER, Jounce
	4782 017	1							[SDC]
	4782 112	1							[SDD, SDG]
	4895 562AA	1							[SDE]
9									MOUNT, Strut


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Front
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 018AB	1							Right
	4782 019AB	1							Left
10									PIN, Front Strut Alignment, (NOT SERVICED) (Not Serviced)
11	6501 483	8							NUT, Hex Flange, M8x1.25, Strut to Tower
12	4782 238AB	1							CUP, Jounce Bumper
13	4616 748AB	2							CAP, Strut Mount
-14	6502 525	2							NUT, Hex Lock, M14 x 2.00, Strut Rod to Mount
15	6502 630	4							BOLT, Hex Head, M16x2.00x75, Strut To Knuckle
16	6505 362AA	AR							BOLT, Knuckle to Strut Mounting- CAMBER REPAIR
17									NUT
	6504 707	4							Strut to Knuckle Mounting
	6505 363AA	AR							Strut to Knuckle Mounting- CAMBER REPAIR
-18	5016 903AA-	AR							SHIM, Knuckle to Strut-REPAIR
19	6502 544	2							NUT, Hex Lock, M10x1.25, Tie Rod to Strut
20	6502 411	2							SCREW, Hex Head, M12-1.75x55, Knuckle Lower Control Arm
21	6502 526	2							NUT, Hex Locking, M12x1.75, Knuckle Lower Control Arm
22									ARM, Control
	4616 402	1							Right
	4616 403	1							Left
23	4782 060AB	2							STRUT, Lower Control Arm
24	4616 365	2							RETAINER, Strut to Bushing
25	6502 420	2							WASHER, Flat, 21mm ID
26	6502 502	2							NUT, Hex Flange Lock, M14x2
27	6504 989AA	2							SCREW AND WASHER, Hex Head, M14-2x95
28	4782 254AB	1							LINK, Sway Eliminator
29	6502 724	2							NUT, Hex Flange, M12x1.75
30									ISOLATOR
	4772 541AB	2							[SDG], Sway Bar To Frame
	4782 302AA	2							[SDC, SDD], Sway Bar To Frame
	4782 859AA	2							[SDE,SDB], Sway Bar To Frame
31									BAR, Front Sway
	4782 282AA	1							[SDG]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Front
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 303AA	1							[SDC, SDD]
	4782 858AA	1							[SDE]
32	4772 487	2							CLAMP, Stabilizer Bar
33	6502 717	3							SCREW AND WASHER, Hex Head, M10x1.5x50
34	4782 124AC	1							KNUCKLE, Front [BR3, BRW] [BR4, SDC, SDD, SDG] [BR5], Right
	4782 125AC	1							[BR3, BRW] [BR4, SDC, SDD, SDG] [BR5], Left
	4879 412AA	1							[BR4, SDE] [BR6], Right
	4879 413AA	1							[BR4, SDE] [BR6], Left
-35									BRACKET
	5016 901AA-	AR							Knuckle to Strut, Right
	5016 902AA-	AR							Knuckle to Strut, Left
36	4782 224AB	1							SHIELD, Brake, Knuckle to Lower Control Arm
-37	6504 693	2							SCREW, Tapping, Heat Shield Attaching
38	4616 380	2							BUSHING, Lower Control Arm, Front
39	4616 383	2							BUSHING, Lower Control Arm, Rear
40	6506 677AA	2							WASHER, Flat
41	6504 707	4							NUT, M16x2.00

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft, Front Drive
 Figure 002-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Code:									
[EER]=2.7L V6 DOHC 24 VALVE MPI									
[EGG]=3.5L HIGH OUTPUT V6 24V MPI									
[EGJ]=3.5L V6 SOHC 24 VALVE									
[EGK]= 3.5L HIGH OUTPUT V6 24V MPI									
1	4882 518	1	C, D						SHAFT, Front Drive
		1	Y						Right
	5074 002AA	1	Y						Chrysler 300M, Right
									Chrysler 300M Special, Right
2	4882 517	1	C, D						SHAFT, Front Drive
		1	Y						Left
	5074 003AA	1	Y						Chrysler 300M, Left
									Chrysler 300M Special, Left
3	4728 261	1	C, D						BOOT KIT, Half Shaft, Inner
		1	Y						Chrysler 300M
	5073 989AA	1	Y						Chrysler 300M Special
4	4863 722	1	C, D						BOOT KIT, Half Shaft, Outer
		1	Y						Chrysler 300M
	5080 006AA	1	Y						Chrysler 300M Special
-5	6502 541	2							NUT, Hex Flange Lock, M27x2,
									Driveshaft Retaining
-6	6502 363	2				EER,	DGX		O RING, CV Joint
		2				EES			
						EGC,	DGX		
						EGG,			
						EGJ			
		2				EGK	DGX		
-7	4593 012	2				EER,	DGX		CIRCLIP, Half Shaft
						EES			
		2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EGK	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 004

Parking Brake

GROUP 4 - Parking Brake


Illustration Title

Group-Fig. No.

Parking Brake Lever and Cables


Lever Assembly And Cables Parking Brake

Fig. 004-110




004-100

Parking Brake Lever and Cables



Lever Assembly And Cables Parking Brake

Figure 004-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4779 180AA	1							CABLE, Parking Brake, with Lever
2	4221 463	1							SWITCH, Parking Brake
3	6102 150AA	1							SCREW, Tapping
4	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Parking Brake
5	4779 086	1							Lever Mounting TUBE, Brake, Cable
6	6035 593	1							SCREW, .25-14x.75, As Required
7	4779 183AA	2							CABLE, Parking Brake, Right or Left
8	4779 182AA	1							CABLE, Parking Brake, Intermediate
9	4779 083	1							SPACER, Parking Brake, Left
10	4779 082	1							SPACER, Parking Brake, Right
11	2201 467	2							CLIP, Parking Brake Cable
12	4779 038	1							EQUALIZER, Parking Brake Cable
13	4580 640AB	1							BRACKET, Parking Brake Cable, Reaction
14									HANDLE, Parking Brake
	QN42 XDV	1	Y						[DV]
	QN42 XT5	1	Y						[T5]
	QN42 TL2	1	Y						[L2]
		1	C						[L2]
	QN42 WL5	1	D						[L5]
		1	C						[L5]
	QN42 XDV	1	C						[DV]
		1	D						[DV]
	QN42 XT5	1	C						[T5]
		1	D						[T5]
15	6034 743	2							SCREW, Hex Flange Head Tapping, .164-15x.75, Parking Brake Handle to Cover
-16									CLIP, Push, .164-7.5
	6034 833	2	C						Parking Brake Handle Mounting
		2	Y						Parking Brake Handle Mounting
		2	D						Parking Brake Handle Mounting
-17	2516 998	2							CLIP, Parking Brake Cable
-18	6505 900AA-	1							SCREW, Tapping Hex Flange Head, M6.3 x 1.81 x 19.00, Parking Brake Cable attaching

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 005

Service Brakes

GROUP 5 - Service Brakes

Illustration Title

Group-Fig. No.

Front Brakes

Brakes, Front Fig. 005-110

Rear Brakes

Brakes, Rear Disc Fig. 005-210

Power Brake Booster

Booster, Power Brake Fig. 005-310

Brake Master Cylinder

Hydraulic Control Unit Anti-lock Brakes Fig. 005-410

Master Cylinder, Brake Fig. 005-420


Brake Lines and Hoses







Front Brake Lines and Hoses Fig. 005-510

Rear Brake Lines and Hoses Fig. 005-520


Brake Pedals

Pedal, Brake Fig. 005-610



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 		

Brakes, Front Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales codes									
[BRW]=4-WHEEL DISC, 16"									
[BR3]=ANTI-LOCK 4-WHEEL DISC									
[BR4]=ANTI-LOCK 4-WHEEL DISC, PERF									
[BR5]=ANTI-LOCK 4-WHEEL DISC, PERF									
[BR6]=ANTI-LOCK 4-WHEEL DISC, HEAVY DUTY									
[SDC]=SUSPENSION - TOURING									
[SDD]=SUSPENSION - PERFORMANCE									
[SDE]=SUSPENSION - SPORT									
[SDG]=SUSPENSION - 4-WHL INDEP. TOURING									
1	4779 101AA	1							ROTOR, Brake [BR3, BRW]
	4779 133AA	1							[BR4, BR5, BR6]
2	4593 450AA	1							HUB AND BEARING, Brake
3	6505 519AA	5							STUD, Hub
4	6502 410	3							BOLT, Hub
5	4782 224AB	1							SHIELD, Brake
-6	6504 693	2							SCREW, Tapping, Heat Shield Attaching
7	6502 541	2							NUT, Hex Flange Lock, M27x2, Hub and Bearing to Spindle
8	4728 121	1							PISTON PACKAGE, Disc Brake Contains: Piston, Boot, Seal [BR4]
	5086 166AA	1							Contains: Piston, Boot, Seal [BR3, BRW] [BR5] [BR6]
9	5010 032AA	1							CALIPER, Disc Brake Right
	5010 033AA	1							Left
10	6502 527	2							BOLT, Hex Flange Head, M8-1. 25x68.50, Caliper Mounting
11	4383 471	2							BUSHING, Disc Brake Caliper
12	4423 573	2							SLEEVE, Disc Brake Caliper
13	3780 788	1							BLEEDER SCREW, Brake
14									CAP, Bleeder, (NOT SERVICED) (Not Serviced)
15	5010 034AB	1							PAD KIT, Front Disc Brake [BR3, BRW] [BR5]
	5018 595AA	1							[BR4]
	5086 167AA	1							[BR6]
16	5086 168AA	2							CLIP, Brake
-17	4779 152AA-	1							SENSOR, Anti-Lock Brakes Right

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Front

Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	4779 153AA-	1							Left
									DUCT, Air Distribution
	4779 300AA-	1							Brake Rotor Cooling, Police Package,Right
	4779 301AA-	1							Brake Rotor Cooling, Police Package,Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear Disc Figure 005-210



NOTE: Sales codes

[BR3]=ANTI-LOCK 4-WHEEL DISC

[BR4]=ANTI-LOCK 4-WHEEL DISC, PERF

[BR5]=ANTI-LOCK 4-WHEEL DISC, PERF

[BR6]=ANTI-LOCK 4-WHEEL DISC, HEAVY DUTY

[SDC]=SUSPENSION - TOURING

[SDD]=SUSPENSION - PERFORMANCE

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CALIPER, Disc Brake
	5011 746AA	1							Right
	5011 747AA	1							Left
2	6502 527	4							BOLT, Hex Flange Head, M8-1.25x68.50
3									PAD KIT, Rear Disc Brake
	5080 896AA	1							[BR3] [BR5] [BRW]
	5011 631AA	1							[BR4]
	5086 170AA	1							[BR6]
4	3780 788	1							BLEEDER SCREW, Brake
5									CAP, Bleeder, (NOT SERVICED) (Not Serviced)
6	5011 948AA	1							PISTON PACKAGE, Disc Brake, Contains; Piston, Boot, Seal
7	4383 471	2							BUSHING, Disc Brake Caliper
8	4423 573	2							SLEEVE, Disc Brake Caliper
9									SEAL, Caliper Piston, Service in Item # 6, (NOT SERVICED) (Not Serviced)
10									LINK, Brake, Service in Item #15), (NOT SERVICED) (Not Serviced)
11									PIN, Service in Item #15), (NOT SERVICED) (Not Serviced)
12	5083 395AA	1							SPRING, Park Brake Shoe Return, Upper
13	4383 543	1							CLIP, Brake Shoe Hold Down
14	4779 011	2							HUB AND BEARING, Brake
15									LEVER, Park Brake Adjusting
	5073 645AA	1							Right
	5073 648AA	1							Left
16	6502 884	2							WASHER, Rear Hub
17	6502 716	2							NUT, Hex, M20-1.5
18	4616 211	2							LOCK, Hub And Bearing
19	6504 254	2							PIN, Cotter
20	4616 560	2							CAP, Rear Wheel Hub


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes, Rear Disc Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21									ROTOR, Brake
	4779 018	2							With Steel Wheels
	4779 111AC	2							Without Steel Wheels
22	6101 666	8							SCREW AND WASHER, Hex Head, M12x1.75, Adaptor To Knuckle
23									SHIELD, Brake
	4728 110	1							Right
	4728 111	1							Left
24	4723 981	4							SCREW, Rear Brake Dust Shield to Adapter
25	4238 733	1							PIN, Brake Shoe Hold Down
26	4238 721	1							PLUG, Brake Adjusting Hole
27	6504 891AA	10							STUD, Hub
28									ADAPTER, Disc Brake
	4797 310	1							Right
	4797 311	1							Left
29	5015 001AA	1							ADJUSTER, Parking Brake, Consists of Screw and Nut
30	4509 503	1							SCREW, Parking Brake
31	4383 539	1							NUT, Parking Brake Adjusting
32	4509 504	1							SOCKET, Brake Adjusting Screw
33	5073 647AA	1							SHOE AND LINING, parking Brake
34	4383 541	1							SPRING, Park Brake Shoe Return, Yellow in Color, Lower
35									SENSOR, Anti-Lock Brakes
	4779 152AA	1							Right
	4779 153AA	1							Left
36									CLIP, Service in Sensor Assy, (NOT SERVICED) (Not Serviced)
37									GROMMET, Service in Sensor Assy, (NOT SERVICED) (Not Serviced)
-38	6101 683	2							BOLT, Hex Head, M6x1.00x35, Speed Sensor Mounting

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster, Power Brake Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4779 072AE	1							BOOSTER, Power Brake
-2	6101 445	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Brake Booster Mount
3									HOSE, Brake Booster Vacuum
	4779 832AE	1							with 2.7L Engine
	4779 833AD	1							with 3.5L Engines
4	4723 391	1							VALVE, Brake Booster Check
5	4883 813AA	1							GROMMET, Brake Booster Check Valve
6									ROD, Brake Booster, Serviced in Booster, (NOT SERVICED) (Not Serviced)
7	3699 447	1							GASKET, Booster To Dash
-8	6100 050	4							NUT AND WASHER, Hex, M8x1.25, Booster Mounting


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DX0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

[BR3]=ANTI-LOCK 4-WHEEL DISC
[BR4]=ANTI-LOCK 4-WHEEL DISC, PERFORMANCE
[BR5]=ANTI-LOCK 4-WHEEL DISC, PER
[BR6]=ANTI-LOCK 4-WHEEL DISC, HEAVY DUTY
[BNM]=TRACTION CONTROL



September 16, 2005

Master Cylinder, Brake
Figure 005-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:

[BR3]= ANTI-LOCK 4-WHEEL DISC

[BR4]=ANTI-LOCK 4-WHEEL DISC, PER

[BR5]= ANTI-LOCK 4-WHEEL DISC, PER

[BR6]=ANTI-LOCK 4-WHEEL DISC, HD

[BRW]=4-WHEEL DISC

1									MASTER CYLINDER, Brake
	4779 168AB	1							[BRW]
	4779 530	1							[BR3, BR4, BR5]
	4779 292AA	1							[BR6]
2	4509 683	1							CAP, Master Cylinder Reservoir
3	5086 001AA	1							RESERVOIR, Brake Master Cylinder
4	4723 389	2							GROMMET, Master Cylinder
									Reservoir
5	4723 394	2							PIN, Master Cylinder Reservoir
6	4797 655	1							SWITCH, Brake Fluid Level


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Brake Lines and Hoses
Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sale Codes

[BR3]=ANTI-LOCK 4-WHEEL DISC

[BR4]=ANTI-LOCK 4-WHEEL DISC, PERFORMANCE

[BR5]=ANTI-LOCK 4-WHEEL DISC, PERFORMANCE

1	4779 120AA	1							HOSE, Brake, Right
2	4779 121AA	1							HOSE, Brake, Left
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Brake Hose To Caliper
4	6035 727	4							WASHER, Brake Hose To Caliper
5	4779 748	1							TUBE, Brake, with Clips, Right Front
6	4779 749	1							TUBE, Brake, with Clips, Left Front
7									TUBE BUNDLE, Brake Lines, with Clips
	4779 065AB	1							Master Cylinder to Valves [BR3] [BR4] [BR5]
	4779 256AB	1							Master Cylinder to Valves [BRW] HYDRAULIC CONTROL UNIT, Anti-
8									Lock Brake System
	5080 683AA	1							Without Traction Control
	5080 684AA	1							With Traction Control
9	4779 160AB	1							JUNCTION BLOCK, Brake Tube, Without ABS
10	6504 766	1							SCREW AND WASHER, Hex Head, Junction Block/ICU Attach
11									SENSOR, Anti-Lock Brakes
	4779 152AA	1							Right
	4779 153AA	1							Left
12	6102 152AA	2							SCREW, Tapping Hex Flange Head, M6.3x1.81x20.00, Sensor Attach
13	6504 055	2							SCREW, Hex Head, M6x1x16


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Brake Lines and Hoses
Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5083 038AA	1							TUBE, Brake, Rt Rear
2	5083 039AA	1							TUBE, Brake, Lt Rear
3	4779 220AA	1							HOSE, Brake, Right
4	4779 221AA	1							HOSE, Brake, Left
5	6035 727	4							WASHER
6	6035 098	2							BOLT, Hex Head, .437-20x.937
7	4616 057	1							CLIP, Brake Tube
8	4582 923	1							CLIP, Brake Tube
9	5010 229AA	1							CLIP, Fuel Line
10	5010 230AA	1							CLIP, Fuel Line
11	5012 488AA	1							CLIP, Fuel Line
12	5010 231AB	1							CLIP, Fuel Line
13	5011 478AB	1							CLIP, Fuel Line
14	5011 723AA	1							CLIP, Brake Tube
15	4582 074	1							CLIP, Fuel Bundle
-16									SENSOR, Anti-Lock Brakes
	4779 154AA-	1							Right
	4779 155AA-	1							Left
-17	6101 683	2							BOLT, Hex Head, M6x1.00x35, Rear Wheel Speed Sensor Mounting
18	4779 160AB	1							JUNCTION BLOCK, Brake Tube
19	6504 766	1							SCREW AND WASHER, Hex Head, Junction Block Mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal, Brake
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes:

[BR6]=ANTI-LOCK 4-WHEEL DISC, HEAVY DUTY

1									BRACKET, Brake Pedal
	4779 161AA	1							
	4779 302AA	1							[BR6]
2	4294 633	1							SPACER, Brake Pedal Bracket
3	2467 770	2							BUSHING, Pedal Shaft
4	6101 445	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
5	4294 036	1							CLIP
6	4671 336	1							SWITCH, Stop Lamp, With Speed Control
7									PEDAL, Brake
	4779 171AA	1							
	4779 304AA	1							[BR6]
8									SHAFT, Brake Pedal Pivot, Service in Item 1, (NOT SERVICED) (Not Serviced)
9	4779 027	1							PAD, Pedal

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 007

Cooling

GROUP 7 - Cooling

Illustration Title Group-Fig. No.

Radiator and Related Parts

- Radiator and Related Parts Fig. 007-110
- Police Package - Engine Cooler Lines Fig. 007-120

Water Pump and Related Parts

- Water Pump and Related Parts Fig. 007-210

Tank, Coolant Engine

- Coolant Recovery System Heater Plumbing Fig. 007-310

Pulleys and Related Parts


- Drive Pulleys 2.7L Engine Fig. 007-415
- Drive Pulleys 3.5L Engine Fig. 007-430







Drive Belts

- Drive Belts Fig. 007-510

Lines, Transmission Oil Cooler


- Oil Cooler, Transmission Fig. 007-610



007-100 Radiator and Related Parts	007-200 Water Pump and Related Parts	007-300 Tank, Coolant Engine	007-400 Pulleys and Related Parts
			
007-500 Drive Belts	007-600 Lines, Transmission Oil Cooler		
			

Radiator and Related Parts

Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes:									
[DGX] = TRANSMISSION - AUTOMATIC 4-SPEED									
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V									
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24 VALVE									
[EGK] = 3.5L HIGH OUTPUT V6 24V MPI									
[NMC] = HEAVY DUTY									
1									RADIATOR, Engine Cooling
	4758 288AB	1							[NMB,NMD]
	5010 359AB	1							[NMC,NMS]
-2									SHIELD, Radiator
	4806 028AA-	1	D						Red, Right
	4806 029AA-	1	D						Red, Left
	4805 204AB-	1	D						Yellow, Right
	4805 205AB-	1	D						Yellow, Left
	4805 212AB-	1	D						White, Right
	4805 213AB-	1	D						White, Left
	4805 244AC-	1	C						Blue, Right
	4805 245AC-	1	C						Blue, Left
	4805 246AC-	1	Y						Green, Right
	4805 247AC-	1	Y						Green, Left
-3									SHROUD, Fan
	4758 294	1							[NMB]
	5066 160AA-	1							[NMC,NMS,NMD]
-4									FAN, Cooling
	4758 293	2							[NMB]
	5066 161AA-	2							[NMC,NMS,NMD]
-5									MOTOR, Radiator Fan
	5072 180AA-	1							[NMB], Right
	5072 181AA-	1							[NMB], Left
	5066 162AA-	1							[NMS,NMC,NMD], Right
	5066 163AA-	1							[NMS,NMC,NMD], Left
-6	5066 164AA-	1							HARNESS, Radiator Fan with Relays, [NMC,NMS,NMD]
-7	4592 114	1							LABEL, Fan Caution
-8									CLIP, Radiator Fan Shroud
	5011 583AA-	2							Condensor attaching
	4546 145	1							RIVET, Blind Expansion (R-Lok)
-9	6504 700	6							SEAL, Radiator
10	5010 376AA	2							SEAL, Radiator
11	4644 269	1							DRAINCOCK, Radiator


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator and Related Parts
Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4758 300	2							ISOLATOR, Radiator, Lower
13									HOSE, Radiator Inlet
	4767 165	1				EER	DGX		
	4767 161	1				EGC, EGG, EGJ, EGK	DGX		
14									HOSE, Radiator Outlet
	4767 164AE	1				EER	DGX		
	4767 160	1				EGC, EGG, EGJ, EGK	DGX		
15	4809 147AA	1				EGC, EGG, EGJ, EGK			CLAMP, Radiator
16	5003 854AH	1	C, Y						CROSSMEMBER PACKAGE, Upper Radiator Mounting
-17	6101 712	2							NUT, U, M6x1, Crossmember to load Beam, Inner
18	4580 065AD	1							CROSSMEMBER, Radiator
-19	6504 463	8							SCREW AND WASHER
20	4580 761AB	1							AIR DEFLECTOR, Lower Radiator to Engine Cradle
-21	4580 779AA-	2							PUSH PIN
22									RIVET, [.156 x .400], (NOT SERVICED) (Not Serviced)
23									ISOLATOR, Cooling Module Mounting Right Left
	4596 268AA	1							
	4596 269AA	1							
24									THERMOSTAT
	4792 699AA	1				EGC, EGG, EGK EGJ			
25									SEAL, Thermostat
	4792 239AB	1				EGC, EGG, EGK			


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator and Related Parts
Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGJ			
26	4792 361	1				EGC, EGG, EGK			HOUSING, Thermostat
		1				EGJ			
27	5017 183AA	1				EER			CONNECTOR, Water Outlet, w/Tube
28	4792 329	1				EER			HOUSING, Water Outlet
29	3780 788	1							SCREW, Bleeder
-30	6504 640	2				EER			BOLT, Hex Flange Head, Heater Tube to Housing
31	4792 307AB	1				EER			O RING
32	4792 328	1				EER			HOUSING, Thermostat
33	4792 237AB	1				EER			THERMOSTAT, Engine Coolant
-34	6505 069AA-	2				EER			BOLT, Hex Flange Head, Connector Attaching Rear
-35	6504 636	2				EER			BOLT, Hex Flange Head, Connector Attaching Front
-36	4734 648	2							NUT, Hex-Flanged, M5X0.8-6H, Motor to Fan
-37	4758 307	6							SCREW, Motor to Shroud
-38	5010 377AA-	2							SEAL, Radiator Side Air
-39	4580 326AC-	1	D						BRACE, Radiator Crossmember Crossmember to Bumper, Right
	4580 327AC-	1	D						Crossmember to Bumper, Left
	4580 674AB-	1	C, Y						Crossmember to Bumper, Right
	4580 675AB-	1	C, Y						Crossmember to Bumper, Left



CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Police Package - Engine Cooler Lines
Figure 007-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 779AC	1				EG0			LINE, Oil Cooler Supply
2	4698 773AC	1				EG0			LINE, Oil Cooler Return
3	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
4	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
5	4592 093AB	1							RETAINER, Oil Cooler Line
6	4698 780AD	1				EER			LINE, Oil Cooler Supply
7	4698 776AF	1				EER			LINE, Oil Cooler Return
8	4698 777	1				EER			BRACKET, Oil Cooler Tube
9	4596 357AA	1				EER			PIN, Push
10	6502 425	3				EER			SCREW AND WASHER, Hex Head, M8x1.25x95

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump and Related Parts
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes:
[EER] = 2.7L V6 DOHC 24 VALVE MPI
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI
[EGJ] = 3.5L V6 SOHC 24 VALVE
[EGK] =3.5L HIGH OUTPUT V6 24V MPI


1									PUMP, Water
	4663 732	1				EER			
	4792 195	1				EGC,			
		1				EGG,			
						EGK			
						EGJ			
2									GASKET, Water Pump
	4663 731AB	1				EER			
	4659 430AB	1				EGC,			
						EGG,			
						EGK			
						EGJ			
3	6102 012	6				EER			BOLT
		2				EGC,			
						EGG,			
						EGK			
						EGJ			
4									BOLT AND CONED WASHER, Hex
	6101 682	5				EGC,			Head, M6x1.0x20
						EGG,			
						EGK			
		5				EGJ			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÌMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Coolant Recovery System Heater Plumbing Figure 007-310



2.7L



3.2L-3.5L

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes:									
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
[EES] = 2.7L V6 24V W/ACTIVE INTAKE									
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V									
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI									
[EGW] = 3.2L V6 SOHC 24 VALVE MPI									
1	4758 269AB	1							BOTTLE, Pressurized Coolant
2	4596 198	1							CAP, Radiator
3	4596 444AA	1							CAP, Pressurized Coolant, Export
4	6034 716	2							SCREW AND WASHER, Hex Flange
5	6502 018	1				EGC, EGG, EGJ, EGK			CLAMP, Hose, M28.9 x 1.60
6	4592 126	1				EER, EES EGC, EGG, EGW			CLAMP, Hose
7	6100 574	1				EER, EES			BOLT AND CONED WASHER, Hex
8	4767 152AC	1				EER, EES EGC, EGG, EGJ, EGK			TUBE, Heater Return, w/Hose
9	4792 308	1				EER			CLIP, Heater Hose
10	3744 931	1				EES			HOSE, Heater, Return (Roll Stock)
11	4792 307AB-	1				EER			O RING
12	4596 266AC	1				EES EER			BRACKET, Heater Tube To Block
13		1							HOSE, Heater Supply

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

[illegible]

Drive Pulleys 2.7L Engine
Figure 007-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes:									
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
1	4792 312AB	1				EER			SPRING, Tension
2	6101 436	1				EER			SCREW, Hex Head, M8x1.25x25
3	4792 259AC	1				EER			PULLEY, A/C Belt Idler
4	4792 578AA	1				EER			BRACKET, Tensioner Pulley
5	4792 594AA	1				EER			BUSHING
6	6503 847	2				EER			SCREW AND WASHER, Hex Head, M8x1.25x30
7	6505 840AA	1				EER			BOLT
8	4792 430AA	1				EER			DAMPER, Crankshaft
9	6101 448	1				EER			NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
10	4792 112AD	1				EER			PULLEY, Idler
-11	6034 408	1				EER			SPACER, Idler Pulley, w/Washer
12	4792 594AA	1				EER			BUSHING
13	6101 462	5				EER			SCREW AND WASHER, Hex Head, M8x1.25x30
14	6503 256	1				EER			BOLT, Hex Flange Head, M6x1.0x40
15	6503 209	1				EER			BOLT, Hex Flange Head, M10x1.50x55
16	4792 309	1				EER			BRACKET, Power Steering Pump, Idler Pulley Mounting
-17	4792 118	1							PULLEY, Power Steering Pump

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 3.5L Engine
Figure 007-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EGG] = 3.5L HIGH OUTPUT V6 24V MPI

[EGW] = 3.2L V6 SOHC 24 VALVE MPI


1									SCREW AND WASHER, Hex Head, M8x1.25x40
	6101 513	2				EGC, EGG, EGK EGJ			
		2							
2	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
3	6034 408	1				EGC, EGG, EGK EGJ			SPACER, Idler Pulley
		1							
4									PULLEY, Idler, Power Steering - Alternator
	4792 112AD	1				EGC, EGG, EGK			
		1				EGJ			
5	3300 2201	1				EGC, EGG, EGK EGJ			BUSHING, Idler Pulley
		1							
6	4573 516	1				EGC, EGG, EGK EGJ			BRACKET, Idler
		1							
7									SCREW, M8x1.25 Tapped Head, M10x1.5x50
	6502 592	1				EGC, EGG, EGK			
		1				EGJ			
8									SCREW AND WASHER, Hex Head, M8x1.25x110

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Drive Pulleys 3.5L Engine Figure 007-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 929	1				EGC, EGG, EGK			
9	6502 894	1				EGJ EGC, EGG, EGW	DGX		BOLT
10	4663 176	1				EGC, EGG, EGK EGJ			DAMPER, Crankshaft
11	4792 287	1				EGC, EGG, EGK EGJ			SPACER, Idler Pulley
12	4663 534	1				EGC, EGG, EGK			PULLEY, Idler, Compressor
13	4483 016	1				EGJ			DEFLECTOR, Idler Roller Bearing
14	4663 571	1				EGC, EGG, EGK EGJ			BRACKET, Idler Pulley
15	6502 592	1				EGC, EGG, EGK			SCREW, M8x1.25 Tapped Head, M10x1.5x50
-16	4792 118	1				EGJ			PULLEY, Power Steering Pump
-17		1							BRACKET, A/C Belt Guide and Engine Lift


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 3.5L Engine Figure 007-430

[illegible]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts
Figure 007-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes:

[EER] = 2.7L V6 DOHC 24 VALVE MPI

[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V

[EGG] = 3.5L HIGH OUTPUT V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24 VALVE

[EGK] =3.5L HIGH OUTPUT V6 24V MPI

1	4792 071	1				EER			BELT, A/C
2	4663 950	1				EGC, EGG, EGJ, EGK			BELT, A/C Compressor
3	4892 173AA	1				EER			BELT, Alt. and Power Steering
4	4892 060AA	1				EGC			BELT, Accessory Drive
	4892 150AA	1				EGC EGG, EGJ, EGK			Police Group Without Engine Block Heater
	4892 479AB	1				EGG, EGJ, EGK			With Engine Block Heater
-5									LABEL, A/C Spec, Belt Rtg. & Fan Caution
	4596 510AA-	1							
	4596 517AA-	1							Arabic
	4596 519AA-	1							French/Canadian


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler, Transmission
Figure 007-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes:

[EER] = 2.7L V6 DOHC 24 VALVE MPI

[EES] = 2.7L V6 24V W/ACTIVE INTAKE

[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V

[EGG] = 3.5L HIGH OUTPUT V6 24V MPI

[EGW] = 3.2L V6 SOHC 24 VALVE MPI

1	5010 360AC	1							COOLER KIT, Auxiliary Trans Oil [NMB]
	5014 113AA	1							[NMS,NMC,NMD]
2	5010 373AA	1							BRACKET, Oil Cooler Tube
3	4596 424AA	2							CLAMP, Hose
4	4698 965	1				EER,			LINE, Oil Cooler Pressure
	4767 055	1				EES			
						EGC,			
						EGG,			
						EGW			
5	4698 960	1				EER,			LINE, Oil Cooler Return
	4767 050	1				EES			
						EGC,			
						EGG,			
						EGW			
6	6101 451	1							SCREW AND WASHER, Hex Head, M6x1x25
7	4758 267AD	1							BRACKET, Oil Cooler Tube, Line to Oil Pan
8	4592 093AB	1							RETAINER, Oil Cooler Line


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	








AR = Use as required - = Non illustrated part # = New this model year









September 16, 2005

Group – 008
Electrical



Group – 008
Electrical

008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts	008-1300 Wiring-Headlamp to Dash
			
008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair	008-1900 Spark Plugs-Cables-Coils
		WIRING REPAIR PKG.	

008-100 Starters	008-200 Alternators	008-400 Modules	008-500 Relays
			
008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches	008-900 Horns
			

GROUP 8 - Electrical


Illustration Title	Group-Fig. No.
Starters	
Starter	Fig. 008-105
Alternators	
Alternator - 2.7 Engine	Fig. 008-205
Alternator - 3.2, 3.5 Engines	Fig. 008-210
Modules	
Modules	Fig. 008-405
Relays	
Power Distribution Center - Relays and Fuses	Fig. 008-505
Junction Block - Relays and Fuses	Fig. 008-510
Sensors	
Sensors, Engine (2.7-EER)	Fig. 008-605
Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC]	Fig. 008-610
Sensors, Transmission	Fig. 008-615
Sensors - Body	Fig. 008-620
Single Board Engine Controllers	
Single Board Engine Controller (Powertrain Control Module)	Fig. 008-705
Switches	
Switches - Instrument Panel	Fig. 008-805
Switthes - Engine	Fig. 008-810
Switch - Body	Fig. 008-815
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray	Fig. 008-1005
Lamps - Front, Rear and Courtesy	
Lamps-Front	Fig. 008-1105
Lamps-Rear	Fig. 008-1110
Lamps Police Package	Fig. 008-1115
Lamps-Cargo, Dome and Courtesy	Fig. 008-1120
Bulbs	Fig. 008-1125
Wiring-Engine & Related Parts	
Wiring-Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash	
Wiring-Headlamp to Dash	Fig. 008-1305

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Wiring-Instrument Panel	
Wiring-Instrument Panel	Fig. 008-1405
Wiring-Body & Accessories	
Wiring Body and Accessories	Fig. 008-1505
Wiring Doors and Deck Lid	Fig. 008-1510
Wiring Roof	Fig. 008-1515
Wiring Repair	
Wiring Repair Packages	Fig. 008-1605
Spark Plugs-Cables-Coils	
Spark Plugs-Cables-Coil	Fig. 008-1905



Starter
Figure 008-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER= 2.7L V6 DOHC 24 VALVE MPI									
EES=2.7L V6 DOHC 24V									
EGW= 3.2L V6 SOHC 24 VALVE MPI									
EGG= 3.5L HIGH OUTPUT V6 24V MPI									
1									STARTER
	4609 346AB	1				EGC, EGG, EGW			
	4609 345AC	1				EER, EES			
2	4531 484	1					DGX		SHIELD, Starter
3	4593 525	1							SLEEVE, Starter Shield
4	4759 893AA	1				EER, EES			WIRING, Starter
5	6101 809	1							NUT AND WASHER, Hex, M8x1.25, Starter Cable Mounting
6	6502 717	3							SCREW AND WASHER, Hex Head, M10x1.5x50

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 2.7 Engine
Figure 008-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER= 2.7L V6 DOHC 24 VALVE MPI									
EES=2.7L V6 DOHC 24V									
1	4792 312AB	1				EER			SPRING, Tension
		1				EES			
2	6101 436	1				EER			SCREW, Hex Head, M8x1.25x25
		1				EES			
3									BUSHING, (NOT REQUIRED)
4	4792 259AC	1				EER			PULLEY, A/C Belt Idler
		1				EES			
5	4792 578AA	1				EER			BRACKET, Tensioner Pulley
		1				EES			
6	4792 594AA	1				EER			BUSHING
		1				EES			
7	6503 847	2				EER			SCREW AND WASHER, Hex Head, M8x1.25x30
		2				EES			
8	4792 071	1				EER, EES			BELT, A/C
9	4792 070AB	1				EER, EES			BELT, Alt. and Power Steering
10	4896 123AB	1				EES			ALTERNATOR Export
	4608 718AA	1				EER			
11	6101 054	1				EER			BOLT AND WASHER, Hex Head, M10x1.5x40
12									SCREW AND WASHER, Hex Head, M10x1.5x100
	6101 639	1				EER			
		1				EES			
13	4663 778	1				EER			BRACKET, Power Steering Pump Alternator Mounting
		1				EES			Alternator Mounting
-14									SCREW AND WASHER, Hex Head, M8x1.25x30
	6101 462	4				EER			Bracket mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 2.7 Engine
Figure 008-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4				EES			Bracket mounting
15	4792 309	1				EER			BRACKET, Power Steering Pump
		1				EES			Idler Pulley mounting
16									Idler Pulley mounting
									SCREW AND WASHER, Hex Head,
									M8x1.25x30
	6101 462	5				EES			
		5				EER			
17									SPACER, Idler Pulley
	6034 408	1				EER			
		1				EES			
18									PULLEY, Idler
	4792 112AD	1				EER			
		1				EES			
19									BUSHING, Idler Pulley
	3300 2201	1				EGC,			
						EGG,			
						EGK			
		1				EGJ			
-20									COVER, Alternator Bracket
	4602 081AB-	1				EER			
		1				EES			
-21	4792 399AA-	1				EER,			STRUT, Alternator Bracket
						EES			
-22	6505 264AA-	2				EER			BOLT, Hex Flange Head, M8x45,
									Alternator Strut Mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 3.2, 3.5 Engines
Figure 008-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EGW= 3.2L V6 SOHC 24 VALVE MPI									
EGG= 3.5L HIGH OUTPUT V6 24V MPI									
EGC= 3.5 V6 SOHC									
1	4573 516	1				EGC, EGG, EGK EGJ			BRACKET, Idler
2	4663 534	1				EGW EGC, EGG, EGK			PULLEY, Idler
3	4792 287	1				EGW EGC, EGG, EGK			SPACER, Idler Pulley
4	4483 016	1				EGW EGC, EGG, EGK			DEFLECTOR, Idler Roller Bearing
-5	6502 592	1				EGW EGC, EGG, EGK			SCREW, M8x1.25 Tapped Head, M10x1.5x50
-6	6502 929	1				EGW EGC, EGG, EGK			SCREW AND WASHER, Hex Head, M8x1.25x110
7	4663 950	1				EGC, EGG, EGW			BELT, A/C Compressor

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 3.2, 3.5 Engines
Figure 008-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGJ, EGK			
8	4892 060AA 4892 479AB	1 1				EGC EGG, EGJ, EGK			BELT, Accessory Drive Police Package
9	4573 516	1				EGC, EGG, EGK			BRACKET, Idler
		1				EGJ			
10	6502 592	1				EGC, EGG, EGK EGJ			SCREW, M8x1.25 Tapped Head, M10x1.5x50
		1				EGC, EGG EGJ			
11	6502 929	1 1				EGC, EGG EGW			SCREW AND WASHER, Hex Head, M8x1.25x110
12	6101 448	1				EGC, EGG EGW			NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
13	4792 287	1				EGC, EGG EGW			SPACER, Idler Pulley
14	4792 112AD	1				EGC, EGG, EGK EGJ			PULLEY, Idler
15		1							BUSHING, Idler Pulley

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 3.2, 3.5 Engines
Figure 008-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3300 2201	1				EGC, EGG, EGK EGJ			
16		1							SCREW AND WASHER, Hex Head, M8x1.25x40
	6101 513	1				EGC, EGG, EGK			
		1				EGJ			
17									ALTERNATOR
	4606 622AA	1				EGC, EGG, EGK EGJ			
		1				EGC			[NMS]
	4608 826AA	1				EGG			[NMC]
18									STRUT, Support to Cylinder Head
	4792 261	1				EGC, EGG EGW			
		1							
19									BOLT Pivot
	6505 128AA	1				EGC, EGG EGW			
		1							Pivot
20									BOLT AND WASHER, Hex Head, M10x1.5
	6101 763	1				EGC, EGG EGW			Alternator mounting
		1							Alternator mounting
21									STRUT, Alternator To Cylinder Head, (NOT REQUIRED)
22									COVER, Timing Belt
	4663 817	1				EGC, EGG, EGK EGW			with Alternator mounting
		1							with Alternator mounting
-23									TENSIONER, Alternator Belt
	4854 089AB-	1				EGW			


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator - 3.2, 3.5 Engines

Figure 008-210

[illegible]**CONCORDE-INTREPID-300M (LH)**

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÔ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Modules
Figure 008-405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
[JLK]=Premium Body Control Module									
[JLJ]=Base Body Control Module									
1	4602 229AC	1							MODULE, Daytime Running Lamp
2									MODULE, Anti-Lock Brake System
	5073 948AA	1							With 4 Wheel Disc Brakes
	5080 202AA	1							[BNM]
	5083 943AA	1							With Police Package
	5083 944AA	1							With Police Package, Traction
3									Control
									MODULE, EATX, Part of powertrain
									control module, (NOT REQUIRED)
4	4606 638AA	1							BRACKET, Engine Control Module
5	6502 691	4							NUT, Hex Flange Lock, M6x1
6									SCREW, Hex Head, M6x1x16, M4.
									8x1.59x45, (NOT SERVICED) (Not
									Serviced)
7									SCREW, Self Tapping, M6x1x15,
									(NOT SERVICED) (Not Serviced)
8									MODULE, Air Bag Control
	4602 420AF	1	D						Front Air Bag Control Module
		1	C	H, M					Front Air Bag Control Module
	4602 430AF	1	C	P					Front Air Bag Control Module
		1	Y						Front Air Bag Control Module
-9	6506 150AA-	3							SCREW, Hex Head, M6x1x20, Air
									bag attaching
-10									LABEL, Air Bag Warning
	4595 748AA-	1							Canada
	4595 749AA-	1							
-11									LABEL, Airbag
	4897 875AA-	1	D						Visor
		1	Y						Visor
		1	C	H					Visor
		1	C	M					Visor
		1	C	P					Visor
12	4602 304AC	1							MODULE, Seat Memory
13									MODULE, Air Bag Control
	4602 274AF	2							Side Impact Air Bags
	4602 318AA	2							Side Impact Air Bags, Export
-14	6506 478AA-	6							SCREW AND WASHER, Hex Head,
									M6 x 1.00 x 42.00, Sid Air bag
									Module attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Modules
Figure 008-405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4760 303AD	1							ANTENNA, Antenna/EBL Module
16	56042 756AA	1	C	P					MODULE, Compass Temperature
		1	Y	S					With Garage Door Opener
		1	Y	X					With Garage Door Opener
	56042 754AF	1	Y	S					Without Garage Door Opener
		1	Y	X					Without Garage Door Opener
17	4760 145BF	1	D						MODULE, Overhead Console
		1	C	H					
		1	C	M					
		1	C	P					
		1	Y	S					
		1	Y	X					
18	5011 591AA	1							CONTROL UNIT, Sunroof
19	4760 303AD	1							ANTENNA
20									MODULE, Body Controller
	4602 308AH	1							[JLK]
	4602 410AH	1							[JLJ]
21	4602 273AB	1							MODULE, Immobilizer
-22	4814 399	1							DECAL, Theft Protection
23	4602 415AB	1							RECEIVER, Keyless Entry, Export
24									TRANSMITTER, Keyless Entry
	4602 260AA	2							Export
	4602 261AA	2							Export
-25									MODULE, HID Bulb Powerpack
	4805 914AA-	1	Y	X					Right
	4805 915AA-	1	Y	X					Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Distribution Center - Relays and Fuses
Figure 008-505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									POWER DISTRIBUTION CENTER, Serviced in Headlamp to Dash Harness, (NOT SERVICED) (Not Serviced)
2	4638 094	1							RELAY PACKAGE, Electrical, Headlamp Washer, Radiator Fan, Automatic Shutdown
3	4671 168	1							RELAY, Mini, Fuel Pump, Wipers, Starter. Rear Fog Lamps
4	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
5	6102 076AA	1							FUSE CARTRIDGE, 30 Amp
6	6102 077AA	1							FUSE CARTRIDGE, 40 Amp
7	6102 078AA	1							FUSE CARTRIDGE, 50 Amp
-8	4760 691	1							BRACKET, Power Distribution Center
-9	4760 134AE-	1							COVER, Power Distribution Center
10	00AT C20	1							FUSE, Standard, 20 Amp, Yellow
11	00AT C30	1							FUSE, Standard, 30 Amp, Light Green
-12	4606 418AA-	1							RELAY, Electrical
-13	4608 650AB-	1							RELAY, Mini
-14	4608 783AA-	1							TERMINAL, Female, PDC Gold Terminal

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Junction Block - Relays and Fuses



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4759 969AA	1							JUNCTION BLOCK, Instrument Panel
2	4606 409AA	1							RELAY, Mini, Door Lock,Headlamp, Front Fog Lamp,Horn
3	00AT M10	2							FUSE, Mini, 10 AMP, Red
4	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
5	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
-6	4760 060	1							FLASHER, in harness near junction block
-7	4760 603AC-	1							RELAY, Backlite Electric, in trunk behind carpeting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors, Engine (2.7-EER)
Figure 008-605


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;

[EES= 2.7L 24 Valve with Active Intake]

[EER= 2.7l 24 Valve]

1	4606 555AA	2							SENSOR, Oxygen, Upstream
2	4897 247AA	1				EER			SENSOR KIT, Throttle Position
3	4606 487AB	1				EER, EES			SENSOR, Charge Air Temp
4									SENSOR, Coolant Temperature
	5269 870AB	1				EER			
		1				EES			
5	4896 002AC	1				EER			SENSOR, Map
6	4606 555AA	2							SENSOR, Oxygen, Upstream
7	4609 089AF	1				EER			SENSOR, Camshaft
8	4606 133AD	2							SENSOR, Oxygen, Downstream
9	4609 153AD	1							SENSOR, Crankshaft
10									SWITCH, Oil Pressure
	4608 303	1				EER			
		1				EES			
11									SENSOR, Detonation
	4606 093AC	1				EER			
		1				EES			




CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC]
Figure 008-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;

[EGC = 3.5L V6 SOHC]
[EGG = 3.5L V6 MPI 24 Valve]
[EGW = 3.2L V6 MPI 24 Valve]

1	4606 133AD	2							SENSOR, Oxygen, Down stream
2	4606 555AA	2							SENSOR, Oxygen, Up stream
3	5269 870AB	1				EGC, EGG			SENSOR, Coolant Temperature
		1				EGW			
4	4896 002AC	1				EGC, EGG, EGK EGJ EGC, EGG, EGW			SENSOR, Map
5	4606 487AB	1							SENSOR, Charge Air Temp
6									THROTTLE BODY, See Group 14, (NOT SERVICED) (Not Serviced)
7	4606 083	1				EGC, EGG EGW			SENSOR, Throttle Position
8	4606 093AC	1				EGC, EGG EGW			SENSOR, Detonation
9	4609 086	1				EGC, EGG EGW EGJ			SENSOR, Camshaft
-10	6501 957	1				EGC, EGG, EGK			SCREW Cam Sensor attaching
		1				EGJ			
11	4608 303	1				EGC, EGG			SWITCH, Oil Pressure


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC]
Figure 008-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGW			
12	4609 153AD	1							SENSOR, Crankshaft




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors, Transmission Figure 008-615

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4800 878	1				EGC,	DGX		SENSOR, Transmission Input Speed
2	6501 657AB	1				EGG, EGW EGC, EGG,	DGX		O RING, Trans Speed Sensor
3	4659 677AC	1				EGW EGC, EGG, EGW	DGX		SENSOR, Manual Valve Lever
4	4659 678	1				EGC, EGG, EGW	DGX		SEAL, Manual Valve Position Sensor
5	4800 879	1				EGC,	DGX		SENSOR, Transmission Output Speed
6	6501 658AB	1				EGG, EGW EGC, EGG, EGW	DGX		O RING, Trans Speed Sensor



CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - Body
Figure 008-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5604 2395	1							SENSOR, Ambient Temperature
2	4779 152AA	1							SENSOR, Anti-Lock Brakes, Right Front
3	4779 153AA	1							SENSOR, Anti-Lock Brakes, Left Front
4	4779 154AA	1							SENSOR, Anti-Lock Brakes, Right Rear
5	4779 155AA	1							SENSOR, Anti-Lock Brakes, Left Rear
6	4698 662	1							SENSOR, A.T.C. Sun, Contains Auto Headlamp Sensor
7	4882 797	1							SENSOR, Washer Fluid Level
8	52088 990AC	5							SENSOR, Tire Pressure, valve stem
9	52088 961AA	5							NUT
-10	52109 664AA-	1							MAGNET, Tire pressure sensor

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controller (Powertrain Control Module) Figure 008-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Powertrain Control
	4606 683AE	1				EGG			[NAS,NZ5] Up to 8/27/01
	4606 904AF	1				EGJ			[NAS] Up to 8/27/01
	4896 124AF	1				EGG			[NAS] Up to 8/27/01
	4896 257AG	1				EER			[NAS] Up to 8/27/01
	4896 348AC	1				EER			[NA3] Up to 8/27/01
	4896 469AC	1				EER			[NA1] Up to 8/27/01
	4896 652AE	1				EGC			[NAS] Up to 8/27/01
	4606 873AA	1		H, M, P, S		EGG			[NAS,NZ5]After 8/27/01 and up to 11/05/02
	4606 876AA	1				EGJ			[NAS] After 8/27/01 and up to 11/ 05/01
	4606 877AA	1				EER			[NAS] After 8/27/01 and up to 11/ 05/01
	4606 878AA	1	D	X		EGG			[NAS] After 8/27/01 and up to 11/ 05/02
	4896 349AA	1				EER			[NA1,NZ5] Up to 8/27/01
	4896 441AA	1				EER			[NA1,NZ5] After 8/27/01 and up to 11/05/01
	4896 874AA	1		H, M, P, S		EGG			[NAS] After 8/27/01 and up to 11/ 05/01
	4896 212AB	1	D	X		EGG			[NAS] After 11/05/01
	4896 220AB	1				EER			[NAS] After 11/05/01
	4896 222AB	1				EER			[NA1,NZ5] After 11/05/01
	4896 223AB	1				EER			[NA1] After 11/05/01
	4896 224AB	1				EGJ			[NAS] After 11/05/01
	4896 226AB	1		H, M, P, S		EGG			[NAS] After 11/05/01
	4896 227AB	1		H, M, P, S		EGG			[NAS,NZ5] After 11/05/01
	4896 554AB	1				EGK			[NAS] After 11/05/01,
	4606 905AC	1				EGJ			[NAM] Up to 08/13/01
	4896 443AA	1				EGJ			[NAM] After 08/13/01 and up to 11/ 05/01
	4606 789AD	1				EGG			[NA1] Up to 08/27/01
	4606 871AD	1				EGG			[NAM,NZ5] Up to 08/27/01
	4606 872AA	1				EGG			[NAM] Up to 08/27/01
	4896 095AE	1				EGG			[NA3] Up to 08/27/03
	4896 210AB	1				EGG			[NA3] After 11/05/01
	4896 211AB	1				EGG			[NA1,NBJ] After 11/05/01
	4896 213AB	1				EGG			[NAM,NZ5] After 11/05/01


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 008-705




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4896 221AB	1				EER			[NA3] After 11/05/02
	4896 225AB	1				EGJ			[NAM] After 11/05/01
	4896 228AB	1				EGG			[NA1] After 11/05/01
	4896 229AB	1				EGG			[NAM] After 11/05/01
	4896 440AA	1				EER			[NA3] After 08/27/01 and up to 11/05/01
	4896 442AA	1				EER			[NA1] After 08/27/01 and up 11/05/01
	4896 443AB	1				EGJ			[NAM] After 08/27/01 and up 11/05/01
	4896 444AA	1				EGG			[NA1] After 08/27/01 and up 11/05/01
	4896 445AA	1				EGG			[NAM] After 08/27/01 and up 11/05/01
	4896 446AA	1				EGG			[NA3] After 08/27/01 and up to 11/05/01
	4896 448AA	1				EGG			[NAM,NZ5] After 08/27/01 and up to 11/05/01
	4606 879AB	1				EGC			[NAS]
2	4606 638AA	1							BRACKET, Engine Control Module
3	6502 691	4							NUT, Hex Flange Lock, M6x1
4									SCREW, Hex Flange Head, M4.8x1.59x45, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Instrument Panel
Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7L V6 DOHC 24 VALVE MPI									
EES= 2.7L V6 DOHC 24 VALVE									
EGW = 3.2L V6 SOHC 24 VALVE MPI									
EGC= 3.5L SOHC									
EGG = 3.5L HIGH OUTPUT V6 24V MPI									
1	4760 151AG	1							SWITCH, Headlamp
2	4760 154AG	1							SWITCH, Headlamp and Fog Lamp without Auto Headlamps
	4760 158AG	1							withAuto Headlamps
3	4760 156AG	1							SWITCH, Headlamp and Fog Lamp, Front and Rear Fog Lamps, Export
-4	6504 912AA-	3	C	H					SCREW, Tapping Headlamp Switch to Bezel
		3	C	M					Headlamp Switch to Bezel
		3	D						Headlamp Switch to Bezel
		3	Y						Headlamp Switch to Bezel
		3	C	P					Headlamp Switch to Bezel
5	4760 594AC	1							SWITCH, Multifunction
6	5014 176AA	1							SWITCH, Ignition
7	4698 198AB	1	C, Y						CONTROL, A/C And Heater without ATC
	4698 199AB	1	D						with ATC
		1	Y						with ATC
		1	C	P					with ATC
	4698 198AB	1	D						without ATC
8	4760 847AC	1	C	M					SWITCH, Deck Lid Release
		1	D						
		1	C	H					
		1	C	P					
		1	Y	S					
		1	Y	X					
9	4671 336	1							SWITCH, Stop Lamp, Stop Lamp & Speed Control
10	5026 006AA	1							SWITCH, Speed Control, Resume/ Cancel
11	5026 007AA	1							SWITCH, Speed Control, On-Off/Set
12	56045 563AA	1							SWITCH, Remote Radio Left
	56045 564AA	1							Right
13									SWITCH, Traction Control

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Instrument Panel
Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 152AB	1	D						
		1	C, Y						
14	4565 022	1							SWITCH AND LAMP, Glove Box, with Lamp

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switthes - Engine

Figure 008-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SWITCH, Oil Pressure
	4608 303	1				EER			
		1				EES			
		1				EGC, EGG			
		1				EGW			



CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Switch - Body
Figure 008-815

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7L V6 DOHC 24 VALVE MPI									
EGW = 3.2L V6 SOHC 24 VALVE MPI-									
EGG = 3.5L HIGH OUTPUT V6 24V MPI									
1	56007 695AC	2							SWITCH, Power Window Single Gang, Rear Door
		1							Right,Front Door
2	PQ42 WL5AB	1							BEZEL, Power Window Switch [L5], Right,Rear
	PQ42 WL8AB	1							[L2], Right,Rear
	PQ42 XDVAB	1							[DV], Right,Rear
	PQ42 XT5AB	1							[T5], Right,Rear
	PQ42 XTMAAB	1							[T5] [RCE], Right,Rear
	PQ43 WL5AB	1							[L5], Left,Rear
	PQ43 WL8AB	1							[L2], Left,Rear
	PQ43 XDVAB	1							[DV], Left,Rear
	PQ43 XT5AB	1							[T5], Left,Rear
	PQ43 XTMAAB	1							[T5] [RCE], Left,Rear
3	SX16 1L2AA	1	Y						SWITCH, Sunroof
		1	C	P					
		1	D						
		1	C	H					
4	RF29 TL2AB	1							SWITCH, Memory Selector [L2] After 2/25/02
	RF29 XDVAB	1							[DV] After 2/25/02
	RF29 XT5AB	1							[T5] After 2/25/02
	RF29 DX9AB	1							Black after 2/25/02
	5083 978AA	1							Up to 2/25/02
5	4607 064	1	D						SWITCH, Courtesy Lamp
6	4608 287AB	1	D						SWITCH, Deck Lid Alarm
		1	C						
		1	Y						
7	4797 655	1							SWITCH, Brake Fluid Level
8	5026 004AA	1							SWITCH, Power Window, Five gang black
9	4760 174AG	1							SWITCH, Mirror
	TA55 DX9AA	1							[BP,DV]
	TA55 WL8AA	1							[L2]
	TA55 XTMAA	1							[T5]
10	4760 857AB	1							SWITCH, Door Lock

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Switch - Body
Figure 008-815

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SWITCH, Seat
	4601 756AB	1							Right
	4601 757AB	1							Left
12									KNOB, Power Seat Switch
	4607 042AB	1							Right
	4607 043AB	1							Left
	4607 044AB	1							Recliner, Right
	4607 045AB	1							Recliner, Left
13	4760 162AB	2							SWITCH, Central Locking
14									SWITCH, Heated Seat
	QP36 TL2AD	2							[L2]
	QP36 XDVAD	2							[DV]
	QP36 XT5AD	2							[T5]
	QP36 DX9AD	2							Black

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	



AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Horns
Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4760 943AD	1							HORN AND BRACKET, Low Note
2	4760 944AD	1							HORN AND BRACKET, High Note




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray Figure 008-1005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
[EES]= 2.7L V6 DOHC 24 VALVE									
[EGW] = 3.2L V6 SOHC 24 VALVE MPI									
[EGC]= 3.5L SOHC									
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI									
NOTE: Positive battery wiring serviced in engine harness only.									
1	4364 944	1							BATTERY, [BC2]
2	4364 945	1							BATTERY, [BCD]
3	4580 743AB	1							BRACKET, Battery Hold Down
4	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25, Battery Hold Down
5	4609 098AB	1							HEATER, Battery
6	4609 121AD	1							CORD, Engine Block Heater, Battery
7	4580 197AF	1							Blanket Heater
-8	6035 414	2							TRAY, Battery
-9	6101 712	3							RIVET, Blind, .12x.47, For Body Code Plate attached to Battery Tray
10	4760 739AB	1							NUT, U, M6x1, Battery Tray & Hold Down Attaching
11	4759 333AB	1							BRACKET, Battery Wiring, Remote Battery Post Positive
-12	4760 819AB-	AR							BRACKET, Battery Wiring, Air Cleaner Attaching
-13	4760 584AB-	1							COVER, Battery, Remote positive post cap
-14	4793 062	1							INSULATOR, Battery Cable
	4557 480	1							LABEL, Battery
	4780 518AC-	1							European
-15	4760 567AC-	1							Arabic
-16	4759 608AA-	1							Negative Jumper
-17	56045 607AA-	1				EGG			WIRING, Battery Negative
		1				EGC			TERMINAL, Eyelet
		1				EGJ			COVER, Insulator, Wiring Protection
-18	6503 062	1							Alternator Connector
-19	6035 223	1							Alternator Connector
									Alternator Connector
									NUT, M10x1.50, Battery Negative right side strut tower ground
									NUT, Hex, .312-18


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Fog Lamp
	4760 632	1	C						
	4760 721	1	Y						
2									LAMP, Fog
	4574 826AB	1	Y						Right
	4574 827AB	1	Y						Left
	4574 836	1	D	P, X					Right
	4574 837	1	D	P, X					Left
	4805 046AC	2	C						
-3									HOUSING, Fog Lamp
	5003 730AA-	1	D	P, X					Right
	5003 731AA-	1	D	P, X					Left
-4									VENT
	5003 368AA-	1	Y	S					Right or Left
		1	Y	X					Right or Left
-5									CAP, Vent
	5014 362AA-	2	Y	S					
		2	Y	X					
-6	L00H 335W	1	D	P, X					BULB, Fog Lamp, H-3 35 Watt
-7	L000 9040	1	C	P					BULB, Fog Lamp, 50 Watt
-8									BULB, Fog Lamp, H-3 55 WATT
	L00H 355W	1	Y	S					
		1	Y	X					
-9	4805 395AA-	2	C	P					BRACKET, Fog Lamp
-10	6501 400	4	C						SCREW, Flange Head, M10x1.5x65, Fog Lamp to Fascia
-11	6101 444	4	C	P					NUT AND WASHER, Hex, M6x1.0, Fog Lamp to Fascia
12	4630 559AD	2							CLIP, Lamp
13									HEADLAMP
	4780 002AD	1	Y						With Headlamp Leveling, Right, Export
	4780 003AD	1	Y						With Headlamp Leveling, Left, Export
	4780 004AD	1	D						Up to 02/11/02, Right
	4780 005AD	1	D						Up to 02/11/02, Left
	4780 006	1	Y						Right Hand Drive, Right
	4780 007	1	Y						Right Hand Drive, Left
	4780 012AD	1	Y						Right
	4780 013AD	1	Y						Left
	4780 014AE	1	C						With Delay [LMT], Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4780 015AE	1	C						With Delay [LMT], Left
	4805 766AA	1	Y	X					300 M Special, Right
	4805 767AA	1	Y	X					300 M Special, Left
	4780 004AF	1	D						After 02/11/02, Right
	4780 005AF	1	D						After 02/11/02, Left
14	5014 909AA	1	C	H, M					WELT, Headlamp
15									BULB, Headlamp
	L000 9006	1	C						Low Beam
	L0900 5XSLL	1	D						High Beam
		1	Y	S					High Beam
		1	Y	X					High Beam
		1	C						High Beam
	4865 941AA	1	Y	X					Low Beam
16									BULB, Headlamp, 9006XS
	L0009 006XS	1	D						Low Beam
		1	Y	S					Low Beam
		1	Y	X					Low Beam
-17	4805 573AA-	1	D						SOCKET, Headlamp, Right & Left
-18									SOCKET, Park, Turn, and Side Lamp
	4399 900	1	C						Right or Left
		1	Y	S					Right or Left
		1	Y	X					Right or Left
-19									VENT, Headlamp
	4805 147	1	Y	S					
		1	Y	X					
		1	C						
	4857 156AA-	1	D	P, X					
-20									RETAINER, Headlamp Bulb
	5003 596AA-	1	Y						
		1	C						
-21									COVER, Headlamp
	QN78 DX8	1	Y	S					[X8], Right
	QN78 SW1	1	Y	S					[W1], Right
	QN78 VLB	1	Y	S					[LB], Right
	QN78 WEL	1	Y	S					[EL], Right
	QN78 WS2	1	Y	S					[S2], Right
	QN78 XBQ	1	Y	S					[BQ], Right
	QN78 XRV	1	Y	S					[RV], Right
	QN78 YBW	1	Y	S					[BW], Right
	QN78 YJR	1	Y	S					[JR], Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN78 ZKJ	1	Y	S					[KJ], Right
	QN79 DX8	1	Y	S					[X8], Left
	QN79 SW1	1	Y	S					[W1], Left
	QN79 VLB	1	Y	S					[LB], Left
	QN79 WEL	1	Y	S					[EL], Left
	QN79 WS2	1	Y	S					[S2], Left
	QN79 XBQ	1	Y	S					[BQ], Left
	QN79 XRV	1	Y	S					[RV], Left
	QN79 YBW	1	Y	S					[BW], Left
	QN79 YJR	1	Y	S					[JR], Left
	QN79 ZKJ	1	Y	S					[KJ], Left
-22									U-CLIP, Headlamp
	5003 395AA-	1	C	H, M					
	5003 753AA-	1	Y						Right Hand Drive
		2	Y	S					
		2	Y	X					
-23	6506 566AA-	4							SCREW, Hex Flange Head, M6 x 1.00 x 175.00, headlamp attaching
-24	4805 465AA-	AR							SHIM, Headlamp Fit
25									WIRING, Front End Lighting, Serviced in Headlamp to Dash
									Harness, (NOT SERVICED) (Not Serviced)
26	4759 379AA	1	Y						WIRING, Headlamp, Export
27									LAMP, Side Marker
	4805 038AB	1	C						Right
	4805 039AB	1	C						Left
-28	4760 631AB-	1	C	H					WIRING, Side Marker Jumper
-29									SEAL
	4399 599	1	C	P					
		1	Y	S					
		1	Y	X					
-30									GASKET, Side Marker Lamp
	4676 801	2	Y	S					
		2	Y	X					
31									LAMP, Front Combination
	4805 138AB	1	Y						Right
	4805 139AB	1	Y						Left
	4805 140AB	1	Y						Export, Right
	4805 141AB	1	Y						Export, Left
-32									VENT


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special			EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Front
Figure 008-1105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 368AA-	1	Y	S					
		1	Y	X					
-33	L0003 157AK-	1	D						BULB, 3157 NAK, Right & Left
34	4805 072AD	1							NOZZLE, Washer, Headlamp
	4805 073AD	1							without Fog Lamps, Export,Right
-35	4638 904	1							without Fog Lamps, Export,Left
-36	6505 570AA-	4							SEAL, Output, Headlamp Washers
									SCREW, Pan Head, M4 x 0.70 x 10.
									00, nozzle mounting
37	4805 071AC	1	Y						HOSE, Washer, Headlamp, Export
38	5288 895AB	2	Y						LAMP, Side Repeater, Export
-39	5288 931AA-	2	Y						SOCKET, Side Repeater Lamp,
									Right or Left
-40	0153 625	2	Y						BULB, W10/5, Right & Left
-41	4676 801	2	Y						GASKET, Side Marker Lamp, Side
									Repeater
42	5014 121AA	1	Y						MOTOR, Headlamp Leveling
43	L002 825W5W	2	Y						BULB, W10/5, Export

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	4574 960AK	1	D						Right
	4574 961AK	1	D						Left
	4805 592AD	1	Y						Right
	4805 593AD	1	Y						Left
	4805 594AC	1	Y						Export, Right
	4805 595AC	1	Y						Export, Left
	4780 058AG	1	C						Right
	4780 059AG	1	C						Left
2									WIRING, Taillamp
	4759 940AB	1	Y						Right & Left
	4760 072AE	1	D						Right & Left
	4760 075AD	1	C	P					Right & Left
	4760 082AD	1	C	H, M					Right & Left
3									BULB, 3157K
	L003 157K	1	Y						Right & Left
		1	D						Right & Left
4	L000 0912	2	D						BULB, 912
5									BULB, 168
	L000 0168	2	C	H					rear side marker in tail lamp
		2	C	M					
		2	C	P					
		1	Y						
		1	D						
-6	3420 2385	6							NUT, Wing, M6x1, Taillamp attaching
7									LAMP, BackUp
	4574 900	1	C						Right
	4574 901	1	C						Left
-8	L000 0168	1	D						BULB, 168, Back up Lamp
9									LAMP, High Mounted Stop
	4780 179AD	1	C						
	4805 121AD	1	Y	S					
		1	Y	X					
-10									WIRING, High Mounted Stop Lamp
	4604 407	1	Y						
	4759 748AA-	1	C						
-11	5303 251	1	C						SOCKET, High Mounted Stop Lamp
-12	0154 883AA-	1	Y						BULB, 921, CHMSL
-13	6102 132AA-	2	D						SCREW, Hex Head, M6x1x20, CHMSL attaching
-14	6101 712	2	Y						NUT, U, M6x1, CHMSL Attaching


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4574 615	1	D						LAMP, Deck Lid, Applique & CHMSL
-16	L000 0912	2	D						BULB, 912, Deck Lid Lamp,CHMSL
-17	6502 589	4	D						NUT, Wing, M6, Deck Lid,Applique
18	4574 904	1	Y						LAMP, License Plate
		1	D						
		1	C						
	4805 702AA	1	Y	S					Export
		1	Y	X					Export
-19	L000 0168	1	D						BULB, 168
		1	Y	X					License Lamp
		1	Y						License Lamp
		1	C						License Lamp
20	4759 727AA	1	Y						WIRING, License Lamp
	4759 728AA	1	C	H, M					Export
	4759 729AA	1	C	P					
	4759 731AA	1	Y						
		1	D						
-21	4760 148	1							LAMP, Trunk, Lens only
-22	L000 0906	1							BULB, 906
23	4759 450AF	1	Y	S					WIRING, Deck Lid
	4759 451AF	1	Y	S					CHMSL Lamp. without Security
	4760 131AF	1	D						CHMSL Lamp. with Security
	4760 662AF	1	D						CHMSL Lamp. without Security
	4760 678AE	1	C						CHMSL Lamp. with Security
	4760 679AE	1	C						CHMSL Lamp. without Security
	4759 450AF	1	Y	X					CHMSL Lamp. with Security
	4759 451AF	1	Y	X					CHMSL Lamp. without Security

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Police Package
Figure 008-1115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPOTLAMP, A-Pillar Mounted
	4806 026AA	1							Black,Right
	4806 027AA	1							Black,Left
	5056 180AA	1							Chromed,Right
	5056 181AA	1							Chromed,Left
-2	L0H3 100W	1							BULB, Fog Lamp, H-3 100 WATT, Spot Lamp Bulb
-3	5114 002AA-	1							LENS, Spotlamp
-4	5114 003AA-	1							HANDLE, spotlamp
5									LAMP, Fog
	4574 836	1	D						Right
	4574 837	1	D						Left
-6	L00H 335W	1	D	P, X					BULB, Fog Lamp, H-3 35 Watt, Right or Left
-7	4857 156AA-	1	D						VENT, Headlamp, Fog lamp, Right or Left
-8	5602 1441	1							LAMP, Underhood




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Cargo, Dome and Courtesy
Figure 008-1120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Door
	4760 186AB	1							After 6/14/01, Right
	4760 187AB	1							After 6/14/01, Left
	4760 186	1							Up to 6/14/01, Right
	4760 187	1							Up to 6/14/01, Left
-2	L002 1202	1							BULB, 212-2, Door Courtesy Lamp, Right & Left
3									HANDLE, with Courtesy Lamp
	QB26 TL2AB	1	Y						Right
		1	C		H				Right
		1	C		P				Right
	QB26 TL2AC	1	D						Right
	QB27 TL2AB	1	Y						Left
		1	C		H				Left
		1	C		P				Left
	QB27 TL2AC	1	D						Left
4									LENS, w/Grab Handle
	4728 529	1	Y						
		1	C		H				
		1	C		M				
		1	C		P				
-5									BULB, 192
	0154 537	2	D						
		2	Y						
		2	C		H				
		2	C		P				
6									LAMP, Reading
	PB83 TL2AB	1	D						without Sunroof
		1	C		H				without Sunroof
	TK50 1L2AA	1	D						with Sunroof
		1	C		H				with Sunroof
-7									LENS, Reading Lamp, Serviced in lamp assy. only, (NOT SERVICED)
									(Not Serviced)
-8	4607 064	1	D						SWITCH, Courtesy Lamp
-9									BULB, 192
	L000 0192	2	D						
		2	C		H				
-10									WIRING, Overhead Console
	4760 644	1	D						Reading Lamp
		1	Y						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps-Cargo, Dome and Courtesy
Figure 008-1120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C	P					
		1	C	H					
		1	C	M					
11	4760 148	1							LAMP, Trunk, Lens only
12	L000 0906	1							BULB, 906, Trunk Lamp
13									WIRING, Reference, (NOT SERVICED) (Not Serviced)
14	6016 270AB	1							CLIP, Wiring
-15	4565 022	1							SWITCH AND LAMP, Glove Box
-16	L000 0194	1							BULB, 194, Glove Box Lamp
-17	5602 1441	1							LAMP, Underhood
-18	4897 446AA-	1							LENS, Lamp Module, Under hood lamp
-19	L000 0561	1							BULB, 561

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bulbs Figure 008-1125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L0900 5XSLL	1	D						BULB, Headlamp
		1	Y	S					High Beam
		1	Y	X					High Beam
		1	C						High Beam
-2	L0009 006XS-	1	D						BULB, Headlamp, 9006XS
		1	Y	S					Low Beam
		1	Y	X					Low Beam
		1	Y	X					Low Beam
-3	4865 941AA-	1	Y	X					BULB, Headlamp, Low Beam
-4	L000 9040	1	C						BULB, Fog Lamp, 50 Watt
-5	L00H 335W	1	D	P, X					BULB, Fog Lamp, H-3 35 Watt
-6	L00H 355W	1	Y	S					BULB, Fog Lamp, H-3 55 WATT
		1	Y	X					
7									BULB AND SOCKET, Heater and A/C Control
	5011 273AA	1	C	H, M					With ATC
		1	D						With ATC
		1	C	P					With ATC
		1	Y	S					With ATC
	5013 815AA	1	Y	X					With ATC
		1	C, Y						Without ATC
		1	D						Without ATC
-8									BULB AND SOCKET
	4897 949AA-	1	C	P					Clock
		1	Y						Clock
-9	L0003 157AK-	1	D						BULB, 3157 NAK, Front Park/Turn Signal
-10	L000 0912	2	D						BULB, 912, CHMSL Lamp
-11	0153 625	2	Y						BULB, W10/5, License Lamp
-12									BULB, 168
	9425 542	2	C	P					Side Marker
		2	C	H					Side Marker
		1	Y						Side Marker
		1	D						Side Marker
-13	9436 750	1							BULB, 906, Trunk Lamp
-14									BULB, 161
	9417 561	1	C	P					Ash Reciever Lamp
		1	D, Y						
		1	C	H, M					
-15									BULB, 192

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bulbs

Figure 008-1125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0154 537	2	D						Overhead Console Reading Lamp
		2	Y						Overhead Console Reading Lamp
		2	C	H					Overhead Console Reading Lamp
		1	C	P					Overhead Console Reading Lamp
-16	L000 0194	1							BULB, 194, Glove Box
-17	0153 625	2	Y						BULB, W10/5, Side Repeater Lamp
-18	0154 883AA-	1	Y						BULB, 921, CHMSL Lamp
-19	L002 1202	1							BULB, 212-2
-20									BULB, 3157K
	L003 157K	1	Y						Park Lamp
		1	D						Park Lamp
-21									LAMP, Message Center
	4437 661	3	Y						
		3	C	P					
		3	D						
		3	C	H					
		3	C	M					
-22									LAMP, Bulb And Socket
	L00P C194	6	D						Cluster
		2	Y	S					Cluster
		6	C	H, M					Cluster
-23									BULB, 74
	L000 0074	1	D						
		1	C	P					
		1	Y	S					
		1	Y	X					
		1	C	H, M					
-24									BULB, Headlamp
	L000 9006	1	C						
		1	Y	S					
		1	Y	X					
-25									BULB, PC74
	L000 PC74	2	D						
		2	C	P					
		2	Y	S					
		2	Y	X					
		2	C	H, M					
-26									BULB, Fog Lamp, H-3 55 WATT
	L012 55H3	1	Y	S					
		1	Y	X					
-27									BULB, T8/4

CONCORDE-INTREPID-300M (LH)



SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bulbs
Figure 008-1125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	L000 3893	2	Y	S					
		2	Y	X					
-28	L000 03157A	1	D						BULB, 3157A
-29	L000 0561	1							BULB, 561, Under hood lamp
-30	L000 9005	1	Y						BULB, Headlamp




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring-Engine and Related Parts
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7L V6 DOHC 24 VALVE MPI-									
EES= 2.7L V6 DOHC 24V									
EGW= 3.2L V6 SOHC 24 VALVE MPI									
EGC= 3.5L V6 SOHC									
EGG=3.5L HIGH OUTPUT V6 24V MPI									
DGX=TRANSMISSION - 4-SPEED AUTOMATIC									
1	4725 660AA	1				EGJ			WIRING, Engine Up to 10/11/01
	4759 959AC	1				EER			Up to 02/08/02
	4759 963AC	1				EGC, EGG, EGK			Up to 8/27/01
	4759 963AD	1				EGC			After 8/27/01
		1				EGG, EGK			After 8/27/01
	4725 660AB	1				EGJ			After 10/11/01
	4759 959AD	1				EER			After 02/08/02
-2	4759 419AB-	1				EER			WIRING, Knock Sensor Jumper
		1				EES			
3	4760 567AC	1							WIRING, Battery Negative, W/Nuts and Bolts
4	4759 367AC	1				EGC, EGG, EGJ, EGK EER			WIRING, Starter
5	4759 893AB	1							WIRING, Transmission
	4759 995AA	1				EGC, EGG, EGJ EER	DGX		
		1				EGK	DGX		
6	4609 121AD	1							CORD, Engine Block Heater
7									WIRING, Alternator, Serviced in Engine Harness, (NOT SERVICED) (Not Serviced)
-8	4609 325	1							HEATER, Engine Block
-9	4609 122AB-	1							CLIP, Engine Heater Cord
-10									CAPACITOR, Ignition

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

[illegible]

September 16, 2005

Wiring-Headlamp to Dash
Figure 008-1305




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Power Distribution Center is serviced in the Headlamp to Dash Harness Assembly only.									
1	5081 000AA	1	D						WIRING, Headlamp to Dash [BR8,BRW]
	5081 001AA	1	D						[BR3,BR4,BR5,BR6]
	5081 002AA	1	D						[BR3,BR4,BR5,BR6,LNJ]
	5081 003AA	1	C	H, M					[BR8,BRW]
	5081 004AA	1	C	H, M					[BR3,BR4,BR5,BR6,SBC,SBP]
		1	Y						[BR3,BR4,BR5,BR6,SBC,SBP]
	5081 005AA	1	C	H, M					[BR3,BR4,BR5,BR6,SBA]
	5081 006AA	1	C	P					Standard
	5081 007AA	1	Y						[JHS,LMF], Export
	5081 008AA	1	D						[BRW,LNJ]
	5081 010AA	1	D						[BR3,BR4,BR5,BR6,LDA]
	5081 006AA	1	C	H, M					[BR3,BR4,BR5,BR6,SBC]
2									WIRING, Front End Lighting, Serviced in Headlamp to Dash Harness, (NOT REQUIRED)
3									WIRING, Fog Lamp
	4760 632	1	C						
	4760 721	1	Y						
-4	5066 164AA-	1							HARNESS, Radiator Fan with Relays

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring-Instrument Panel
Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;

[RAS = AM/FM Cassette]


1	4759 953AD	1	Y						WIRING, Instrument Panel
		1	C, D						[HAB,RBY,RBT,RBB,RAD,RBK, RAZ,RDS]
	4759 954AD	1	Y						[ABB]
	4759 919AD	1	C, D						[RA8,RAS,HAB]
	4759 926AD	1	C, D						[RA8,RAS,HAA,]
	4759 948AE	1	C, D						[HAA,RBY,RBT,RBB,RAD,RBK, RAZ]
	4759 950AE	1	C, D						[HAB,RBY,RBT,RBB,RAD,RBK, RAZ]
	5059 082AC	1	C, D						[RA8,RAS,HAA,GXX]
	5081 013AA	1	C, D						[AHB]
-2	5032 889AA-	1	Y						WIRING, Radio Jumper
		1	C, D						Mexico
3	4759 875AB	1	D						WIRING, Power Feed
		1	C	H					Floor Console Wiring
		1	Y						Floor Console Wiring
		1	C	P					Floor Console Wiring
		1	C	M					Floor Console Wiring
4	4760 451	1							WIRING, A/C and HEATER
	4760 757	1							With Auto Temp Control
5	4759 876BA	1							WIRING, Radio Adapter, Steering
									Wheel Audio Control
-6	5083 141AA-	1							HARNESS, Air Bag Jumper, Base,
									Passenger Air Bag

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Body and Accessories
Figure 008-1505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Body Left
	4759 690AK	1	C	P					with 240 Watt Amp
	4759 691AK	1	C	P					with 360 Watt Amp
	4759 693AI	1	Y						with Memory
	4759 695AI	1	Y						with Memory, 360 Watt Amp
	4759 798AG	1	Y						with 360 Watt Amp, without Memory
	4759 799AG	1	Y						with Side Air Bags, Memory, 360 Watt Amp
	4759 681AJ	1	D	H					with four Speaker System, without ABS
	4759 682AJ	1	D	H					with four Speaker System, ABS
	4759 683AJ	1	D	H					with Infinity,without ABS
	4759 684AJ	1	D	H					with Infinity, ABS
	4759 686AI	1	C	H, M					with four Speaker System, without ABS
	4759 687AI	1	C	H, M					with four Speaker System, ABS
	4759 688AI	1	C	H, M					With [RCE, RCG] Infinity,without ABS
	4759 689AK	1	C	H, M					with Infinity, ABS
	4759 785AJ	1	D	P, X					with Infinity
	4759 898AJ	1	D	P					with four Speaker System
	4759 899AJ	1	D	H					with four Speaker System, Power Seat, without ABS
	4759 688AL	1	C	H, M					With [RCE, RCJ] Infinity,without ABS
2	5081 015AA	1	D						WIRING, Body, Police Package
3									WIRING, License Lamp
	4759 731AA	1	D						
	4759 728AA	1	C	H, M					
	4759 729AA	1	C	P					
4									WIRING, License Lamp Export
	4759 727AA	1	Y						
	4759 731AA	1	Y						
5									WIRING, Power Seat
	4759 809AA	1							with Memory
	4760 449AC	1							with Power Seat Drivers side only
	4760 450AC	1							With Power Seat Driver and Passenger Seats (up to 03/11/02
	4760 450AD	1							With Power Seat Driver and Passenger Seats (after 03/11/02
6									WIRING, Heated Seat

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Body and Accessories
Figure 008-1505






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	4760 768AC	1							Right
	4760 769AC	1							Left
	4759 138AB	1	Y						WIRING, Electric Back Light Feed
8		1	C						
	4759 522AA	1	D						Up to 1/25/02
	5086 492AA	1	D						After 1/25/02
9									WIRING, High Mounted Stop Lamp
	4604 407	1	Y						
	4759 748AA	1	C						
-10									WIRING, Electric Backlight Ground
	4759 137AB	1	Y						
		1	C						
11	4759 523AA	1	D						Up to 1/25/02
	5086 493AA	1	D						After 1/25/02
	4759 671AA-	1							CLIP, Wiring, Body
12									WIRING, Taillamp
	4760 075AD	1	C	P					
	4760 082AD	1	C	H, M					
-13	4759 940AB	1	Y	S					
		1	Y	X					
	4759 942AB	1	Y	S					Export
14		1	Y	X					Export
	4759 769AD	1							WIRING, Fuel Tank Jumper
	4759 947AB	1							Export
-15									US 50 States
	4759 875AB-	1	D						WIRING, Power Feed
		1	C	H					Floor Console Wiring
-16									Floor Console Wiring
	4759 945AA	1	Y						Floor Console Wiring
	5081 017AA-	1	D						WIRING, Side Air Bag Overlay
-17									WIRING, Power Feed, Police
	5081 018AA-	1							package
-18	6015 756	2							BRACKET, Power Outlet, Auxiliary
	4759 801AC-	2							Power Harness
									STRAP, Tie, Auxiliary Power Harness
									HARNESS, Jumper, Side air bag

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Wiring Doors and Deck Lid
Figure 008-1510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Front Door
	4759 626AC	1							With Infinity, Right
	4759 627AD	1							With Infinity, Left
	4759 628AC	1							With Infinity, Courtesy Lamps, Power Mirrors, Right
	4759 629AD	1							With Infinity, Courtesy Lamps, Power Mirrors, Left
	4759 631AD	1							With Infinity, Courtesy Lamps, Power Mirrors, Security, Left
	4759 633AE	1							With Infinity, Courtesy Lamps, Central Locking, Left
	4759 722AC	1							With 4 Speaker System, Right
	4759 723AD	1							With 4 Speaker System, Left
	4759 724AC	1							With 4 Speaker System, Courtesy Lamps, Power Mirrors, Right
	4759 725AD	1							With 4 Speaker System, Courtesy Lamps, Power Mirrors, Left
	4759 730AC	1							With Infinity, Courtesy Lamps, Power Mirrors, Security, Right
	4759 732AD	1							With Central Locking, Courtesy Lamp, Infinity, Right
	4759 936AE	1							With Power Mirrors, 4 Speaker System, Right,Export
	4759 937AE	1							With Power Mirrors, 4 Speaker System, Left,Export
	5081 019AA	1							With Central Locking, 4 Speaker System, Left
	5081 020AA	1							With Central Locking, 4 Speaker System, Right
2	4759 643AB	2							WIRING, Rear Door
3	4759 450AF	1	Y	S					WIRING, Deck Lid Without Security
		1	Y	X					Without Security
	4759 451AF	1	Y	S					With Security
		1	Y	X					With Security
	4760 131AG	1	D						Without Security
	4760 662AG	1	D						With Security
	4760 678AE	1	C						Without Security
	4760 679AE	1	C						With Security
-4	6505 297AA-	1							NUT, Hex Flange, M5-1.6, Deck Lid Wiring attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

Wiring Roof
Figure 008-1515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4760 644	1	D						WIRING, Overhead Console
		1	Y						
		1	C	H					
		1	C	P					
2	4759 894AF	1	D						WIRING, Headliner Base with Sunroof
		1	C	H					
	4759 895AE	1	C	H					Base with Sunroof Premium with Sunroof
	4759 897AE	1	C	P					With Trip Computer, Garage Door Opener, Sunroof
		1	Y	S					
		1	Y	X					With Trip Computer, Garage Door Opener, Sunroof
		1	D						With Trip Computer, Garage Door Opener, Sunroof
	4760 106AH	1	D						Base without Sunroof
		1	C	H					
	4760 107AH	1	C	H					Base without Sunroof Premium without Sunroof
	4760 108AH	1	D						With Trip Computer, Garage Door Opener, without Sunroof
		1	C	H					With Trip Computer, Garage Door Opener, without Sunroof
		1	C	M					With Trip Computer, Garage Door Opener, without Sunroof
		1	C	P					With Trip Computer, Garage Door Opener, without Sunroof
3		1	Y	S					With Trip Computer, Garage Door Opener, without Sunroof
		1	Y	X					With Trip Computer, Garage Door Opener, without Sunroof
	4760 731AE	1							WIRING, Sunroof Up to 07/24/01
	4760 731AF	1							After 07/24/01

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Repair Packages
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	5013 930AC-	1							WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp
-2	6016 236	1							CLIP, Block Heater Cord, Sun Roof Wiring
-3	4759 469AA-	1							CLIP, Stud
-4	4604 459	1				EGC, EGG, EGW	DGX		CLIP, Wiring, Transmission Wiring
-5	4759 453AB-	1							CLIP, Wiring, Headlamp to Dash Wiring Bumper Beam
-6	4760 305	1							CLIP, Wiring, Oxygen Sensor Down Stream
-7	4608 779AA-	1							COVER, Insulator, Wiring Protection, Next Generation Module Insulator
-8	4759 777AB-	2							COVER, Wiring Protector, Next Generation Module right angle
-9	4707 537	2							INSULATOR, 4 Way, Plug for 4 way insulator, Export
-10	4759 556AF-	1							INSULATOR, FEMALE, Next Generation Module [Index A]
-11	4759 557AF-	1							INSULATOR, FEMALE, Next Generation Module [Index B]
-12	4759 558AF-	1							INSULATOR, FEMALE, Next Generation Module [Index C]
-13	4759 559AF-	1							INSULATOR, FEMALE, Next Generation Module [Index D]
-14	4759 943AA-	1							PLUG, Wiring, Next Generation Module Cavity Plug
-15	4856 502	1							STRAP, Tie 11 1/2' long
	5601 8581	1							Transmission Harness
-16	4778 570	1							TUBE, Heat Shrink
-17	J369 3058	2							STRAP, Retaining, Wiring Rear Suspension
-18	4581 286AC-	1	D	H		EER			STRAP, Ground Exhaust Ground
		1	D			EGW			Exhaust Ground
		1	D			EES			Exhaust Ground

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

Wiring Repair Packages
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C	P		EGG			Exhaust Ground
		1	Y	S		EES, EGG			Exhaust Ground
		1	Y	X		EES, EGG			Exhaust Ground
		1				EGC			Exhaust Ground
		1	C	H, M		EER, EES			Exhaust Ground
		1	C	H, M		EGW			Exhaust Ground
		1				EGK			Exhaust Ground
	4760 831AC-	1				EGC, EGG			Engine Ground
		1				EGW			Engine Ground
		1				EGJ			Engine Ground

For Electrical Connector Repair Information visit
the World Wide Web at


<http://dto.vftis.com/mopar/disclaimer.asp>

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Spark Plugs-Cables-Coil
Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7L V6 DOHC 24 VALVE MPI									
EES= 2.7L V6 DOHC 24 VALVE									
EGW = 3.2L V6 SOHC 24 VALVE MPI									
EGC= 3.5L SOHC									
EGG = 3.5L HIGH OUTPUT V6 24V MPI									
1									WIRING, Engine, See Engine Wiring, (NOT SERVICED) (Not Serviced)
2									SPARK PLUG
	SPRE1 0PMC5	6				EER			
	SZFR 5LP13G	6				EGC, EGG, EGK, EGW			
		6							
3									COIL, Ignition
	4609 088AF	6				EGC, EGG, EGW			
		6							
	4609 095AH	6				EER			
		6				EES			
4									SCREW, Pan Head, (NOT SERVICED) (Not Serviced)
5									BOLT
	6505 121AA	12				EGC, EGG, EGW			
		12							
-6									BRACKET, Engine Wiring
	4759 237AB-	1				EER			
		1				EES			
-7									CAPACITOR, Ignition
	4609 133AA-	2				EER			
		2				EES			
		2				EGC, EGG			
		2				EGW			
-8									TUBE, Spark Plug
	4648 604	6				EGC, EGG			
		6				EGW			
-9									BOLT, Ignition Coil
	6506 638AA-	12				EER			


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 08A

Instrument Panel and Radios and Consoles




GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel - Intrepid	Fig. 08A-105
Instrument Panel Concorde (CH-CM)	Fig. 08A-110
Instrument Panel Concorde Limited [CP], [300M]	Fig. 08A-115
Instrument Panel Cluster	
Cluster Instrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna-Speakers-Amplifiers	Fig. 08A-310
Consoles	
Console-Floor - Intrepid/Concorde Limited [C-P], [300M]	Fig. 08A-405
Console-Floor - Concorde	Fig. 08A-410
Console-Overhead	Fig. 08A-415

08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel - Intrepid Figure 08A-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Instrument Panel
	MN83 MX4	1							with ATC
	PV81 MX4	1							without ATC
-2	4595 384AB-	2	D						CLIP, Instrument Panel Top Cove
3									INSTRUMENT PANEL AND PAD,
									Upper
	LK14 WL8AC	1	D						[L5]
	LK14 XDVAC	1	D						[DV]
	LK14 XTMAC	1	D						[T5]
-4	6504 406	6							SCREW
5									GRILLE, Demister
	PD57 WL8	1	D						[L5]
	PD57 XDV	1	D						[DV]
	PD57 XTM	1	D						[T5]
6									GRILLE, Demister
	PD56 WL8	1	D						[L5]
	PD56 XDV	1	D						[DV]
	PD56 XTM	1	D						[T5]
7									BEZEL, Cluster
	MN60 1DVAB	1	D						[DV]
	MN60 1L5AB	1	D						[L5]
	MN60 1T5AB	1	D						[T5]
8									OUTLET, Air Conditioning & Heater
	QU71 WL8AA	1	D						[L5]
	QU71 XDVAA	1	D						[DV]
	QU71 XTMAA	1	D						[T5]
9									OUTLET, Air Conditioning & Heater
	QU69 WL8AA	2	D						[L5]
	QU69 XDVAA	2	D						[DV]
	QU69 XTMAA	2	D						[T5]
10									OUTLET, Air Conditioning & Heater
	QU66 WL8AB	2	D						[L5]
	QU66 XDVAB	2	D						[DV]
	QU66 XTMAAB	2	D						[T5]
11	4649 116AB	1							AIR BAG, Passenger
-12									STRUT, Passenger Air Bag
	4698 896AA-	1	D						Right
	4698 897AA-	1	D						Left
-13	6504 118	1	D						U-NUT, M6 x 1.00, M6x1.00, Strut mounting
-14	6504 913AA-	4	D						SCREW, Tapping, Air Bad Mounting
15									END CAP, Instrument Panel


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel - Intrepid
Figure 08A-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	MN87 TL2AD	1							[L2], Left
	MN87 WL5AD	1							[L5], Left
	MN87 XDVAD	1							[DV], Left
	MN87 XT5AD	1							[T5], Left
16									END CAP, Instrument Panel
	MN86 TL2AB	1							[L2]
	MN86 WL5AB	1							[L5]
	MN86 XDVAB	1							[DV]
	MN86 XT5AB	1							[T5]
-17									SUPPORT, Instrument Panel
	4698 660	1	D						Right
	4698 661	1	D						Left
18	4698 651	1							BRACKET, Steering Column
19									RETAINER, I/P Center Stack Structure, (NOT SERVICED) (Not Serviced)
20	4698 816	1							PLATE, Steering Column Cover
21									COVER, Steering Column, With parking brake handle
	PD52 WL5AC	1	D						[L5]
	PD52 XDVAC	1	D						[DV]
	PD52 XT5AC	1	D						[T5]
-22	6101 946	2							SCREW, Tapping, Steering Column Cover attaching
23									HANDLE, Parking Brake
	QN42 WL5	1	D						[L5]
	QN42 XDV	1	D						[DV]
	QN42 XT5	1	D						[T5]
24	4698 846AB	1	D						RETAINER, Ash Receiver
25									ASH RECEIVER, Instrument Panel
	PW21 WL8AB	1	D						[L5]
	PW21 XDVAB	1	D						[DV]
	PW21 XTMAAB	1	D						[T5]
-26	4685 536	1	D						KNOB AND ELEMENT, Cigar Lighter
-27									ASH RECEIVER, Smokers Package
	QR25 WL5AA-	1	D						[L5]
	QR25 XDVAA-	1	D						[DV]
	QR25 XT5AA-	1	D						[T5]
28	4698 659	1							BIN, Storage
29	4698 762	1							MAT, Instrument Panel
30	4698 718	1	D						REINFORCEMENT, Instrument Panel


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel - Intrepid Figure 08A-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
31									PANEL, Instrument Closure
	LK22 WL5	1	D						[L5]
	LK22 XDV	1	D						[DV]
	LK22 XT5	1	D						[T5]
32	4698 648	1	D						BIN, Glove box
33	4698 884	1	D						STRIKER, Glove Box Door Latch
34									LATCH, Glovebox Door
	QN25 WL5AB	1	D						[L5]
	QN25 XDVAB	1	D						[DV]
	QN25 XT5AB	1	D						[T5]
35									DOOR, Glove Box
	PP25 1DV	1	D						[DV]
	PP25 1L5	1	D						[L5]
	PP25 1T5	1	D						[T5]
-36									BUMPER, Glove Box Door, (NOT SERVICED) (Not Serviced)
37									BEZEL, Instrument Panel, Center
	MN81 JX8	1	D						with full Console, Traction Control
	PV71 JX8	1	D						with full Console without Traction Control
38									BEZEL, Instrument Panel, Lower
	PD95 1DV	1	D						with Traction Control [DV]
	PD95 1L5	1	D						With Traction Control [L5]
	PD95 1T5	1	D						with Traction Control [T5]]
	QU72 1DVAA	1	D						[DV]
	QU72 1L5AA	1	D						[L5]
	QU72 1T5AA	1	D						[T5]
39									BIN, Instrument Panel
	RT23 WL8AB	1	D						[L5]
	RT23 XDVAB	1	D						[DV]
	RT23 XTMAAB	1	D						[T5]
-40	4685 536	1	D						KNOB AND ELEMENT, Cigar Lighter
41									BEZEL, Instrument Panel, Center
	PE02 WL5	1	D						[L5]
	PE02 XDV	1	D						[DV]
	PE02 XT5	1	D						[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel Concorde (CH-CM)
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	MN83 MX4	1							COVER, Instrument Panel
	PV81 MX4	1							With Auto Temp Control
-2	4595 384AB-	2	C						Without Auto Temp Control
3									CLIP, Instrument Panel Top Cove
									INSTRUMENT PANEL AND PAD,
									Upper
	LK12 1L5AC	1	C						[L5]
	LK12 1T5AC	1	C						[T5]
	LK12 XDVAC	1	C						[DV]
-4									SCREW, Hex Flange Head, .25-14x1.00, (NOT SERVICED) (Not Serviced)
5									GRILLE, Demister
	PD61 WL8	1	C						[L2], Left
	PD61 XDV	1	C						[DV], Left
	PD61 XTM	1	C						[T5], Left
6									GRILLE, Demister
	PD56 WL8	1	C						[L5], Right
	PD56 XDV	1	C						[DV], Right
	PD56 XTM	1	C						[T5], Right
7									OUTLET, Air Conditioning & Heater
	QU68 WL8AB	1	C						[L5]
	QU68 XDVAB	1	C						[DV]
	QU68 XTMAAB	1	C						[T5]
8									OUTLET, Air Conditioning & Heater
	QU67 WL8AB	1	C						[L5]
	QU67 XDVAB	1	C						[DV]
	QU67 XTMAAB	1	C						[T5]
9									OUTLET, Air Conditioning & Heater
	QU66 WL8AB	2	C						[L5]
	QU66 XDVAB	2	C						[DV]
	QU66 XTMAAB	2	C						[T5]
10	4649 116AB	1							AIR BAG, Passenger
-11									STRUT, Passenger Air Bag
	4698 896AA-	1	C						Right
	4698 897AA-	1	C						Left
-12	6504 913AA-	4	C						SCREW, Tapping
13									END CAP, Instrument Panel
	MN87 TL2AD	1							[L2]
	MN87 WL5AD	1							[L5]
	MN87 XDVAD	1							[DV]
	MN87 XT5AD	1							[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel Concorde (CH-CM) Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									END CAP, Instrument Panel
	MN86 TL2AB	1							[L2]
	MN86 WL5AB	1							[L5]
	MN86 XDVAB	1							[DV]
	MN86 XT5AB	1							[T5]
-15									SUPPORT, Instrument Panel
	4698 660	1	C						Right End
	4698 661	1	C						Left End
16	4698 651	1							BRACKET, Steering Column
17									RETAINER, I/P Center Stack Structure, (NOT SERVICED) (Not Serviced)
18	4698 718	1	C						REINFORCEMENT, Instrument Panel
19									BEZEL, Cluster
	MN61 1DV	1	C						[DV]
	MN61 1L5	1	C						[L5]
	MN61 1T5	1	C						[T5]
20	4698 816	1							PLATE, Steering Column Cover
21									COVER, Steering Column
	PD52 WL5AC	1	C						[L5]
	PD52 XDVAC	1	C						[DV]
	PD52 XT5AC	1	C						[T5]
-22	6101 946	2							SCREW, Tapping, I/P Steering Cover Attaching
23									HANDLE, Parking Brake
	QN42 WL5	1	C						[L5]
	QN42 XDV	1	C						[DV]
	QN42 XT5	1	C						[T5]
24	4698 846AB	1	C						RETAINER, Ash Receiver
25	PW30 JX8AB	1	C						ASH RECEIVER, Instrument Panel, Black, (CH-CM)
26	4698 659	1							BIN, Storage
27	4698 762	1							MAT, Instrument Panel
28									PANEL, Instrument Closure
	LK22 WL5	1	C						[L5]
	LK22 XDV	1	C						[DV]
	LK22 XT5	1	C						[T5]
29	4698 648	1	C						BIN, Glove box
30	4698 884	1	C						STRIKER, Glove Box Door Latch
31									LATCH, Glovebox Door


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel Concorde (CH-CM)
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN25 WL5AB	1	C						[L5]
	QN25 XDVAB	1	C						[DV]
	QN25 XT5AB	1	C						[T5]
32	PP25 1DV	1	C						DOOR, Glove Box
	PP25 1L5	1	C						[L5]
	PP25 1T5	1	C						[T5]
-33									BUMPER, Glove Box Door, (NOT SERVICED) (Not Serviced)
-34	4580 818AE-	1							STORAGE KIT, Multipurpose
35	MN84 AAAAC	1	C						BEZEL, Instrument Panel, Center with Traction Control
	PV74 AAAAC	1	C						
36	RT23 WL8AC	1	C						BIN, Instrument Panel
	RT23 XDVAC	1	C						[L5]
	RT23 XTMAC	1	C						[DV]
-37	4685 536	1	C						[T5]
									KNOB AND ELEMENT, Cigar Lighter, (CH-CM)
-38									ASH RECEIVER, Smokers Package
	QR25 WL5AA-	1	C						[L5]
	QR25 XDVAA-	1	C						[DV]
	QR25 XT5AA-	1	C						[T5]
-39	4685 590	1	C						BASE, Cigar Lighter
-40	4760 856AB-	1	C						CAP, Cigar Lighter
-41	4793 555	1	C						RING, Cigar Lighter Mounting
-42	5269 360	1	C						HOOD, Ash Receiver Lamp


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Instrument Panel Concorde Limited [CP], [300M]
Figure 08A-115**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	MN83 MX4 PV81 MX4	1 1							COVER, Instrument Panel with Auto Temp Control without Auto Temp Control
-2	4595 384AB-	2 2	C Y						CLIP, Instrument Panel Top Cove
3	LK10 WL8AC LK10 XDVAC LK10 XTMAC LK10 XDVAE	1 1 1 1	C Y C Y						INSTRUMENT PANEL AND PAD, Upper [L2] [L2] [DV] [DV] [T5] [T5] [D2]
-4 5	6504 406	6							SCREW GRILLE, Demister
	PD61 WL8 PD61 XDV PD61 XTM	1 1 1	C Y C Y						[L2] [L2] [DV] [DV] [T5] [T5]
6	QH88 WL8 QH88 XDV QH88 XTM	1 1 1 1	C Y C Y C Y						GRILLE, Demister [L2] [L2] [DV] [DV] [T5] [T5]
7	QT02 WL8AA QT02 XDVA QT02 XTMAA	2 2 2 2	C Y C Y C Y						OUTLET, Air Conditioning & Heater [L2] [L2] [DV] [DV] [T5] [T5]
8	QT04 WL8AA QT04 XDVA QT04 XTMAA	3 3 3	C Y C						OUTLET, Air Conditioning & Heater [L2] [L2] [DV]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Instrument Panel Concorde Limited [CP], [300M]
Figure 08A-115**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	Y						[DV]
	QT04 XTMAA	3	C						[T5]
		3	Y						[T5]
9	4649 116AB	1							AIR BAG, Passenger
-10									STRUT, Passenger Air Bag
	4698 896AA-	1	C						Right
	4698 897AA-	1	C						Left
	4698 896AA-	1	D						Right
		1	Y						Right
	4698 897AA-	1	D						Left
		1	Y						Left
-11									SCREW, Tapping
	6504 913AA-	4	C						
		4	Y						
12									END CAP, Instrument Panel
	MN87 TL2AD	1							[L2]
	MN87 WL5AD	1							[L5]
	MN87 XDVAD	1							[DV]
	MN87 XT5AD	1							[T5]
13									END CAP, Instrument Panel
	MN86 TL2AB	1							[L2]
	MN86 WL5AB	1							[L5]
	MN86 XDVAB	1							[DV]
	MN86 XT5AB	1							[T5]
-14									SUPPORT, Instrument Panel
	4698 660	1	C						Right
		1	Y						Right
	4698 661	1	C						Left
		1	Y						Left
15	4698 651	1							BRACKET, Steering Column
16	4698 816	1							PLATE, Steering Column Cover
17									COVER, Steering Column
	PD51 TL2AD	1	C						[L2]
		1	Y						[L2]
	PD51 XDVAD	1	C						[DV]
	PD51 XT5AD	1	C						[T5]
		1	Y						[T5]
	PD51 XDVAD	1	Y						[DV]
-18	6101 946	2							SCREW, Tapping, Steering Column Coner attaching
19									HANDLE, Parking Brake

CONCORDE-INTREPID-300M (LH)

SERIES
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Instrument Panel Concorde Limited [CP], [300M]
Figure 08A-115**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN42 TL2	1	C						[L2]
		1	Y						[L2]
	QN42 XDV	1	C						[DV]
	QN42 XT5	1	C						[T5]
		1	Y						[T5]
	QN42 XDV	1	Y						[DV]
20	4698 659	1							BIN, Storage
21	4698 762	1							MAT, Instrument Panel
22									REINFORCEMENT, Instrument Panel
	4698 711	1	C						
		1	Y						
23									PANEL, Instrument Closure
	LK22 TL2	1	C						[L2]
		1	Y						[L2]
	LK22 XDV	1	C						[DV]
		1	Y						[DV]
	LK22 XT5	1	C						[T5]
		1	Y						[T5]
24									BIN, Glove box
	4698 648	1	C						
		1	Y						
25									STRIKER, Glove Box Door Latch
	4698 884	1	C						
		1	Y						
26									LATCH, Glovebox Door
	QN25 TL2AB	1	C						[L2]
		1	Y						[L2]
	QN25 XDVAB	1	C						[DV]
		1	Y						[DV]
	QN25 XT5AB	1	C						[T5]
		1	Y						[T5]
27									DOOR, Glove Box
	RJ18 1DVAA	1	C						[DV]
		1	Y						[DV]
	RJ18 1L2AA	1	C						[L2]
		1	Y						[L2]
	PP25 1L2	1	Y						[D2]
28									BEZEL, Glove Box
	QN26 TL2	1	C						[L2]
		1	Y						[L2]

CONCORDE-INTREPID-300M (LH)

SERIES
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Instrument Panel Concorde Limited [CP], [300M]
Figure 08A-115**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN26 XDV	1	C						[DV]
		1	Y						[DV]
	QN26 XT5	1	C						[T5]
		1	Y						[T5]
-29									BUMPER, Glove Box Door, (NOT SERVICED) (Not Serviced)
-30	4580 818AE-	1							STORAGE KIT, Multipurpose
31	MN59 1DV	1	C						[DV]
		1	Y						[DV]
	MN59 1L2	1	C						[L2]
		1	Y						[L2]
	MN59 1T5	1	C						[T5]
		1	Y						[T5]
	TK51 1DVAA	1	C						[DV] With California Woodgrain
		1	Y						[DV] With California Woodgrain
	WD61 1DVAA	1	Y						[DV] Without California Wood grain
									[X Series]
	TK51 1L2AA	1	C						[L2] With California Woodgrain
		1	Y						[L2] With California Woodgrain
	TK51 1T5AA	1	C						[T5] With California Woodgrain
		1	Y						[T5] With California Woodgrain
32	XS47 1ZAAA	1							[JBM]
									BEZEL, Instrument Panel, Center
	QV64 WL8AA	1	C						[L2]
	QV64 XDVAA	1	C						[DV]
	QV64 XTMAA	1	C						[T5]
	QV64 WL8AA	1	Y						[L2]
	QV64 YBPAA	1	C						[BP]
		1	Y						[BP]
	QV64 XDVAA	1	Y						[DV]
	QV64 XTMAA	1	Y						[T5]
33									BEZEL, Instrument Panel, Upper
	4787 482AA	1	C						with Genuine California Woodgrain
									[CSY]
	4698 818AB	1	C						
		1	Y						
	4595 891AA	1	Y						[Y-X Model]
	4787 482AA	1	Y						[Y-X Model] With Genuine California
									Woodgrain [CSY]
	4595 925AA	1							[JBM]
34									BEZEL, Instrument Panel, Center


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Instrument Panel Concorde Limited [CP], [300M]
Figure 08A-115**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	MN80 JX8AC	1	C						Black
-35		1	Y						Black
	4685 536	1	Y						Knob and Element, Cigar Lighter
		1	C						
-36									Ash Receiver, Smokers Package
	QR25 WL8AA-	1	Y						[L2]
		1	C						[L2]
	QR25 XDVA-	1	Y						[DV]
		1	C						[DV]
	QR25 XTMA-	1	Y						[T5]
		1	C						[T5]
-37									Base, Cigar Lighter
	4685 590	1	C						
		1	Y						
-38									CAP, Cigar Lighter
	4760 969AA-	1	C						
		1	Y						
-39									RING, Cigar Lighter Mounting
	4793 555	1	Y						
		1	C						
-40									HOOD, Ash Receiver Lamp
	5269 360	1	C						
		1	Y						
-41									CLOCK
	4760 397AC-	1	C						
		1	Y						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cluster Instrument Panel
Figure 08A-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CLUSTER ASSY; Consists of Speedo, Circuit Board, Housing, Gauges. (Note), These Items Are Not Serviced Separate. CH=Concorde CM=Concorde LXI CP=LHS									
1									MASK AND LENS, Instrument Cluster
	4883 150	1	D						
	4883 166	1	Y						
	5015 173AA	1	C						
2									CLUSTER
	4602 384AA	1	Y						240 KPH [YX]
	4602 386AA	1	Y						150 MPH [YX]
	4760 402AH	1	D						120 MPH
	4760 403AH	1	D						200 KPH
	4760 404AG	1	C						120 MPH [CP]
	4760 405AG	1	C						200 KPH [CP]
	4760 409AH	1	D						120 MPH with Autostick
	4760 410AH	1	D						200 KPH with Autostick
	5026 411AD	1	Y						240 KPH [YS]
	5026 412AD	1	Y						120 MPH [YS]
	5026 413AD	1	Y						200 KPH
	5026 600AB	1	C						120 MPH [CH-CM]
	5026 601AB	1	C						200 KPH [CH-CM]
	4602 435AA	1	D						150 MPH Police Package
	4602 436AA	1	D						240 KPH Police Package
3									GAUGE, Odometer
	4883 547AA	1	C						
		1	D						
	4883 548AA	1	Y						
4									COVER, Instrument Cluster
	4883 157	1	C						
		1	D						
	4883 168	1	Y						
5									KNOB, Odometer Reset
	4883 142	1	C						
		1	D						
		1	Y						
6									INDICATOR, Gear Selector, (NOT SERVICED) (Not Serviced)
-7									BULB, PC74
	L000 PC74	2	D						

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Cluster Instrument Panel
Figure 08A-205



INTREPID



CONCORDE



LHS/300M

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-8	L00P C194	2	Y						LAMP, Bulb And Socket
		2	C						
		2	D						
		2	Y						
-9	6034 319	4	C						CLIP, .453Wx.528LGx.017THK CLOCK
		1	C						
		1	Y						
-11	6035 696	19	D						STUD, Cluster Mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radios
Figure 08A-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS=RADIO - AM/FM CASSETTE RBY=RADIO - AM/FM CASSETTE, CD RAZ= RADIO AM/FM CASSETTE RBP= RADIO AM/FM CASSETTE RBK= RADIO AM/FM CD RBT= RADIO AM/FM CASSETTE RBB= RADIO AM/FM CASSETTE W/CD CONTROL RAD= RADIO AM/FM CASSETTE W/CD RBZ= RADIO AM/FM NOTE: item 9 see Accessory Book. Item 11 For repairs order on function 11									
1	56038 583AD	1							RADIO, AM/FM/Cassette With CD, [RBY]
2	56038 586AD	1			41				RADIO, AM/FM/Cassette With CD, [RBP]
3	56038 555AE	1							RADIO, AM/FM with CD and Cassette, [RAZ]
4	56038 589AG	1							RADIO, AM/FM with CD and Equalizer, [RBK]
5	56038 584AD	1							RADIO, AM/FM/Cassette With CD, [RBT]
6	56038 585AE	1							RADIO, AM/FM/Cassette With CD, [RAD]
7	56038 588AL	1							RADIO, AM/FM/Cassette With CD Control, [RBB]
8	56038 931AB	1							RADIO, AM/FM Cassette, [RAS]
9									CHANGER, CD, SEE NOTE [RDW]
	4858 522AH	1							FM Modulated
	5013 806AA	1	C, D, Y		41				ADAPTOR, CD changer
10									
	4595 829AA	1	D						
	4595 831AA	1	C						
11	4671 841AA	1							WIRING, Compact Disc Changer
-12									DIN CORD, CD Player
	5013 801AA-	1	C, D, Y		41				
	4759 529AA-	1	C, D, Y		41				[RDW]
-13	4124 300	1							TERMINAL, Eyelet, Radio Ground


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Antenna-Speakers-Amplifiers
Figure 08A-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Concorde									
CP=LHS									
[RCD] = 4 Speaker									
[RCE] = 9 Speaker Infinity									
[RCG] = 6 Speaker Infinity									
[RCP] = 11 Speaker Infinity									
[RDH] = 240 Watt Amplifier									
[RDM] = 120 Watt Amplifier									
1									STRAP, Ground
	4760 873AA	1							Instrument Panel, Radio Noise Suppression
	4581 286AC	1		D					Exhaust
		1		C					Exhaust
		1		Y					Exhaust
	4760 831AC	1							Engine Ground Left 3.5L Engine
	4760 832AE	1							Engine Ground Right Side 2.7L Engine
	4760 833AC	1							Engine Ground Left Side 2.7L Engine
-2	6502 832	1							SCREW, Hex Flange Head, Engine Ground Left Head
3	4760 558AF	1							STRAP, Radio Noise Suppression
-4	6035 165	1		C					SCREW, Tapping, .19-16x.75
		1		D					Ground Strap attaching
		1		Y					Ground Strap attaching
5	6100 048	2							Ground Strap attaching
									NUT, Hex, M6x1.00, Amplifier Bracket Attaching
6									AMPLIFIER, Radio
	4760 296AC	1							[RDM] Mid-Line 120 Watt
	4760 688AC	1		C					[RDS] Power Preimum, 360 Watt
	4760 902AB	1		Y					[RDS] 360 Watt
	4760 293AF	1							[RDH] 240 Watt
7	6101 331	3							BOLT, M6x1.00x20
8	4760 696AB	1							BRACKET, Amplifier
9	6101 331	3							BOLT, M6x1.00x20, Amplfier Bracket Attaching
10	6101 442	3							U-NUT, M6 x 1.00, M6x1.00, Amplfier Bracket Attaching
-11	6502 604	1							NUT, U Multi Thread, M6 x 1.00, Fixed Mast Antenna Mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Antenna-Speakers-Amplifiers Figure 08A-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4760 867AB	1							GROMMET, Antenna Mounting,
13	4760 858AE	1							Antenna Mounting
14	4760 907AA	1							BODY AND CABLE, Antenna, Rear Mount
15	6502 604	1							MAST, Antenna, Black
16	6102 132AA	1							NUT, U Multi Thread, M6 x 1.00, Mast Antenna Mounting
17	4760 303AD	1							SCREW, Hex Head, M6x1x20
18									ANTENNA, Antenna/EBL Module
	4760 868AD	1							CABLE, Antenna
	4760 869AE	AR							Body
									Instrument Panel Extension with 1 male end Radio side 1 female end body side
	5026 014AA	1							Instrument Panel Extension with 2 female ends Radio Side and Body Side
-19	5059 084AA-	1							CABLE, Backlite Antenna
20									SPEAKER, Front Door
	5026 465AA	1							[RCE,RCP] Flag 2 1/2'
	5059 122AA	1							[RCJ] 6 1/2'
	4760 650AB	1							[RCJ] Flag 2 1/2'
	56038 657AA	1							[RCE, RCP] 6 1/2'
21	4760 371	1							SPEAKER, Instrument Panel, 2.5' Infinity
22	4760 685AB	1							SPEAKER, Rear Door, [RCP] 2.5'
23									SPEAKER, Rear, 6x9
	5059 119AB	2							[RCJ]
	5059 120AB	2							[RCE,RCP]
	5059 121AB	2							[RCE,RCP]
-24	56038 408AC-	1							SPEAKER, 6.5", [RCD]
-25	6035 934AA-	3							SCREW, Tapping, speaker attaching
-26	6505 127AA-	2							SCREW, Hex Head, rear speaker attaching
-27	4609 133AA-	2							CAPACITOR, Ignition
-28									HOUSING, Speaker
	TC44 XDVAD-	1	C						[DV,BP,L2] [RCP], Right
		1	Y						[DV,BP,L2] [RCP], Right
	TC44 XTMAAD-	1	C						[T5] [RCP], Right
		1	Y						[T5] [RCP], Right
	TC45 XDVAD-	1							[DV,BP,L2] [RCP], Left
	TC45 XTMAAD-	1							[T5] [RCP], Left


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Antenna-Speakers-Amplifiers
Figure 08A-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TC46 XDVAD-	1	D						[DV,BP,L2] [RCE], Right
		1	C						[DV,BP,L2] [RCE], Right
	TC46 XTMAD-	1	D						[T5] [RCE], Right
		1	C						[T5] [RCE], Right
	TC47 XTMAD-	1							[T5] [RCG], Left
	TC47 XDVAD-	1							[DV,BP,L2] [RCG], Left
	TC48 XDVAD-	1	D						[DV,BP,L2] [RCG], Right
		1	C						[DV,BP,L2] [RCG], Right
	TC48 XTMAD-	1	D						[T5] [RCG], Right
		1	C						[T5] [RCG], Right
	TC57 DX9AC-	1	D						Cover [RCD], Left
		1	C						Cover [RCD], Left
	TC58 XDVAD-	1	Y						[DV,BP,L2] [RCG], Right
	TC58 XTMAD-	1	Y						[T5] [RCG], Right
	TC47 XDVAD-	1							[DV][RCJ]
	TC47 XTMAD-	1							[T5][RCJ]
	TC48 XDVAD-	1	D						[DV][RCJ]
		1	C						[DV][RCJ]
	TC48 XTMAD-	1	D						[T5][RCJ]
		1	C						[T5][RCJ]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
 Figure 08A-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Y=300M

CP=LHS

D=Intrepid

1									BEZEL, Console Shifter
	SG28 1AZAF	1	C						[AZ]
	SG28 1DVAF	1	C						[DV] After 04/23/01
	SG28 1FKAF	1	C						[FK]
	SG28 1K9AF	1	C						[K9]
	SG28 1L2AF	1	C						[L2] After 01/23/01
	SG30 1AZAG	1	Y						[AZ] After 04/23/01
	SG30 1DVAG	1	Y						[DV] After 04/23/01
	SG30 1FKAG	1	Y						[FK] After 04/23/01
	SG30 1L2AG	1	Y						[L2] After 04/23/01
	SG32 1T5AD	1	D						[T5]
	UK91 1BPAB	1	C						[BP] Woodgrain California Walnut
									[CSY]
	UK91 1DVAB	1	C						[DV] Woodgrain California Walnut
									[CSY]
	UK91 1L2AB	1	C						[L2] Woodgrain California Walnut
									[CSY]
	UK91 1T5AB	1	C						[T5] Woodgrain California Walnut
									[CSY]
	SG30 1T5AH	1	Y						[T5]
	SG28 1T5AE	1	C						[T5]
	SG30 1K9AG	1	Y						[K9]
	SG31 1AZAF	1	D						[AZ] With Autostick after 04/23/01
	SG31 1DVAF	1	D						[DV] With Autostick after 04/23/01
	SG31 1K9AF	1	D						[K9] With Autostick after 04/23/01
	SG31 1L5AF	1	D						[L5] With Autostick after 04/23/01
	SG31 1T5AF	1	D						[T5] With Autostick after 04/23/01
	SG32 1DVAE	1	D						[DV] Without Autostick after 04/23/01
									[L5] Without Autostick after 04/23/01
	SG32 1L5AE	1	D						[T5] Without Autostick after 04/23/01
									[D2] With Autostick
	SG30 1L2AG	1	Y						[DV] With Autostick up to 04/23/01
	SG30 1DVAF	1	Y						[L2] With Autostick up to 04/23/01
	SG30 1L2AF	1	Y						[T5] With Autostick up to 04/23/01
	SG30 1T5AF	1	Y						[T5] With Autostick after 04/23/01
	SG30 1T5AG	1	Y						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SG31 1DVAE	1	D						[DV] With Autostick up to 04/23/01
	SG31 1L5AE	1	D						[L5] With Autostick up to 04/23/01
	SG31 1T5AE	1	D						[T5] With Autostick up to 04/23/01
	SG32 1DVAD	1	D						[DV] Without Autostick up to 04/23/01
	SG32 1L5AD	1	D						[L5] Without Autostick up to 04/23/01
	SG28 1DVAE	1	C						[DV] Up to 4/23/01
	SG28 1L2AE	1	C						[L2] Up to 4/23/01
	TM33 AAAAA	1	C						Woodgrain Trim
	XS37 1ZAAA	1							[DV] Without Autostick Golf Package
2									ARMREST, Console
	RD56 1DVAC	1	D						[DV]
	RD56 1L5AC	1	D						[L5]
	RD56 1T5AC	1	D						[T5]
	SV11 1DVAA	1	Y						[DV]
		1	C						[DV]
	SV11 1L2AA	1	C						[L2]
		1	Y						[L2]
	SV11 1T5AA	1	Y						[T5]
		1	C						[T5]
3									CAP, Floor Console End
	RD53 1DVAB	1	D						[DV]
		1	Y						[DV]
		1	C						[DV]
	RD53 1L2AB	1	Y						[L2]
		1	C						[L2]
	RD53 1L5AB	1	D						[L5]
	RD53 1T5AB	1	D						[T5]
		1	Y						[T5]
		1	C						[T5]
4									CONSOLE, Rear
	TJ28 1DVAA	1	D						[DV]
	TJ28 1L5AA	1	D						[L5]
	TJ28 1T5AA	1	D						[T5]
	TJ32 1DVAA	1	Y						[DV]
		1	C						[DV]
	TJ32 1L2AA	1	Y						[L2]
		1	C						[L2]
	TJ32 1T5AA	1	Y						[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C						[T5]
	TJ28 1DVAD	1	D						[DV] Without Rear Power Outlet
	TJ28 1L5AD	1	D						[L5] Without Rear Power Outlet
	TJ28 1T5AD	1	D						[T5] Without Rear Power Outlet
5									BRACKET, Console
	4698 786AC	1	Y						Rear Mount
		1	D						Rear Mount
		1	C						Rear Mount
6	6501 483	4							NUT, Hex Flange, M8x1.25
7									BRACKET, Console
	4698 766	1	D						Adapter Bracket
	4698 769	1	Y						Adapter Bracket
		1	C						Adapter Bracket
8	6034 743	5	Y						SCREW, Hex Flange Head Tapping, .164-15x.75, console attaching
9									PANEL, Console
	PC50 TL2AD	1	C						[L2], Right
		1	Y						[L2], Right
	PC50 XDVAD	1	C						[DV], Right
		1	Y						[DV], Right
	PC50 XT5AD	1	C						[T5], Right
		1	Y						[T5], Right
	PC51 TL2AC	1	C						[L2], Left
		1	Y						[L2], Left
	PC51 XDVAC	1	C						[DV], Left
		1	Y						[DV], Left
	PC51 XT5AC	1	C						[T5], Left
		1	Y						[T5], Left
	PC52 WL5AB	1	D						[L5], Right
	PC52 XDVAB	1	D						[DV], Right
	PC52 XT5AB	1	D						[T5], Right
	PC53 WL5AB	1	D						[L5], Left
	PC53 XDVAB	1	D						[DV], Left
	PC53 XT5AB	1	D						[T5], Left
	PC51 TL2AD	1	Y						[D2]
-10									SCREW, Tapping
	6101 946	4	D						Side Panel attaching
		6	Y						Side Panel attaching
		6	C						Side Panel attaching
-11									LATCH, Armrest Lid
	PR29 DX9AB-	1	D						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12	4595 839AA-	1	Y						LINER, Floor Console
-13	RD49 TL2AC-	1	C						CUPHOLDER, Console
	RD49 XDVAC-	1	D						[L2]
	RD49 XT5AC-	1	Y						[L2]
	RD49 XTMAC-	1	C						[DV]
	RD49 WL5AC-	1	Y						[DV]
	RD49 WL8AC-	1	C						[DV]
		1	Y						[T5]
14	4698 793	1	C						RECEPTACLE, Ash Receiver
	4698 794	1	Y						
		1	D						
15	5269 360	1	C						HOOD, Ash Receiver Lamp
		1	D						
		1	Y						
16	4685 590	1	C						BASE, Cigar Lighter
		1	D						
		1	Y						
17	4760 856AB	1	D						CAP, Cigar Lighter
	4760 969AA	1	C						
		1	Y						
-18	4793 554AB-	1	D						POWER OUTLET, Cigar Lighter
		1	C						
		1	Y						
-19	4793 555	1	D						RING, Cigar Lighter Mounting
		1	Y						
		1	C						
-20									BULB, 161


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	9417 561	1	D, Y						
	L000 0161	1	C						
-21	4759 875AB-	1	D						WIRING, Power Feed
		1	Y						Console Wiring
		1	C						Console Wiring
-22	TJ33 DX9AA-	1	D						BIN, Floor Console
		1	C						With Power Outlets, Front
	TJ34 TL2AA-	1	Y						With Power Outlets
		1	Y						[L2], Rear Console
	TJ34 WL5AA-	1	D						[L2], Rear Console
		1	C						[L5], Rear Console
	TJ34 XDVA-	1	D						[L5], Rear Console
		1	C						[DV], Rear Console
		1	Y						[DV], Rear Console
	TJ34 XT5AA-	1	D						[DV], Rear Console
		1	C						[T5], Rear Console
		1	Y						[T5], Rear Console
23									ASH RECEIVER
	JU27 WL5	2	D						[L5]
	JU27 WL8	2	Y						[L2]
		2	C						[L2]
	JU27 XDV	2	D						[DV]
		2	Y						[DV]
		2	C						[DV]
	JU27 XT5	2	D						[T5]
	JU27 XTM	2	Y						[T5]
		2	C						[T5]
-24									ASH RECEIVER, Smokers Package
	QR25 WL5AA-	1	D						[L5]
	QR25 WL8AA-	1	Y						[L2]
		1	C						[L2]
	QR25 XDVA-	1	D						[DV]
		1	Y						[DV]
		1	C						[DV]
	QR25 XT5AA-	1	D						[T5]
	QR25 XTMAA-	1	Y						[T5]
		1	C						[T5]
	QR25 YBPAA-	1	C						[BP]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


**Console-Floor - Intrepid/Concorde Limited [C-P], [300M]
Figure 08A-405**

[illegible]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC =  MAGNUM 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Concorde
Figure 08A-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Concorde									
CM=Concorde LXI									
1	TJ30 1DVAA	1	C						CONSOLE, Rear [DV]
	TJ30 1L5AA	1	C						[L5]
	TJ30 1T5AA	1	C						[T5]
2	6034 743	5							SCREW, Hex Flange Head Tapping, .164-15x.75
3	PC54 WL5	1	C						PANEL, Console [L5], Right
	PC54 XDV	1	C						[DV], Right
	PC54 XT5	1	C						[T5], Right
	PC55 WL5	1	C						[L5], Left
	PC55 XDV	1	C						[DV], Left
	PC55 XT5	1	C						[T5], Left
4	SG29 1DVAD	1	C						BEZEL, Console Shifter [DV]
	SG29 1L5AD	1	C						[L5]
	SG29 1T5AD	1	C						[T5]
	TM33 AAAA	1	C						Wood grain
5	RD56 1DVAC	1	C						ARMREST, Console [DV]
	RD56 1L5AC	1	C						[L5]
	RD56 1T5AC	1	C						[T5]
-6	PR29 DX9AB-	1	C						LATCH, Armrest Lid
7	RD53 1DVAB	1	C						CAP, Floor Console End [DV]
	RD53 1L5AB	1	C						[L5]
	RD53 1T5AB	1	C						[T5]
-8	4595 839AA-	1	C						LINER, Floor Console
-9	RD49 WL5AC-	1	C						CUPHOLDER, Console [L5]
	RD49 XDVAC-	1	C						[DV]
	RD49 XT5AC-	1	C						[T5]
10	4698 768	1	C						BRACKET, Console, Adapter Bracket
11	4698 786AC	1	D						BRACKET, Console, Rear Mount
12	6501 483	4							NUT, Hex Flange, M8x1.25, Console Mounting
-13	4793 554	1	C						POWER OUTLET, Cigar Lighter
-14	4793 555	1	C						RING, Cigar Lighter Mounting
-15	4759 875AB-	1	C						WIRING, Power Feed, Console
Wiring									

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Floor - Concorde
 Figure 08A-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5269 360	1	C						HOOD, Ash Receiver Lamp
17									ASH RECEIVER
	JU27 WL5	2	C						[L5]
	JU27 XDV	2	C						[DV]
	JU27 XT5	2	C						[T5]
-18									ASH RECEIVER, Smokers Package
	QR25 WL5AA-	1	C						[L5]
	QR25 XDVAA-	1	C						[DV]
	QR25 XT5AA-	1	C						[T5]

CONCORDE-INTREPID-300M (LH)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
P = Premium	H = Chrysler		41 = 4 Door Sedan		EER, EE0 = 2.7L V6 DOHC		DGX = 4 Speed Automatic		
S = Special	Intrepid				EGG = 3.5L HO V6 MPI 24V		DG0 = All Automatic Transm		
H = High Line	D = Dodge Intrepid				EGJ = 3.5L V6 SOHC 24V				
M = LXI	C = Concorde				EGK = 3.5L HO V6 MPI 24V				
X = R/T	Y = 300M				EGC = ÎMAGNUMÖ 3.5L V6				

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Console-Overhead
Figure 08A-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CP=LHS CH=Concorde CM=ConcordeLXI									
1									CONSOLE, Overhead Mini, Less Electronics
	5014 271AA	1	Y						without Sunroof
		1	C						without Sunroof
		1	D						without Sunroof
	5014 272AA	1	C						With Sunroof [L2]
		1	Y						With Sunroof [L2]
	5003 661AA	1	Y						With Sunroof [Black]
	5003 660AA	1	C						With Sunroof [Black]
-2									RETAINER, Overhead Console
	5003 662AA-	1	Y						
		1	C						
		1	D						
3									MODULE, Overhead Console
	4760 145BE	1	Y						Garage Door Opener
		1	C						Garage Door Opener
		1	D						Garage Door Opener
4									MODULE, Compass Temperature
	56042 756AA	1	C						with Garage Door Opener
		1	Y						with Garage Door Opener
	56042 754AD	1	Y						
	56042 749AG	1	C						
5									LAMP, Reading
	PB83 TL2AB	1	D						
		1	C						
	TK50 1L2AA	1	D						with Sunroof
		1	C						with Sunroof
6									WIRING, Overhead Console
	4760 644	1	D						
		1	Y						
		1	C						
7									BULB, 192
	0154 537	2	D						
		2	Y						
		2	C						
-8									SWITCH, Sunroof
	SX16 1L2AA-	1	Y						
		1	C						

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Console-Overhead
Figure 08A-415**

[illegible]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounts 2.7L Engine	Fig. 009-110
Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ]	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
---	--	--	--

Engine Mounts 2.7L Engine
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DGX] = 4 Speed Automatic Transmission

[EER] = 2.7L V6 DOHC 24V MPI Engine


1	4593 184	1				EER			CUSHION, Engine Support Right
	4593 285	1				EER			Left
2	4593 286AB	1				EER			SHIELD, Engine Mount Left
	4593 288AB	1				EER			Right
3	6101 763	6				EER			BOLT AND WASHER, Hex Head, M10x1.5
4	4593 244	1				EER			BRACKET, Engine Mount Right
	4593 243	1				EER			Left
-5	4725 363AB-	1				EER	DGX		BRACKET, Transmission Case Mounting
6	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
7	4663 970AB	1							SUPPORT, Transmission
-8	4663 952	1							COLLAR, Structural, Oil Pan To Transmission
-9	6506 019AA-	9							BOLT AND WASHER, Hex Head, M10x1.5x30

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ] Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGX] = 4 Speed Automatic Transmission									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
1	4593 184	1				EGJ			CUSHION, Engine Support Right
	4593 287	1				EGJ			Left
	4593 184	1				EGC,			Right
						EGG,			
						EGK			
	4593 287	1				EGC,			Left
						EGG,			
						EGK			
2	4593 286AB	1				EGJ			SHIELD, Engine Mount
		1				EGC,			
						EGG,			
						EGK			
3									SCREW AND WASHER, Hex Head, M10x1.5x55
	6101 622	6				EGJ			
		6				EGC,			
						EGG,			
						EGK			
4	4593 182	1				EGJ			BRACKET, Engine Mount Right
	4593 245	1				EGJ			Left
	4593 182	1				EGC,			Right
						EGG,			
						EGK			
	4593 245	1				EGC,			Left
						EGG,			
						EGK			
5									BRACKET, Transmission Case Mounting
	4725 363AB	1				EGC,	DGX		
						EGG,			
		1				EGJ			
						EGK	DGX		
6	6101 448	4							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ] Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	4663 970AB	1							SUPPORT, Transmission
-8	4663 952	1							COLLAR, Structural, Oil Pan To Transmission
-9	6506 019AA-	9							BOLT AND WASHER, Hex Head, M10x1.5x30

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Group – 2.7L


Engine 2.7L Six Cylinder

Group – 2.7L

Engine 2.7L Six Cylinder




2.7L-900
Crankcase Ventilation




2.7L-100
Engine Identification

X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code
Last digit of model year	Satiko S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN


2.7L-200
Cylinder Head




2.7L-300
Cylinder Block




2.7L-400
Crankshaft, Piston and Drive Plate




2.7L-500
Camshafts & Valves




2.7L-600
Timing Belt and Cover



2.7L-700
Engine Oiling



2.7L-800
Manifolds




GROUP 2.7L - Engine 2.7L Six Cylinder

Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 2.7L Engine	Fig. 2.7L-110
Cylinder Head	
Cylinder Head 2.7L Engine	Fig. 2.7L-210
Cylinder Block	
Cylinder Block 2.7L Engine	Fig. 2.7L-310
Crankshaft, Piston and Drive Plate	
Crankshaft, Piston, and Torque Converter 2.7L Engine	Fig. 2.7L-410
Camshafts & Valves	
Camshaft and Valves 2.7L Engine	Fig. 2.7L-510
Timing Belt and Cover	
Timing Chain and Cover 2.7L Engine	Fig. 2.7L-610
Engine Oiling	
Engine Oiling 2.7L Engine	Fig. 2.7L-710
Manifolds	
Manifold, Intake and Exhaust 2.7L Engine	Fig. 2.7L-810
Crankcase Ventilation	
Crankcase Ventilation 2.7L Engine	Fig. 2.7L-910



I.D. Location 2.7L Engine
Figure 2.7L-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Engine I.D. is located on the left bank at the rear of the block just below the head.
EES=2.7L Engine w/MTV
1 LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Head 2.7L Engine
Figure 2.7L-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
-1	5018 593AA-	1				EER			GASKET PACKAGE, Engine Upper
2	4663 704AB	1				EER			COVER, Cylinder Head, Right
-3	4663 703AB-	1				EER			COVER, Cylinder Head, Left
4	4663 713AB	1				EER			GASKET, Cylinder Head Cover, Left
-5	4663 980AB-	1				EER			GASKET, Cylinder Head Cover, Right
6	4792 320AB	8				EER			ISOLATOR, Cylinder Head Cover, Grommet And Bolt
-7	4792 321AC-	6				EER			ISOLATOR, Cylinder Head Cover, Grommet And Stud
8	4792 298	1				EER			CAP, Oil Filler
9									HEAD, Cylinder
	4663 978AB	1				EER			Right
	4663 695AB	1				EER			Left
10									GASKET, Cylinder Head
	4663 693AC	1				EER			Left
	4663 694AC	1				EER			Right
11	6504 087	16				EER			BOLT
12	4663 712AC	1				EER			NIPPLE, Crankcase Vent
13	4556 020	2				EER			PLUG, Core, 1.25 Diameter
-14	4792 279	7				EER			PLUG, Core
-15	4663 712AC-	1				EER			NIPPLE, Crankcase Vent
-16	4792 213AB-	3				EER			GASKET, Spark Plug Well
-17	6101 452	2				EER			SCREW AND WASHER, Hex Head, M8x1.25x20
-18	6101 996	1				EER			BOLT
-19	6102 085AA-	1				EER			SCREW AND WASHER, Hex Head, M8x1.25x20, Ground Right Head
-20	6036 020AA-	AR				EER, EES			PLUG, Pipe, Oil galley

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block 2.7L Engine
Figure 2.7L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[EER] = 2.7L V6 DOHC 24 Valve MPI Engine

-1	5066 698AA-	1				EER			GASKET PACKAGE, Engine Lower
2	5018 727AA	1				EER			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings
3	4448 856	4				EER			DOWEL, Block To Cylinder Head
-4	6034 331	1				EER			PLUG, Hex Socket, 3/8-18NPTx.475
5	4663 942	4				EER			PLUG, Core, 1.50 Diameter
-6	6036 189AA-	AR				EER			PLUG, Core, 1.0726 O.D.
-7	4663 941	2				EER			PLUG, Core, 1.00 Diameter
-8	6036 191AA-	AR				EER			PLUG, Core, 1.569 O.D.
-9	4792 132	2				EER			PLUG, Cylinder Block Oil Hole, [.50 O.D.]
-10	6036 190AA-	AR				EER			PLUG, Core, .572 O.D.
-11	4792 132	2				EER			PLUG, Cylinder Block Oil Hole
12	4609 325	1							HEATER, Engine Block
13									BOLT, Hex Head, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
-14	6100 902	2				EER			DOWEL, M6x14
-15	6504 631	8				EER			BOLT
-16	6503 948	AR				EER			BOLT, Hex Flange Head
-17	4760 833AC-	1				EER			STRAP, Ground, Left
-18	5240 849	2				EER			DOWEL, Engine Block To Transmission
-19	6035 743	2				EER			PLUG, Block water drain
-20	6101 670	1				EER			SCREW AND WASHER, Hex Head, M10x1.50x35, Timing Belt Cover Attaching,Upper
-21	6100 986	2				EER			BOLT, Hex Flange Head, M10-1. 5x90, Timing Belt Cover Attaching, Lower


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston, and Torque Converter 2.7L Engine
Figure 2.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
1	5018 627AA	AR				EER			PISTON PIN AND ROD
2	4897 027AA	1				EER			PISTON RING SET, COMPLETE ENGINE, STD.
3	4796 546AC	1				EER			BEARING PACKAGE, Connecting Rod, Standard
-4	4796 547AC-	1				EER			BEARING PACKAGE, Connecting Rod, .025mm Undersize
-5	4796 548AC-	1				EER			BEARING PACKAGE, Connecting Rod, .25mm Undersize
6	4796 543AB	1				EER			BEARING KIT, Crankshaft, Standard
-7	5010 154AB-	1				EER			BEARING KIT, Crankshaft, +.006MM
-8	5010 155AB-	1				EER			BEARING KIT, Crankshaft, +.003MM
-9	5010 156AB-	1				EER			BEARING KIT, Crankshaft, -.003MM
-10	5010 157AB-	1				EER			BEARING KIT, Crankshaft, -.006MM
-11	4796 544AB-	1				EER			BEARING KIT, Crankshaft, .025mm Undersize
-12	4796 545AB-	1				EER			BEARING KIT, Crankshaft, .25 mm Undersize
13	4792 020AB	2				EER			BEARING, Crankshaft
14	4663 638	1				EER			CRANKSHAFT
15	6505 840AA	1				EER			BOLT
16	4792 430AA	1				EER			DAMPER, Crankshaft
17	6504 720	12				EER			BOLT, Connecting Rod
18	6504 630	8				EER			BOLT, Bearing Cap
19	5018 606AA	1							CONVERTER PACKAGE, Torque
-20	5222 629	1							SEAL, Torque Converter Hub
21	4471 933	1				EER			PLATE, Drive Plate Backing
22	6503 465	8				EER			BOLT, Drive Plate and Flywheel
23	4736 832AA	1				EER			PLATE, Torque Converter Drive
24	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20, Drive Plate To Torque Converter
25	4663 664	12				EER			RING, Piston Pin
-26	4448 557	1				EER			DOWEL, Crankshaft Sprocket
27									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves 2.7L Engine Figure 2.7L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code [EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
1	4792 295AB	24				EER			ROCKER ARM, Inlet and Exhaust Valve
2	4663 985	24				EER			ADJUSTER, Valve Lash
3	4792 058	1				EER			CAMSHAFT, Exhaust Right
	4792 059	1				EER			Left
4	4792 062	1				EER			CAMSHAFT, Intake Right
	4792 063	1				EER			Left
5	6504 177	20				EER			BOLT, Bearing Cap
6									CAP, CAP, Cam Bearing SERVICED IN HEAD, (NOT SERVICED) (Not Serviced)
7	4663 722	24				EER			LOCK, Valve Spring Retainer
8	4663 721	12				EER			RETAINER, Valve Spring
9	4663 801	12				EER			SPRING, Valve
10	4663 904	12				EER			SEAL, Valve Guide
11	4663 899	6				EER			VALVE, Intake, Standard
12	4663 902	6				EER			VALVE, Exhaust, Standard
13	4663 674AC	2				EER			CHAIN, Timing
14	4663 676	2				EER			TENSIONER, Chain
15									GUIDE, Intake/Exhaust Valve, Standard Size, SERVICED IN HEAD, (NOT SERVICED) (Not Serviced)
16									SEAT, Intake and Exhaust Valves SERVICED IN HEAD, (NOT SERVICED) (Not Serviced)
17	6506 407AA	9				EER			BOLT


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Chain and Cover 2.7L Engine Figure 2.7L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Timing Chain Tensioner Package Contains: Timing Chain Guides, Timing Chain, Chain Tensioner, Chain Case Gasket.									
Sales Codes:									
[EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
-1	5183 244AA-	1				EER			TENSIONER PACKAGE, Timing Chain, See Note
2	4663 698	1				EER			PLUG
3	4663 636	1				EER			GUIDE, Timing Chain
4	6101 452	2				EER			SCREW AND WASHER, Hex Head, M8x1.25x20
5	6100 297	4				EER			BOLT AND CONED WASHER, Hex Head, M8x35x17
6									SPROCKET, Intake Camshaft
	4792 305AB	1				EER			Left
	4792 306	1				EER			Right
7	6505 231AA	4				EER			BOLT, Hex Flange Head, M8x20, Camshaft Sprocket
8	4792 104	1				EER			GUIDE, Timing Chain
9	4792 586AA	1				EER			CAP, Primary Tensioner Retainer
10	4792 480AA	1				EER			SEAL, Primary Tensioner Retainer Cap
11	4792 443AB	1				EER			TENSIONER, Chain
12	4663 634AB	1				EER			ARM, Tensioner
13	4792 208	1				EER			BUSHING
14	6101 723	1				EER			SCREW AND WASHER, Hex Head, M8x1.25x50
15	4663 635	1				EER			CHAIN, Timing
16	4663 637	1				EER			GUIDE, Timing Chain, Left
17	4663 632	1				EER			SPROCKET, Crankshaft
18	6505 198AA	1				EER			STUD
19	4792 430AA	1				EER			DAMPER, Crankshaft
20	4792 005AB	1				EER			GASKET, Chain Case Cover
21	4663 614AC	1				EER			COVER, Timing Belt
22	6506 407AA	9				EER			BOLT
23	4609 089AF	1				EER			SENSOR, Camshaft
-24	6504 608	1				EER			BOLT, Hex Flange Head, M6x20
-25	6102 001	10				EGC,			BOLT AND WASHER, M6x12,
						EGG,			Timing Belt Cover attaching
						EGK			


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 2.7L Engine Figure 2.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
1	5281 090	1				EER			FILTER, Engine Oil
2	4104 511AB	1				EER			ADAPTER, Oil Filter
3									NUT, M6x1.00, (NOT SERVICED)
4	6504 438	10				EER			(Not Serviced)
5	4663 740AB	1				EER			BOLT, Hex Flange Head, M8x35
	4792 576AA	1				EER			PAN, Oil
6	4792 608AA	1				EER			[NMC] Heavy Duty Cooling
7	6504 629	8				EER			GASKET, Oil Pan
8	4663 999AB	1				EER			BOLT, Bearing Cap
9	6507 355AA	1				EER			TRAY, Windage
10	4663 745	1				EER			STUD, Double Ended
11	4792 068	1				EER			PUMP, Engine Oil
12	6100 306	2				EER			O RING, Oil Suction Tube
13	4792 402AB	1				EER			BOLT AND CONED WASHER, Hex
-14	6504 909AA-	2				EER			Head, M8x35x20
15	4663 622	1				EER			TUBE, Oil Pickup
16	6504 608	7				EER			STUD
17	4663 790AD	1				EER			RETAINER, Crankshaft Rear Oil
18	4663 791AD	1				EER			Seal
-19	5003 905AA-	1				EER			BOLT, Hex Flange Head, M6x20
20	6101 611	3				EER			INDICATOR, Engine Oil Level
21	4663 618	1				EER			TUBE, Oil Gauge
22	4663 625	1				EER			O RING, Engine Oil Level Tube
23	4663 626AB	1				EER			SCREW AND WASHER, Hex Head,
24	6506 214AA	1				EER			M8x1.25x25
25	4698 780AC	1				EER			SEAL, Front Main Crankshaft
26	4698 776AE	1				EER			SEAL, Rear Main Crankshaft
27	4792 592AA	1				EER			GASKET, Rear Oil Seal Retainer
28	4698 777	1				EER			PLUG, Oil Drain
29	4596 357AA	1				EER			LINE, Oil Cooler Supply
30	6502 425	3				EER			LINE, Oil Cooler Return
31	6504 909AA	2				EER			FITTING, Quick Disconnect
-32	2402 473AB-	1				EER			BRACKET, Oil Cooler Tube
									PIN, Push
									SCREW AND WASHER, Hex Head,
									M8x1.25x95
									STUD
									SPRING, Oil Pressure Relief Valve


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 2.7L Engine Figure 2.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-33	4792 142	1				EER			CAP, Oil Pressure Relief Valve
-34	2843 208	1				EER			PLUNGER, Oil Pressure Relief Valve
-35	4663 750	1				EER			COVER, Oil Pump Back
-36	6505 388AA-	8				EER			SCREW, Flange Head, M6x1x18
-37	6101 447	4				EER			NUT, Oil Pan to Rear Retainer
-38	5003 888AA-	1				EER			Mounting ROTOR SET, Oil Pump
-39	6507 355AA-	1				EER			STUD, Double Ended
-40									SCREW AND WASHER, M8x1.
									25x30.00 Oil Pump Attaching, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust 2.7L Engine

Figure 2.7L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EER] = 2.7L V6 DOHC 24 Valve MPI Engine									
1	4663 760	6				EER			GASKET, Intake Manifold
2	6507 054AA	8				EER			BOLT, Hex Flange Head
3	4591 273	1				EER			MANIFOLD, Intake
4									BOLT
	6504 604	1				EER			
	6506 976AA	7				EER			Upper to Lower
5									PLENUM, Intake Manifold
	4792 379AH	1				EER			[With EGR]
	4792 379AI	1				EER			[Without EGR-Has Cover Plate]
	4792 379AK	1				EER			[Without EGR-Has Cover Plate Built In]
6	4663 992	2				EER			GASKET, Exhaust Manifold
7	4578 014AA	1				EER			CLIP
8	4663 759	3				EER			GASKET, Intake Plenum
9									MANIFOLD, Exhaust
	4663 762AB	1				EER			With EGR Port, Right
	4663 763	1				EER			Left
	4663 762AC	1				EER			Without EGR Port, Right
10	6505 429AA	13				EER			SCREW, Hex Flange Head, M8x1.25x40
11									SHIELD, Exhaust Manifold
	4663 766AB	1				EER			Upper Right
	4663 767	1				EER			Lower Left
	4663 768	1				EER			Lower Right
	4663 993	1				EER			Upper Left
12	6503 948	AR				EER			BOLT, Hex Flange Head
-13	6504 968AA-	7				EER			NUT, J
-14	4606 458AB-	1				EES			ACTUATOR, Manifold Tuning Valve
-15	6505 792AA-	1				EES			O RING, Manifold Tuning Valve
-16	6101 946	1				EER			Actuator, Serviced with Actuator
-17	6101 978	1							SCREW, Tapping
-18	1774 076	AR							SCREW AND WASHER, Hex Head, M8-1.25x40
-19									PLUG
									NUT, Stamped, M6, (NOT SERVICED) (Not Serviced)
-20	4591 931AA-	1				EGK			DECAL, On Intake Manifold

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Crankcase Ventilation 2.7L Engine
Figure 2.7L-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[EER] = 2.7L V6 DOHC 24 Valve MPI Engine

1	4573 561AB	1				EER			VALVE, PCV
2	4663 792AF	1				EER			HOSE, Cylinder Head To Intake Manifold PCV
3	4591 275	1				EER			HOSE, Make Up Air
4	4663 712AC	1				EER			NIPPLE, Crankcase Vent



CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 3.5L


Engine 3.5L Six Cylinder



Group – 3.5L

Engine 3.5L Six Cylinder


3.5L-900
Crankcase Ventilation




3.5L-100
Engine Identification

X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXXX Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN


3.5L-200
Cylinder Head




3.5L-300
Cylinder Block




3.5L-400
Crankshaft, Piston and
Driveplate




3.5L-500
Camshafts & Valves




3.5L-600
Timing Belt and Cover



3.5L-700
Engine Oiling



3.5L-800
Manifolds




GROUP 3.5L - Engine 3.5L Six Cylinder

Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 3.5L Engine	Fig. 3.5L-110
Cylinder Head	
Cylinder Head 3.5L Engine	Fig. 3.5L-210
Cylinder Block	
Cylinder Block 3.5L Engine	Fig. 3.5L-310
Crankshaft, Piston and Driveplate	
Crankshaft, Piston, and Torque Converter 3.5L Engine	Fig. 3.5L-410
Camshafts & Valves	
Camshaft and Valves 3.5L Engine	Fig. 3.5L-510
Timing Belt and Cover	
Timing Belt and Cover 3.5L Engine	Fig. 3.5L-610
Engine Oiling	
Engine Oiling 3.5L Engine	Fig. 3.5L-710
Manifolds	
Manifold, Intake and Exhaust	Fig. 3.5L-810
Crankcase Ventilation	
Crankcase Ventilation 3.5L Engine	Fig. 3.5L-910



I.D. Location 3.5L Engine
Figure 3.5L-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Engine I.D. is located on the left bank at the rear of the block just below the head.

Sales Codes:

[EGC] = MAGNUN 3.5L V6 SOHC 24V

[EGG] = 3.5L Highoutput V6 24V MPI

[EGJ] = 3.5LV6 SOHC 24V

[EGK] = 3.5L Highoutput V6 24V MPI (300 Special)

1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
-2									DECAL, 3.5L Engines
	4591 342	1				EGC,			
						EGG			
	4591 926AA-	1				EGJ			
	4591 931AA-	1				EGK			

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Head 3.5L Engine

Figure 3.5L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
-1	5018 635AC-	1				EGC, EGG, EGK			GASKET PACKAGE, Engine Upper
2	4792 098	1				EGJ			COVER, Cylinder Head Right
	4792 099	1				EGC, EGG, EGK			Left
	4792 098	1				EGJ			Right
	4792 099	1				EGJ			Left
3	4792 088	1				EGC, EGG, EGK EGJ			GASKET, Cylinder Cover
4	4792 330	8				EGC, EGG, EGK EGJ			ISOLATOR, Cylinder Head Cover, Grommet And Bolt
5	4648 831AA	1				EGC, EGG, EGK EGJ			CAP, Oil Filler
6	4663 892	2				EGC, EGG, EGK EGJ			HEAD, Cylinder Does Not Include Spark Plug Tubes
7		2							GASKET, Cylinder Head


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Head 3.5L Engine Figure 3.5L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4663 890AB	1				EGC,			Right
	4663 891AB	1				EGG, EGK EGC, EGG,			Left
	4663 890AB	1				EGK EGJ			Right
8	4663 891AB	1				EGJ			Left
	6504 329	16				EGC, EGG, EGK EGJ			BOLT
9	4556 020	2				EGC, EGG, EGK			PLUG, Core, 1.25 Diameter
		2				EGJ			
10	4648 604	6				EGC, EGG			TUBE, Spark Plug
		6				EGJ			
11	6034 826	2				EGC, EGG,			PLUG, Hex Socket, 3/8-18NPT
		2				EGK EGJ			
-12	4777 042	3				EGC,			SEAL, Spark Plug Tube
		3				EGG, EGK EGJ			

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block 3.5L Engine
Figure 3.5L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DGX] = 4 Speed Automatic Transmission
[EGC] = 3.5L Magnum V6 SOHC 24V
[EGG] = 3.5L High Output V6 24V MPI
[EGJ] = 3.5L V6 SOHC 24V De-Tuned


-1	4897 732AA-	1				EGC, EGG, EGK			GASKET PACKAGE, Engine Lower
		1				EGJ			
2	4897 435AD	1				EGG, EGK			BLOCK, Short Contains: Crank, Rods, Pistons, Rings, Pick Up Tube, Oil Pan
		1				EGJ			Contains: Crank, Rods, Pistons, Rings, Pick Up Tube, Oil Pan
3	4448 856	4				EGC, EGG EGJ			DOWEL, Block To Cylinder Head
4	4663 941	2				EGC, EGG EGJ			PLUG, Core, 1.00 Diameter
5	4663 942	4				EGC, EGG EGJ			PLUG, Core, 1.50 Diameter
6	4663 870	1				EGC, EGG EGJ			RETAINER, Crankshaft Rear Oil Seal
7	6504 436	7				EGC, EGG EGJ			BOLT, Hex Flange Head, M6x20
8	4663 625	1				EGC, EGG EGJ			SEAL, Rear Main Crankshaft
9		1							DOWEL, M6x14

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block 3.5L Engine
Figure 3.5L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6100 902	1				EGC,			
		1				EGG			
10						EGJ			
	4556 018AB	3				EGC,			PLUG, Cylinder Block Oil Hole
						EGG			[5/8]
	4556 019	3				EGJ			[5/8]
		AR				EGC,			[.065]
						EGG,			
		AR				EGK			[.065]
11						EGW			DOWEL, Block To Clutch Housing
	6505 643AA	2				EGC,			
		2				EGG			
12	4641 780	1				EGJ			STRAP, Tie
13									BOLT, Hex Flange Head
	6504 101	8				EGC,			
		8				EGG			
						EGJ			
14									BOLT AND CONED WASHER, Hex
	6102 003	1				EGC,	DGX		Head, M6x16x14
		2				EGG,			
						EGW			
15						EGJ			STRAP, Ground
	4760 831AC	1				EGC,			
						EGG			
16	4609 325	1				EGJ			HEATER, Engine Block
17		1							BOLT, Hex Head, M6x1.00x25, (NOT
									SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston, and Torque Converter 3.5L Engine
Figure 3.5L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

[EGK] = 3.5L High Output V6 24V MPI Police Package

1	5010 335AB	AR	1			EGJ EGC, EGG, EGK			PISTON PIN AND ROD
-2	4556 503	12				EGC, EGG EGW			SNAP RING, Piston Pin
3	4897 035AA	1				EGC, EGG, EGK EGJ			PISTON RING SET, COMPLETE ENGINE, STD.
4	4626 657AB	1				EGC, EGG, EGK EGJ			BEARING PACKAGE, Connecting Rod, Standard
-5	4626 658AB-	AR				EGJ EGC, EGG, EGW			BEARING PACKAGE, Connecting Rod, .025mm Undersize
-6	4626 659AB-	AR				EGC, EGG, EGW EGJ			BEARING PACKAGE, Connecting Rod, .25mm Undersize
7		AR							BOLT, Connecting Rod

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Crankshaft, Piston, and Torque Converter 3.5L Engine
Figure 3.5L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 095	12				EGC, EGG, EGK EGJ			
8		12							BEARING PACKAGE, Crankshaft, Standard
	5003 962AA	1				EGC, EGG, EGK EGJ			
-9		1							BEARING PACKAGE, Crankshaft, +. 006mm
	5010 134AA-	1				EGC, EGG, EGK EGJ			
-10		1							BEARING PACKAGE, Crankshaft, +. 003mm
	5010 135AA-	1				EGC, EGG, EGK EGJ			
-11		1							BEARING PACKAGE, Crankshaft, -. 003mm
	5010 136AA-	1				EGC, EGG, EGK EGJ			
-12		1							BEARING PACKAGE, Crankshaft, -. 006mm
	5010 137AA-	1				EGC, EGG, EGK EGJ			
-13		1							BEARING PACKAGE, Crankshaft, .025mm Undersize
	5003 964AA-	1				EGC, EGG, EGK EGJ			
-14		1							BEARING PACKAGE, Crankshaft, .25 mm Undersize

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Crankshaft, Piston, and Torque Converter 3.5L Engine
Figure 3.5L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 965AA-	1				EGC, EGG, EGK EGJ			
15		1							BEARING, Crankshaft
	4792 020AB	2				EGC, EGG, EGK EGJ			
16		2							CRANKSHAFT
	4792 177	1				EGC, EGG, EGK EGJ			
17		1							BOLT
	6101 984	1				EGC, EGG, EGK EGJ			
18		1							DAMPER, Crankshaft
	4663 176	1				EGC, EGG EGJ			
19		1							NUT, Hex, .375-24
	6036 159AA	12				EGC, EGG EGJ			
20		12							BOLT, Hex Flange Head
	6504 101	8				EGC, EGG EGJ			
21	5018 606AA	1							CONVERTER PACKAGE, Torque
-22	5222 629	1							SEAL, Torque Converter Hub
23		1							PLATE, Drive Plate Backing
	4471 933	1				EGC, EGG, EGK EGJ			
24		1							BOLT, Drive Plate and Flywheel

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Figure 3.5L-410

[illegible]**CONCORDE-INTREPID-300M (LH)**

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves 3.5L Engine
Figure 3.5L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Valve Guides and Valve Seats are serviced in Cylinder Head.

NOTE: Sales Codes

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

[EGK] = 3.5L High Output V6 24V MPI Police Package

1	4573 460	6				EGC, EGG,			ROCKER ARM, Intake
		6				EGK EGJ			ROCKER ARM, Intake
2	4573 459	6				EGC, EGG, EGK EGJ			ROCKER ARM, Intake
		6							
3	4315 823	2				EGC, EGG, EGK EGJ			SHAFT, Rocker Arm
		2							
4	4663 998	2				EGC, EGG, EGK			SHAFT, Rocker Arm
		2				EGJ			
5	4663 071	2				EGC, EGG, EGK EGJ			PEDESTAL, Rocker Shaft
		2							
6	4663 996	6				EGC, EGG, EGK EGJ			ROCKER ARM, Exhaust
		6							
7	4663 886	1				EGC, EGG, EGK EGJ			CAMSHAFT Right
		1							Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves 3.5L Engine Figure 3.5L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4663 887	1				EGC,			Left
		1				EGG,			Left
8						EGK			PEDESTAL, Rocker Shaft
	4663 072	4				EGJ			
		4				EGC,			
9						EGG,			BOLT, Hex Flange Head, M8x1.25x55
	6503 279	20				EGK			
		20				EGJ			PEDESTAL, Rocker Shaft
10	4663 073	2				EGC,			
		2				EGG,			
		2				EGK			DOWEL, Rocker
-11						EGJ			Rocker shaft pedestal
	4573 379	4				EGC,			Rocker shaft pedestal
		4				EGG			Rocker shaft pedestal
12						EGW			SEAL, Camshaft
	4792 318	2				EGC,			
		2				EGG,			
		2				EGK			
13						EGJ			LOCK, Valve Spring Retainer
	4536 513AB	48				EGC,			
		48				EGG,			
14						EGK			RETAINER, Valve Spring
	4556 547	24				EGJ			
		24				EGC,			
		24				EGG,			
15						EGK			SPRING, Intake Valve
		24				EGJ			


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special			EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves 3.5L Engine
Figure 3.5L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4792 215	12				EGC, EGG, EGK EGJ			
16		12							SPRING, Exhaust Valve
	4792 216AB	12				EGC, EGG, EGK EGJ			
17		12							SEAL, Valve Guide
	4663 002	24				EGC, EGG, EGK			
		24				EGJ			
18		24							SCREW AND WASHER, Hex Head, M8x1.25x25
	6502 847	3				EGC, EGG, EGK EGJ			
19		3							SEAL, Camshaft Thrust
	4536 492	2				EGC, EGG, EGK EGJ			
		2							
20		2				EGC, EGG, EGK			PLATE, Camshaft Thrust
	4556 518	2				EGJ			
21		2							VALVE, Intake, Standard
	4663 836	12				EGC, EGG, EGK EGJ			
		12							
22		12							VALVE, Exhaust, Standard
	4663 347	12				EGC, EGG, EGK EGJ			
		12							

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Belt and Cover 3.5L Engine
Figure 3.5L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	4663 818	1				EGC, EGG EGJ			COVER, Timing Belt Rear Right
		1							Rear Right
2	4573 937	1				EGC, EGG EGJ			SEAL, Timing Belt Cover
		1							
3	4573 919	1				EGC, EGG EGJ			SEAL, Timing Belt Cover
		1							
4	4663 817	1				EGC, EGG, EGK			COVER, Timing Belt
		1				EGJ			
5	4483 443	2				EGC, EGG			GASKET, Timing Cover
		2				EGJ			
6	4659 430AB	1				EGC, EGG			GASKET, Water Pump
		1				EGJ			
7	4556 535	1				EGC, EGG, EGK			COVER, Timing Belt Left Front
		1				EGJ			
8	4792 335	1				EGC, EGG, EGK EGJ			Left Front COVER, Timing Belt Right Front
		1							
9									Right Front SCREW AND WASHER, Hex Head, M8x1.25x25

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Belt and Cover 3.5L Engine
Figure 3.5L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 847	3				EGC, EGG			
		3				EGJ			
10	6502 916	1				EGC, EGG, EGK EGJ			SCREW, Hex Head, M12x1.5x215 Right
11		1							Right
	6502 917	1				EGC, EGG EGJ			SCREW, Hex Head, M12x1.5x258 Left
12		1							
	6503 435	2				EGC, EGG EGJ			WASHER, Plain, M13x31.00x5.71
13		2							
	4792 025	1				EGC, EGG EGJ			GEAR, Camshaft
14		1							
	4792 580AA	1				EGC, EGG, EGK EGJ			SPROCKET, Camshaft
15		1							
	4663 817	1				EGC, EGG, EGK EGJ			COVER, Timing Belt Rear Left
16		1							
	4573 347	1				EGC, EGG EGJ			TENSIONER, Belt
17		1							
	6100 297	2				EGC, EGG EGJ			BOLT AND CONED WASHER, Hex Head, M8x35x17
18		2							
									TENSIONER, Belt

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Figure 3.5L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4663 515	1				EGC,			
		1				EGG, EGK EGJ			
19									BELT, Timing
	4792 353	1				EGC,			
		1				EGG EGJ			
20									GEAR, Timing Belt
	4536 479	1				EGC,			
		1				EGG EGJ			
21									DOWEL, Crankshaft Sprocket
	4448 557	1				EGC,			
		1				EGG EGJ			
22									SEAL, Front Main Crankshaft
	4792 317	1				EGC,			
		1				EGG EGJ			
23	6506 019AA	9							BOLT AND WASHER, Hex Head, M10x1.5x30
-24									SCREW AND WASHER, Hex Head, M6x1x35
	6100 279	5				EGC,			Timing Cover to Block attaching
		5				EGG EGW			
-25									SCREW AND WASHER, Hex Head, .19-16x1.00
	6101 770	1				EGC,			Timing Belt Cover to Block
		1				EGG EGW			

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 3.5L Engine Figure 3.5L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	5281 090	1				EGC, EGG, EGK			FILTER, Engine Oil
2	5300 7563	1				EGJ			CONNECTOR, Oil Filter
3		1				EGC, EGG, EGK EGJ			COVER, Oil Pump Back, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
4	4897 171AA	1				EGC, EGG, EGK EGJ			ROTOR SET, Oil Pump
5	4792 123	1				EGC, EGG, EGK EGJ			GASKET, Oil Pump
6	6505 388AA	5				EGC, EGG, EGK EGJ			SCREW, Flange Head, M6x1x18
7	4663 844	1				EGC, EGG, EGK EGJ			PUMP, Engine Oil
8	6503 159	2				EGC, EGG, EGK EGJ			STUD, Double Ended, M6x1.0x38 Oil Pump attaching

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 3.5L Engine
Figure 3.5L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	2843 208	2				EGW			Oil Pump attaching
		1				EGC, EGG, EGK			PLUNGER, Oil Pressure Relief Valve
10	2402 473AB	1				EGJ			SPRING, Oil Pressure Relief Valve
		1				EGC, EGG, EGK			
11	2806 273	1				EGJ			CAP, Oil Pressure Relief Valve
		1				EGC, EGG, EGK EGJ			
12		1							PIN, Cotter, .09375 x 1.250 Long, (NOT SERVICED) (Not Serviced)
13	6503 866	1				EGC, EGG, EGK			STUD, M8x
		1				EGJ			
14	4792 317	1				EGC, EGG, EGK EGJ			SEAL, Front Main Crankshaft
		1				EGC, EGG, EGK EGJ			
15	6032 920	1				EGC, EGG, EGK EGJ			SEAL, Oil Pick Up Tube
		1				EGC, EGG, EGK EGJ			
16	6500 070	1				EGC, EGG, EGK			SCREW AND WASHER, Hex Head, M8x1.25x25
		1				EGJ			
17		1							TUBE, Oil Pickup

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 3.5L Engine
Figure 3.5L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4663 848	1				EGC, EGG, EGK EGJ			
18	4663 840	1				EGC, EGG, EGK EGJ			GASKET, Oil Pan
19	4663 841AD	1				EGC, EGG, EGK			PAN, Oil
20	4792 956AA	1				EGJ			Heavy duty cooling
		1				EGC			Heavy duty cooling
		1				EGG			PLUG, Oil Drain
	6506 214AA	1				EGC, EGG, EGK EGJ			
21	6500 274	2							LOCK NUT, M6x1.0x6
22	4663 862AE	1				EGC, EGG, EGK EGJ			INDICATOR, Engine Oil Level
23	4663 863AD	1				EGC, EGG, EGK EGJ			TUBE, Engine Oil Indicator
-24	5003 905AA-	1				EGC, EGG, EGK EGJ			O RING, Engine Oil Level Tube
25	6503 692	1				EGW			SCREW, M8-1.25 Oil Tube mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 3.5L Engine
Figure 3.5L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGK EGJ			
26	4663 938	1				EGC, EGG, EGK EGJ			TRAY, Windage
		1				EGC, EGG, EGK EGJ			
27	6504 102	8				EGC, EGG, EGK			BOLT, Hex Flange Head
		8				EGJ			
28	6100 307	3				EGC, EGG, EGK EGJ			BOLT, Hex Head
		3				EGC, EGG, EGK EGJ			
29	6504 438	12				EGC, EGG, EGK EGJ			BOLT, Hex Flange Head, M8x35
		12				EGC, EGG, EGK EGJ			
30	6504 327	2				EGC, EGG, EGK EGJ			BOLT
		2				EGC, EGG, EGK EGJ			
31	5014 313AA	1				EGC			VALVE PACKAGE, Oil Cooler Pressure Control, Includes Valve and Quick Connect
32									FITTING, Quick Connect, (NOT SERVICED) (Not Serviced)
33									VALVE, Oil Cooler Pressure, (NOT SERVICED) (Not Serviced)
34									FITTING, Oil Cooler Return Line At Oil Pan
	4792 283	1				EGC, EGG, EGK			

CONCORDE-INTREPID-300M (LH)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic				
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm				
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V					
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V					
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling 3.5L Engine
Figure 3.5L-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGJ			
35	4698 779AB	1				EG0			LINE, Oil Cooler Supply
36	4698 773AB	1				EG0			LINE, Oil Cooler Return
37	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
38	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
39	4592 093AB	1							RETAINER, Oil Cooler Line

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust Figure 3.5L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	4591 342	1				EGC, EGG, EGJ			DECAL
	4591 926AA	1				EGJ			
2	5080 720AA	1				EGC, EGG, EGK			PLENUM, Intake Manifold With EGR Valve
	5080 720AB	1				EGG, EGK			WithOut EGR Valve
	5080 818AA	1				EGJ			With EGR Valve
	5080 818AB	1				EGJ			WithOut EGR Valve
-3	4891 312AA-	2				EGC, EGG, EGJ, EGK			ISOLATOR AND SEAL, EGR Blocker, EGR Plugs for Intake Plenum
4	4663 851	1				EGC, EGG, EGK			GASKET, Intake Plenum
		1				EGJ			
5	6101 953	7				EGC, EGG, EGK			BOLT
		7				EGJ			
6	6101 745	2				EGC, EGG, EGK			SCREW AND WASHER, Hex Head, M8x1.25x55
		6				EGJ			
7	5017 188AA	1				EGC, EGG, EGK			MANIFOLD, Intake


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust
Figure 3.5L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGJ			
8	4663 852	2				EGC, EGG			GASKET, Intake Manifold
9	4792 457AA	1				EGC, EGG, EGK			MANIFOLD, Exhaust Right
	4792 456AA	1				EGJ EGC, EGG, EGK			Right Left
-10		1				EGG, EGK EGJ			Left GASKET, Exhaust Manifold
	4663 958	2				EGC, EGG EGW EGJ			
11	6505 429AA	12				EGC, EGG, EGK EGJ			SCREW, Hex Flange Head, M8x1. 25x40
12	4663 861	1				EGC, EGG EGC, EGG, EGK			SHIELD, Exhaust Manifold Upper Right
	4663 959	1				EGC, EGG EGC, EGG, EGK			Upper Left
	4663 860	1				EGC, EGG EGC, EGG, EGK			Lower Right
	4663 859	1				EGC, EGG EGC, EGG, EGK			Lower Left
13	6505 692AA	1				EGC, EGG, EGK			O RING M18.95
14		1				EGJ			M18.95 BOLT, Hex Flange Head


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust Figure 3.5L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6505 846AA	6				EGC, EGG, EGK EGJ			M6X1.00X42.00
15	4792 185AC	1				EGC, EGG, EGK EGJ			M6X1.00X42.00 TUBE, Heater Feed
16	6100 264	2				EGC, EGG, EGK EGJ			BOLT AND CONED WASHER, Hex Head, M6x14x12.5
17	6503 969	2				EGC, EGG, EGK EGJ			BOLT, Hex Flange Head, M6x1. 00x17
18	4792 110	1				EGC, EGG, EGK EGJ			STRUT, Intake Manifold Front Right
19	4792 111	1				EGC, EGG, EGK EGJ			Front Right STRUT, Intake Manifold Front Left
20	4663 960	1				EGC, EGG EGJ			Front Left STRUT, Intake Manifold
21	6101 506	1				EGC, EGG, EGK EGJ			BOLT AND CONED WASHER, M8x1.25x18


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust Figure 3.5L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	4591 240	1				EGC, EGG			BRACKET, MTV Support
23									NUT, M6x1, M6x1.00 MTV Support DNS, (NOT SERVICED) (Not Serviced)
24	6100 902	1				EGC, EGG EGJ			DOWEL, M6x14
25	3780 788	1							SCREW, Bleeder
26	5019 080AA	1				EGC			ACTUATOR, Manifold Tuning Valve Contains an actuator and O Ring
		1				EGG, EGK			Contains an actuator and O Ring
27									ACTUATOR KIT, Secondary Runner Valve
	5083 047AA	1				EGC			Contains: valve, link and clip assembly and three mounting screws.
		1				EGG, EGK			Contains: valve, link and clip assembly and three mounting screws.
-28									RESERVOIR, Secondary Runner Valve, (NOT SERVICED) (Not Serviced)
-29									SCREW, M6X1.00X16.00, (NOT SERVICED) (Not Serviced)
-30									SCREW AND WASHER, Hex Head, M8x1.25x65
	6101 746	2				EGC, EGG EGW			Intake Lower to Head
		2							


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation 3.5L Engine
Figure 3.5L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EGC]=3.5L Magnum Engine

[EGG]=3.5L High Output Engine

1	4792 649AA	1				EGC, EGG			VALVE, PCV
2	4792 098	1				EGC, EGG			COVER, Cylinder Head Right
	4792 099	1				EGC, EGG			Left
3	4792 256	1				EGC, EGG			HOSE, Make Up Air
4									HOSE, Cylinder Head To Intake Manifold PCV
	4663 792AF	1				EES			
		1				EER			
-5	4792 645AB-	1				EGC, EGG, EGW			HOSE, PCV Heated

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 011

Exhaust


GROUP 11 - Exhaust


Illustration Title

Group-Fig. No.


Exhaust System

Exhaust System [EER],[EGC],[EGG],[EGJ] Fig. 011-110



<div>011-100 Exhaust System</div> 			
---	--	--	--

Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[AHV] = Special Service Group									
[DGX] = 4 Speed Automatic Transmission									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	4581 014AB	2							CLAMP, Exhaust Manifold
2	4581 730AC	1				EGC, EGG, EGJ,			CONVERTER, Catalytic Right
	4581 731AB	1				EGK EGC, EGG, EGJ,			Left
	4581 732AC	1				EGK			Right
	4581 733AB	1				EER			Left
3						EER			PIPE, Exhaust
	4581 712AH	1				EGG			[NAB] Leaded Front Right
	4581 713AH	1				EGG			[NAB] Leaded Front Left
	4581 724AD	1				EER, EES			[NAB] Leaded Front Right [EER] Only
	4581 725AD	1				EER, EES			[NAB] Leaded Front Left [EER] Only
4	4581 010AB	1							BRACKET, Exhaust Pipe
5	6101 503	2							SCREW AND WASHER, Hex Head, M10x1.5x25
6									MUFFLER AND RESONATOR, Exhaust
	4581 371AH	1				EER			
	4581 375AI	1				EGC, EGG, EGJ			
	4581 377AB	1				EGK			
	4581 373AH	1				EGW			
7									CLAMP, Exhaust


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L HO V6 MPI 24V	
			EGC = 3.5L HO V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4695 220AB	1				EGC, EGG, EGJ, EGK EER			
8		1				EGC EER EGG			PIPE AND RESONATOR, Exhaust
	4581 361AE	1				EGC			
	4581 364AM	1	D	H		EER			
	4581 370AI	1	C	P		EGG			Use Up To 2/15/02
	4581 447AA	1	D			EGJ			
	4581 362AC	1	Y	S		EER, EGG			
	4581 365AO	1	D			EGW			
	4581 458AA	1				EGC			Special service group [AHV]
	4581 361AF	1				EGC			Without [AHV]
	4581 361AG	1	D	X		EGG			
9									RESONATOR AND PIPE, Exhaust
	4581 442AB	1	C	H		EER			
	4581 378AB	1				EGK			Right
	4581 379AB	1				EGK			Left
	4581 443AB	1	C	H, M		EGJ			
	4581 448AA	1	C	P		EGG			Use After 2/15/02
10									SCREW, Tapping, M8x20
	6101 787	2				EGC, EGG			
		2				EER			
		2				EGJ			
11	6503 478	AR							SCREW, Tap, M9x1.25x26
12									STRAP, Ground
	4581 286AC	1				EGC			
		1	C	H, M		EER, EES			[EER] Only
		1	Y	S		EER, EGG			
		1	D	H		EER			
		1	C	H, M		EGJ			
		1	D			EGJ			
		1	C	P		EGG			
13	4581 004	1							ISOLATOR, Exhaust Support
14	4581 005AB	1							BRACKET, Exhaust
-15									ISOLATOR, Exhaust Support

CONCORDE-INTREPID-300M (LH)

SERIES
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System [EER],[EGC],[EGG],[EGJ]
Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4581 006AB-	1	D	H		EER			
		1	D			EGW			
		1	D			EES			
		1	C	P		EGG			
		1				EGK			
		1	Y	S		EES,			
		1	Y	X		EGG			
		1	C	H, M		EER,			
		1	C	H, M		EES			
-16	4581 008AB-	1				EGW			BRACKET, Exhaust
-17		1				EGK			CLAMP, Exhaust
	4695 220AB-	1				EER,			2.5'
		1				EES			2.5'
		1				EGG			2.5'
		1				EGC,			2.5'
		1				EGG,			
		1				EGW			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005




Group – 013

Frames and Bumpers


GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No.
Frames	
Frame, Front	Fig. 013-115
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	
			

Frame, Front
 Figure 013-115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TNOTE:									
For additional components refer to Sheet Metal Illustration 210									
1	4580 349AH	1							BRACE, Front Strut Tower to Tower
2	4580 752AD	1							REINFORCEMENT, Front Side Rail
3	4580 311AE	1							Right
4	6506 710AA	4							Left
5	4580 698AS	1							SCREW AND WASHER, Hex Head,
6	4580 699AS	1							M8-1.25x22.00
									RAIL, Front Right
									RAIL, Front Left
									CROSSMEMBER PACKAGE, Upper
									Radiator Mounting
	5003 854AH	1	C, Y						
	5003 851AH	1	D						
7									PANEL PACKAGE, Headlamp
	5003 852AD	1							Mounting
	5003 853AD	1							Right
-8									Left
	4580 546	1							SUPPORT, Headlamp Panel, Panel
	4580 547	1							to Rail
-9	6505 559AA-	4							Right
10	4580 064AC	1							Left
11	5012 966AD	1							SCREW AND WASHER, Hex Head,
12	4782 131AB	2							Front Suspension Cradle
	4782 133	2							CROSSMEMBER, Steering Gear
13									CROSSMEMBER, Front Suspension
	4782 240AA	2							ISOLATOR, Cradle, Front, Upper
	4782 242AA	2							[SDG]
14									[SDC,SDD,SDE,SDB]
	4782 131AB	2							ISOLATOR, Cradle, Front, Lower
	4782 143	2							[SDG]
15									[SDC,SDD,SDE,SDB]
	4782 237AA	2							ISOLATOR, Cradle, Rear, Upper
	4782 242AA	2							[SDG]
16	6505 731AA	2							[SDC,SDD,SDE,SDB]
17	6505 730AA	2							ISOLATOR, Cradle, Rear, Lower
-18	4580 060AD-	1							[SDG]
									[SDC,SDD,SDE,SDB]
									SCREW, Front
									SCREW, Hex Head, Rear
									BRACKET, Disabled Vehicle Tow
									[XES]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Frame, Front
Figure 013-115**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4580 738AB-	1							[XEA]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Frame, Rear
 Figure 013-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: For additional components refer to Sheet Metal Illustration 210									
[SDC] = SUSPENSION - TOURING									
[SDD] = SUSPENSION - PERFORMANCE									
[SDG] = SUSPENSION - 4-WHL INDEP. TOURING									
1									CAP, Floor Pan Rail
	4580 090AB	1							Right
	4580 091AB	1							Left
2									BRACKET, Tension Strut
	4580 028AB	1							Right
	4580 029AB	1							Left
3									CAP, Side Rail
	4580 042AC	1							Right
	4580 043AC	1							Left
4									REINFORCEMENT, Floor Pan
	4580 336AB	1							Right
	4580 337AD	1							Left
5									RAIL, Rear
	4580 302	1	D, Y						Right
	4580 303	1	D, Y						Left
	4580 436	1	C						Right
	4580 437	1	C						Left
6									RAIL, Frame Side
	4580 298AF	1	D, Y						Short, Right
	4580 299AF	1	D, Y						Short, Left
	4580 434AG	1	C						Long, Right
	4580 435AF	1	C						Long, Left
7	4580 062AC	2							EXTENSION, Rail Flange
8									EXTENSION, Body Side Sill, Inner
	4580 446AG	1							Right
	4580 447AG	1							Left
9									CROSSMEMBER, Rear Suspension
	4581 208	1							[SDG]
	4581 227	1							[SDC,SDD,SDE]
-10									CROSSMEMBER, Rear Frame, Rear
									Cargo Area, Tubular, EUROPE
	4780 739AA-	1	Y	S					
		1	Y	X					

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Front
Figure 013-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes:									
[MDA] = BRACKET - FRONT LICENSE PLATE									
[MDE] = BRACKET - FRONT WIDE LICENSE PLATE									
1	6504 700	6							RIVET, Blind Expansion (R-Lok)
2									SHIELD, Radiator
	4806 028AA	1	D						Red, Right
	4806 029AA	1	D						Red, Left
	4805 212AB	1	D	H					White, Right
	4805 213AB	1	D	H					White, Left
	4805 244AC	1	C	P					Blue, Right
	4805 245AC	1	C	P					Blue, Left
	4805 204AB	1	D	P, X					Yellow, Right
	4805 205AB	1	D	P, X					Yellow, Left
	4805 244AC	1	C						Blue, Right
	4805 245AC	1	C						Blue, Left
	4805 246AC	1	Y	X					Green, Right
	4805 247AC	1	Y	X					Green, Left
	4805 246AC	1	Y	S					Green, Right
	4805 247AC	1	Y	S					Green, Left
-3	6505 145AA-	4							SCREW AND WASHER, Hex Head, M8 x 1.25 x 23.00
4	4574 812AB	1							REINFORCEMENT, Front Bumper
-5	6101 654	2							NUT, M8x1.25, Reinforcement to Bumper
6	6504 521	4							PIN, Push
7									FASCIA, Front, Primed
	4806 014AA	1	D						Special Service and Police Pusuit Packages with Brake Duct Holes
	4574 843AB	1	D	H					
	4574 834AB	1	D	P, X					
	4574 828	1	C						
	4805 403AC	1	Y	S					
	5083 698AA	1	Y	X					
	4574 820AB	1	Y						EXPORT
-8	4860 379AA-	2	Y						PIN, Push In, M8 X 1.25 X 20, Fascia Attaching
-9									DUCT, Air Distribution, Police Package
	4779 300AA-	1							Right
	4779 301AA-	1							Left
-10	4780 663AA-	2	Y						BUMPER, Hood, Fascia Attaching
-11									ABSORBER, Front Energy

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Front
Figure 013-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4574 842	1	D	H					
	4574 833AB-	1	D						[LNJ]
	4574 829	1	C						
	4574 819	1	Y						
-12									SCREW, Special Head Plastic, M3. 80x3.60x36.50
	6503 819	4	D						
		5	C						
		4	Y						
13									BRACKET, Fascia
	4805 094AB	1	D						
	4805 198AA	1	Y						
-14									BRACE, Bumper Fascia
	4805 110	1	C						Right
	4805 111	1	C						Left
	4805 196AA-	1	Y						Right
	4805 197AA-	1	Y						Left
	4805 790AA-	1	Y	X					Special
-15									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6X1.0X20.00, (NOT SERVICED) (Not Serviced)
-16	6100 048	2							NUT, Hex, M6x1.00
17									CLIP, Fascia
	4805 333AA	2	C						
		2	Y						
-18	6505 520AA-	2							SCREW, Hex Head, M4.2 x 1.70 x 33.50
-19									GROMMET, Fascia, to Fender
	4805 336AA-	2	C	H, M					
		2	Y						
-20	6505 161AA-	2							NUT, Plastic Snap In, For M6.3 Screw, Fascia to Fender
21									AIR DAM
	4805 040	1	D	H					
		1	D	P, X					
	4574 830	1	C						
	4805 052	1	Y						
-22									RIVET
	6035 201	6	D	H					
		6	D	P, X					
		6	C						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Front
Figure 013-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		9	Y						
23	4805 168AB	1							AIR DUCT, Air Dam
24	6034 716	5							SCREW AND WASHER, Hex Flange Head, .25-14x.875
25	4805 405AB	2							FASTENER, Fascia
26	4805 708AA	2							END CAP, Bumper
-27	5012 268AA-	1	C						GRILLE, Radiator
28	5011 615AA	1	C						PLINTH, Winged Medallion
-29	6100 814	2	C						NUT, Hex, M6
-30	4676 356	10	C						U-CLIP, Grille To Fascia
-31	4676 356	10	C						U-CLIP, Grille To Fascia
		6	Y						
-32	4805 107AC-	1	Y	S					GRILLE, Upper Cooling, Plinth centered in Grille
-33									GRILLE, Radiator, Plinth molded into top of Grille
	4805 781AA-	1	Y	X					
		1	Y	S					
-34	6100 814	2	C						NUT, Hex, M6
-35	4676 356	6	Y						U-CLIP, Grille To Fascia
36									GRILLE, Lower Cooling
	4574 822AB	1	Y	S					
		1	Y	X					
37									KIT, License Plate, Fastener
	4574 930	1	D	H					
	4574 925	1	D	P, X					
	4574 931AB	1	C	H, M, P					
	4574 923	1	Y	S					[MDA]
		1	Y	X					[MDA]
	4574 933AB	1	Y	S					EXPORT
		1	Y	X					EXPORT
-38	6504 975AA-	2							SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, License Plate Attaching
39									BRACE, Radiator Crossmember
	4580 674AB	1	C, Y						Crossmember to bumper, Right
	4580 675AB	1	C, Y						Crossmember to bumper, Left
	4580 326AC	1	D						Crossmember to bumper, Right
	4580 327AC	1	D						Crossmember to bumper, Left
40	4580 065AD	1							CROSSMEMBER, Radiator


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Front
Figure 013-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
41	4580 793AI	1	Y						PANEL, Under Hood Appearance,
42	5003 854AH	1	C, Y						After 5-8-00 Panel is not used
-43	6500 911	4	Y	X					CROSSMEMBER PACKAGE, Upper Radiator Mounting
-44	4805 797AA-	1	Y	X					RIVET, M6.25x28, Front Fascia to
		1	Y	S					Splash Extension
-45									MEDALLION, Radiator Grill
	4805 794AA-	1	Y	X					Chrysler logo
	4805 795AA-	1	Y	X					
-46									EXTENSION, Fascia To Splash
	4805 794AA-	1	Y	X					Shield
	4805 795AA-	1	Y	X					Right
									Left
									EXTENSION, Fascia To Splash
	4805 794AA-	1	Y	X					Shield
	4805 795AA-	1	Y	X					Right
									Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Rear Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes:									
[MDA] = BRACKET - FRONT LICENSE PLATE									
[MDE] = BRACKET - FRONT WIDE LICENSE PLATE									
1									FASCIA, Rear, Primed
	4574 903AC	1	D						
	4574 896	1	C						
	4805 153	1	Y						With Rear License Lamp [LPB]
	4574 893	1	Y						Without Rear License Lamp
	5083 699AA	1	Y	X					Special
-2									ABSORBER, Rear Energy
	4574 902	1	D						
	4574 895	1	C						
	4574 894	1	Y						
	4805 154	1	Y						with Rear License Lamp
	4805 788AA-	1	Y	X					Special
-3	4805 400AA-	2	C						SEAL, Fascia, Rear
-4									GROMMET, Fascia
	4805 336AA-	2	C	H, M					
		2	Y						
-5									CLIP, Fascia
	4805 333AA-	4	C						
		2	Y						
-6	6505 520AA-	2							SCREW, Hex Head, M4.2 x 1.70 x 33.50
-7	6505 161AA-	2							NUT, Plastic Snap In, For M6.3
									Screw
8	6504 700	6							RIVET, Blind Expansion (R-Lok), Fascia to Splash Shield
9	6504 521	9							PIN, Push
10	4805 405AB	2							FASTENER, Fascia
11									BRACE, Bumper Fascia
	4805 128	1	C						Right
	4805 129	1	C						Left
	4805 222AA	1	Y						Right
	4805 223AA	1	Y						Left
12									BRACKET, Fascia
	4805 094AB	1	D						Right
	4805 095AB	1	D						Left
	4805 198AA	1	Y						
13									RIVET, Bracket to Quarter Panel, (.187X.670), (NOT SERVICED)
									(Not Serviced)


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fascia, Rear
Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									REINFORCEMENT, Fascia
	4805 066AB	1	D						
	4805 077AB	1	C						
15	4805 109AB	1	Y						REINFORCEMENT, Rear Bumper
16									BOLT, M8
	6506 110AA	2	D						
		2	C						
		2	Y	S					
		2	Y	X					
17	6101 446	6							NUT AND WASHER
-18									KIT, License Plate, Fastener
	4574 930	1	D	H					
	4574 925	1	D	P, X					
	4574 931AB-	1	C	H, M, P					
	4574 923	1	Y	S					
		1	Y	X					
-19	6504 975AA-	2							SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00
-20	6036 034AA-	AR							RIVET, Rear Fascia to Splash Shield
-21	6506 571AA-	2	C						PIN, Push, Fascia attaching
-22									NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
	3420 1358	2	C	H, M					Fascia to 1/4
		2	C	P					Fascia to 1/4
		2	Y						Fascia to 1/4


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 014

Fuel



Group – 014

Fuel

014-1000 Speed Control			
---------------------------	--	--	--

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Tank Filler Tube	Fig. 014-210
Fuel Lines	
Fuel Lines and Fuel Filter	Fig. 014-310
Fuel Rail	
Fuel Rail	Fig. 014-410
Fuel Pump and Sending Unit	
Fuel Pump and Level Unit	Fig. 014-510
Throttle Body	
Throttle Body 3.5L Engine [EGC],[EGG],[EGJ],[EGK]	Fig. 014-610
Throttle Body 2.7L Engine [EER]	Fig. 014-630
Throttle Controls	
Throttle Controls and Pedal	Fig. 014-710
Air Cleaner	
Air Cleaner and Intake System	Fig. 014-810
Speed Control	
Speed Control	Fig. 014-1010



Fuel Tank
Figure 014-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 752AA	1							TANK, Fuel
-2	6504 179	4							SCREW AND WASHER, Hex Head, M8-1.25x40, Fuel Tank Mounting
3	5080 751AA	1							VALVE KIT, Fuel Control
-4	4695 659	1							PLUG, Fuel Tank Drain
-5	4759 769AD-	1							WIRING, Fuel Tank Jumper
6	4581 037AC	1							SHIELD, Heat, Side
7	4581 231	1							SHIELD, Heat, Rear
-8	6100 048	2							NUT, Hex, M6x1.00, Heat Shield to Fuel Tank Attach
9									SCREW, Hex Flange Head, M8-1. 25x45, (NOT SERVICED) (Not Serviced)
10	4581 035	1							STRAP, Fuel Tank, Left
11	4581 036	1							STRAP, Fuel Tank, Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Tank Filler Tube
Figure 014-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Locking Gas Cap cannot be rekeyed after assy. 5015636AB is a package containing Gas Cap and Lock Cylinder
Uninstalled. Dealer Responsible for keying using tumblers in service kit.


1	4581 390AA	1							TUBE, Fuel Filler
2	6502 450	1							CLAMP, HOSE CLAMP
3	5278 632AB	1							CAP, Fuel Filler, Non-Locking
4									TETHER, Fuel Filler Cap
	4682 676	1							
	5278 461AA	1							Locking
-5	5257 132	1	C						TUMBLER, Ignition Number 1
-6	5257 133	1	C						TUMBLER, Ignition Number 2
-7	5257 134	1	C						TUMBLER, Ignition Number 3
-8	5257 135	1	C						TUMBLER, Ignition Number 4
9									SCREW, .19-16x1.00, (NOT
									SERVICED) (Not Serviced)
10	6033 718	3							SCREW, Tapping, .19-16x.625

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines and Fuel Filter
Figure 014-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4581 134AC	1							TUBE, Fuel Supply
2	4581 384AA	1							TUBE, Fuel Vapor
-3	5010 229AA-	1							CLIP, Fuel Line
4	5010 230AA	1							CLIP, Fuel Line
5	5010 231AB	1							CLIP, Fuel Line
6	5083 036AA	1							TUBE, Fuel Supply, Steel Tube
7	5083 037AA	1							TUBE, Fuel Vapor, Steel Tube
8	5010 228AA	1							CLIP, Fuel Line
-9	6504 886AA-	AR							SCREW, Hex, M7x1.25x25.00, Fuel Line Clip attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Rail
Figure 014-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DGX] = 4 Speed Automatic Transmission

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

1									RAIL, Fuel
	4591 627AB	1				EER			
	5019 282AA	1				EGC,			
						EGG			
	4591 759AB	1				EGJ			
2									INJECTOR, Fuel
	4591 658AA	6				EGC,			
						EGG,			
						EGK			
	4591 756AB	6				EER			
	4591 658AA	6				EGJ			
3									O RING KIT, Fuel Injector
	4897 125AA	6				EER			
		6				EGC,			
						EGG			
4									CLIP, Fuel Injector
	4418 257AB	6				EGC,			
						EGG			
	4591 629AA	6				EER			
5									SCREW AND WASHER, Hex Head, M8x1.25x55
	6101 745	6				EGC,			
						EGG			
		6				EGJ			
-6									O RING, Quick Connect
	4792 354	1				EGC,			
						EGG			
		1				EER			

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Pump and Level Unit

Figure 014-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[ABD] = Middle East Equipment									
1									INSULATOR, (NOT SERVICED) (Not Serviced)
2									MODULE KIT, Fuel Pump/Level Unit
	5019 003AB	1							
	5134 210AA	1							[ABD], Export
3	5003 959AC	1							LEVEL UNIT KIT, Fuel
4	5003 960AA	1							FILTER KIT, Fuel
-5	4695 226	1							NUT, Fuel Pump Level Unit
-6	4581 239	1							O RING, Fuel Pump and Level Unit

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = 3.5L V6 MPI 24V

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Body 3.5L Engine [EGC],[EGG],[EGJ],[EGK]
Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[EGC] = 3.5L Magnum V6 SOHC 24V
[EGG] = 3.5L High Output V6 24V MPI
[EGJ] = 3.5L V6 SOHC 24V De-Tuned

1									THROTTLE BODY
	4591 595AC	1				EGC, EGG, EGK EGJ			
		1							
2	4606 083	1				EGC, EGG EGJ			SENSOR, Throttle Position
		1							
3	4792 265	1				EGC, EGG EGJ			GASKET, Throttle Body
		1							
-4	5083 049AA-	1				EGG			SCREW, Linear IACV Solenoid
		1				EGC			
		1				EGJ			
-5	4861 325AC-	1				EGC, EGG, EGK			SOLENOID, Linear IACV
		1				EGJ			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Body 2.7L Engine [EER]
Figure 014-630


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EER]=2.7L Engine

[EES]=2.7L Engine w/MTV.

1	4591 596AC	1				EER			THROTTLE BODY
2	4897 247AA	1				EER			SENSOR KIT, Throttle Position
3	4591 081	1				EER			GASKET, Throttle Body
-4	6101 683	1				EER			BOLT, Hex Head, M6x1.00x35
-5	4861 325AC-	1				EER			SOLENOID, Linear IACV
-6	4591 554AC-	1				EER,			BRACKET, Cable Mounting, Throttle
						EES			Body Support
-7									BOLT, Hex Head
	6507 115AA-	3				EER			Throttle Body attaching
		3				EES			Throttle Body attaching




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls and Pedal
Figure 014-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DGX] = 4 Speed Automatic Transmission									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	4591 233	1				EGC, EGG, EGJ, EGK EER			CABLE, Throttle Control
2	4591 244	1				EER EGC, EGG, EGJ, EGK			BRACKET, Throttle Control Cable
3	6501 755	2				EGC, EGG, EGJ, EGK			SCREW AND WASHER, Hex Head, M6x1x16
4		1				EER			NUT, M6x1, (NOT SERVICED) (Not Serviced)
5	4591 687AA	1							CLIP, Cable
6	4591 314 4591 751AA	1 1				EER EGC, EGG, EGJ, EGK			BRACKET, Throttle Body Support
7	6505 311AA	1							SCREW, Hex Head, M8x1.25x20
8	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
9	4591 740AA	1							BRACKET, Accelerator Shaft and Pedal
10	6502 843	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls and Pedal
Figure 014-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11	4592 019	1				EGC, EGG, EGW			GROMMET, Throttle Control Cable




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Cleaner and Intake System
Figure 014-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI Police Package									
1	4591 099AB	1							AIR CLEANER
-2	4591 100AC-	1							ELEMENT, Air Cleaner
-3	4897 633AA-	1							GASKET, Air Inlet
4	4897 630AA	2							GROMMET, Air Cleaner Bracket
-5	4268 295	1							GROMMET, Air Cleaner Bracket
6	4591 128	1							RESONATOR, Air Cleaner
7									RESONATOR, Throttle Body
	4591 109AE	1				EER			
	4591 129AE	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
8	4606 487AB	1				EER,			SENSOR, Charge Air Temp
						EES			
		1				EGC,			
						EGG,			
						EGW			
9	4591 105AB	1				EER			BRACKET, Resonator
10									SCREW, Hex Flanged Head, M8x1.25, (NOT SERVICED) (Not Serviced)
11	4759 333AB	1							BRACKET, Battery Wiring
12	6102 160AA	2							SCREW, Hex Flange Head
-13	6505 788AA-	1				EER			STUD
		1				EES			Heater Tube Bracket attaching
-14									Heater Tube Bracket attaching
	6500 136	2				EGC,			SCREW AND WASHER, Hex Head, M6x1x14
						EGG,			Heater Tube attaching
						EGK			
		2				EGJ			Heater Tube attaching
-15	6504 809	2							NUT/RIVET, M8X1.25X21.60, Air Duct attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control
Figure 014-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DGX] = 4 Speed Automatic Transmission

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

[EGK] = 3.5L High Output V6 24V MPI Police Package

1									CABLE, Speed Control
	4591 138AC	1				EER			
	4591 148AC	1				EGC, EGG, EGJ, EGK			
2									SERVO, Speed Control
	4669 977	1				EER			
		1				EGC, EGG, EGJ, EGK			
3									HARNESS, Speed Control Vacuum
	4578 040AA	1				EER			
	4578 041AA	1				EGC, EGG, EGJ, EGK			
4									BRACKET, Speed Control Servo
	4578 018AB	1				EER			
		1				EGC, EGG, EGJ, EGK			
5									LOCK NUT, M6x1.0x6
	6500 274	2				EGC, EGG, EGK EGJ			
6	4591 687AA	1							CLIP, Cable
7	4641 780	1							STRAP, Tie
8	4591 160	1							RESERVOIR, Speed Control Vacuum
9	4591 161	1							HARNESS, Vacuum Speed Control


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L MAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control Figure 014-1010

[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DX0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 017

Rear Suspension


GROUP 17 - Rear Suspension


Illustration Title

Group-Fig. No.


Rear Suspension

Suspension, Rear Fig. 017-110



<div>017-100</div> <div>Rear Suspension</div> 			
---	--	--	--

Suspension, Rear
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[SDB]=SUSPENSION - HEAVY DUTY
[SDC]=TOURING
[SDD]=PERFORMANCE
[SDE]=SUSPENSION - SPORT
[SDG]=4-WHL INDEP. TOURING
[ZAS thru ZRV]= Spring Group types found on Individual vehical Sales Code Listing.


1	6502 964	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
2	4895 000AC	1							DAMPER, Strut, Rear Suspension
	4782 250AC	1							[SDC]
	4895 001AE	1							[SDG]
	4782 781AA	1							[SDD]
	4782 667AA	1							[SDB]
3	4895 002AA	1							[SDE]
4									ISOLATOR, Spring, Lower BUMPER, Jounce
	4581 181	1							[SDC] [SDB]
	4581 182AB	1							[SDD]
	4581 183	1							[SDG] [SDE]
5	6505 688AA	1							NUT, Hex Flange Lock, M14x2, Strut Damper
6	4895 007AC	1							MOUNT, Strut, Upper
7	4895 003AB	1							ISOLATOR, Spring, Upper
8									SPRING, Rear Coil
	4581 214AD	1							[SDC, ZAU, ZNU]
		1							[SDD, ZPU, ZRU]
		1							[SDG, ZCU]
	4581 215AD	1							[SDC, ZAV, ZNV]
		1							[SDD, ZBV, ZPV]
		1							[SDG, ZCV, ZRV]
	4782 780AA	1							[SDB, ZTX, ZEX]
	4782 668AA	1							[SDE, ZSW, ZDW]
9	4581 048AB	1							SHIELD, Strut
10	6506 115AA	2							BOLT
11	4581 258AB	2							LINK, Lateral Control, with Adjustment
12	4581 068AB	1							Right
	4581 069AB	1							Left
13	6505 617AA	4							NUT

CONCORDE-INTREPID-300M (LH)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
P = Premium	H = Chrysler	41 = 4 Door Sedan		EER, EE0 = 2.7L V6 DOHC		DGX = 4 Speed Automatic	
S = Special	Intrepid			EGG = 3.5L HO V6 MPI 24V		DG0 = All Automatic Transm	
H = High Line	D = Dodge Intrepid			EGJ = 3.5L V6 SOHC 24V			
M = LXI	C = Concorde			EGK = 3.5L HO V6 MPI 24V			
X = R/T	Y = 300M			EGC = ÎMAGNUMÖ 3.5L V6			

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear
Figure 017-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	6502 387	8							WASHER, Flat, Lateral Link To Knuckle
15	6505 065AA	4							SCREW, M12x1.75x75.00
16	4581 248AC	2							LINK, Lateral Control, without Adjustment
17	6502 525	2							NUT, Hex Lock, M14 x 2.00
18	6504 673	4							SCREW
19	4581 064	1							HANGER, Rear Suspension Pivot to Knuckle, Right
	4581 065	1							to Knuckle, Left
20	6505 617AA	4							NUT
21	6101 666	8							SCREW AND WASHER, Hex Head, M12x1.75
22	4782 274AB	2							LINK, Trailing [SDC,SDD,SDE,SDB]
	4782 275AB	2							[SDG]
23	4581 062	1							HANGER, Rear Suspension Pivot to Body, Right
	4581 063	1							to Body, Left
24	6504 463	8							SCREW AND WASHER, Front Hanger
25	6502 724	2							NUT, Hex Flange, M12x1.75, Sway Bar Link to Sway Bar
26	6504 435	4							SCREW, Hex Head, M8x1.25x20.00
27	6505 641AA	2							SCREW AND WASHER, Hex Head, Sway Bar Clamp & Fuel Tank Strap
28	4581 262	2							CLAMP, Stabilizer Bar Cushion, Upper
-29	6503 744	2							NUT AND RETAINER, Hex Flange, M10 x 1.50, Sway Bar to Body
30	4581 091	1							STABILIZER BAR, Rear Suspension [SDC, SDD, SDG]
	4782 855AA	1							[SDE, SDB]
31	4581 161	2							BUSHING, Sway Bar [SDC, SDD, SDG]
	4782 857AA	2							[SDE, SDB]
32	4581 263	2							CLAMP, Stabilizer Bar Cushion, Lower
33	4581 264	1							LINK, Rear Suspension Assist
34	4695 913	1							ISOLATOR, Stabilizer Bar Link
35	4581 106	4							ISOLATOR, Crossmember
36	4695 873	6							BUSHING, Crossmember

CONCORDE-INTREPID-300M (LH)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic					
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm					
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V						
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V						
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6						

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

37	6504 435	4							SCREW, Hex Head, Crossmember to Body M8x1.25x20.00
----	----------	---	--	--	--	--	--	--	---


CONCORDE-INTREPID-300M (LH)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
P = Premium		H = Chrysler		41 = 4 Door Sedan		EER, EE0 = 2.7L V6 DOHC		DGX = 4 Speed Automatic	
S = Special		Intrepid				EGG = 3.5L HO V6 MPI 24V		DG0 = All Automatic Transm	
H = High Line		D = Dodge Intrepid				EGJ = 3.5L V6 SOHC 24V			
M = LXI		C = Concorde				EGK = 3.5L HO V6 MPI 24V			
X = R/T		Y = 300M				EGC = ÎMAGNUMÖ 3.5L V6			

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005






Group – 019

Steering




GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering	Fig. 019-210
Steering Gear	
Gear, Rack And Pinion, Power And Attaching Parts	Fig. 019-310
Power Steering Pump	
Pump, Assys. And Attaching Parts 2.7, 3.5L Engines	Fig. 019-510
Power Steering Hoses	
Hoses, Power Steering 2.7, 3.5L Engines	Fig. 019-710

019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-500 Power Steering Pump
			
019-700 Power Steering Hoses			
			

Wheel, Steering Figure 019-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
DRIVER AIRBAG TRIM COVERS/HORN SWITCHES ARE SERVICEABLE AND AS SUCH, WHEN APPLICABLE, MUST BE USED INSTEAD OF REPLACING AIRBAG MODULE ASSEMBLY.									
Sales Codes:									
[MUD]=DODGE Identification Tags									
[MUF]=CHRYSLER Identification Tags									
1									WHEEL, Steering
	LJ72 1X8	1	D						Luxury, [O0]
	LJ72 WL8	1	C, Y						Luxury, [L5]
	LJ72 XDV	1	C, Y						Luxury, [DV]
	LJ72 XTM	1	C, Y						Luxury, [T5]
	LK70 1L8	1	C, Y						Leather, [L5]
	LK70 1DV	1	C, Y						Leather, [DV]
	LK70 1X9	1	D						Leather, [O0]
	LK70 XTM	1	C, Y						Leather, [T5]
	TG91 1DVBA	1	C, Y						Leather, Radio Controls [DV]
	TG91 1L8BA	1	C, Y						Leather, Radio Controls [L2]
		1	C, Y						Leather, Radio Controls [L5]
	TG91 1TMBA	1	C, Y						Leather, Radio Controls [T5]
	TG91 1X9BA	1	D						Leather, Radio Controls [O0]
	TY10 1DVBA	1							Leather,Woodgrain, Radio Controls
									[DV]
	TY10 1L8BA	1							Leather,Woodgrain, Radio Controls
									[L2]
	TY10 1TMBA	1							Leather,Woodgrain, Radio Controls
									[T5]
2									AIR BAG, Driver
	MF52 DX9AH	1	D						[O0]
	MF50 DX9BB	1	D						[O0] With Chrysler Emblem,
									Canada
	MF50 WL8BB	1	C, Y						[L2]
	MF50 XDVBB	1	C, Y						[DV]
	MF50 XTMBB	1	C, Y						[T5]
	MF50 WL8BB	1	C, Y						[L5]
	MF50 YBPBB	1	C, Y						[BP]
3									COVER, Air Bag Module, With
									Switches
	5083 295AA	1	D						[MUF] Canada
	5083 307AA	1	D						[MUD]
	5083 303AA	1	C, Y						[L2, L5]
	5083 304AA	1	C, Y						[DV, D2]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheel, Steering
Figure 019-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5083 305AA	1	C, Y						[T5]
4	6505 087AA	2							SCREW, Hex Head, M4.2x1.41, Speed Control Switch Mounting
5	6505 300AA	2							SCREW, Air Bag to Steering Wheel
6	5026 006AA	1							SWITCH, Speed Control, Right
7	5026 007AA	1							SWITCH, Speed Control, Left
-8									COVER, Steering Wheel, Without Speed Control
	4685 772AA-	1							Right
	4685 773AA-	1							Left
-9									SWITCH, Remote Radio
	56045 563AA-	1							Left
	56045 564AA-	1							Right
-10	4759 876BA-	1							WIRING, Radio Adapter
11	6506 846AA	1							NUT, Lock, Steering Wheel
12									CLOCKSPRING
	4649 400AA	1							7 Circuit, with Audio Controls
	4698 304AC	1							5 Circuit, without Audio Controls With Tag 304AC
	4698 304AD	1							5 Circuit, without Audio Controls With Tag 304AD
13	0154 817	2							SCREW, .164-32x.750
14									LABEL, Air Bag Warning
	4595 746AA	1	C, Y						End Cap,Right
	4787 437AA	2							Sun Visor
	4649 281AA	2							Seat Side, English and French [Export]
	4649 282AA	2							Seat Side, [English]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering
Figure 019-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 539AA	1							COLUMN, Steering, Tilt, Column Shift
-2	5013 843AA-	1							HOUSING, Steering Column Lock
-3	5010 326AA-	1							SCREW, Lock Housing Attaching [Tamper Resistent]
4	6502 430	2							SCREW, Hex Head, M6x1x25, Steering Column Mounting,Lower
5	6503 014	2							NUT AND WASHER, Hex, M6x1, Steering Column Mounting Upper
6	5069 006AA	1							LEVER, Steering Column, Interlock
7	4760 594AC	1							SWITCH, Multifunction
8	4758 006	1							LEVER, Tilt Column Release
9									SHROUD, Steering Column, Upper, with Column Shift
	LJ81 DX9	1	D						[O0]
	LJ81 WL8	1	C, Y						[L2]
		1	C, Y						[L5]
	LJ81 XDV	1	C, Y						[DV]
	LJ81 XTM	1	C, Y						[T5]
10									SHROUD, Steering Column, Lower, with Column Shift
	LJ85 DX9	1	D						[O0]
	LJ85 WL8	1	C, Y						[L2]
		1	C, Y						[L5]
	LJ85 XDV	1	C, Y						[DV]
	LJ85 XTM	1	C, Y						[T5]
-11	6504 456	3							SCREW, Tapping, Dash Cover To Steering Column
12	4698 256AB	1							COUPLING, Steering, Upper
13	6503 985	2							PIN, Spring, M8.4x30x1.60
14	5015 626AA	1							PIN, Hair, .250 Dia x.766x.059
15	6504 448	1							SCREW, Special Hd Lock Upper Coupling M8x1.25x46.50
16	4698 537AB	1							COUPLING, Steering, Intermediate
17	4698 259AB	1							COVER, Steering Column Opening
18	5073 538AA	1							COLUMN, Steering, Tilt, Floor Shift
19									SHROUD, Steering Column, Upper, with Floor Shift
	LJ79 DX9	1	D						[O0]
	LJ79 WL8	1	C, Y						[L2]
		1	C, Y						[L5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

**Column, Steering
Figure 019-210**

[illegible]**CONCORDE-INTREPID-300M (LH)**

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC =  3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Assys. And Attaching Parts 2.7, 3.5L Engines Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Codes:									
[EER]=2.7L V6 DOHC 24 VALVE MPI									
[EGC]=MAGNUM® 3.5L V6 SOHC 24V									
[EGG]=3.5L HIGH OUTPUT V6 24V MPI									
[EGJ]=3.5L V6 SOHC 24 VALVE									
[EGK]=3.5L HIGH OUTPUT V6 24V MPI									
1	4782 207AD	1				EER			PUMP, Power Steering
2	4792 118	1							PULLEY, Power Steering Pump
3	6101 234	2				EER			BOLT, P/S Pump to P/S and Altr
									Bracket M8x1.25x75.00
4	4663 778	1				EER			BRACKET, Power Steering Pump
5	6101 462	5				EER			SCREW AND WASHER, Hex Head, M8x1.25x30
6	6101 639	1				EER			SCREW AND WASHER, Hex Head, M10x1.5x100
7	6101 054	1				EER			BOLT AND WASHER, Hex Head, M10x1.5x40
8	4663 782AB	1				EER			STRUT, Pump Bracket
9	6101 611	3				EER			SCREW AND WASHER, Hex Head, M8x1.25x25
10	4792 309	1				EER			BRACKET, Power Steering Pump
11	6503 209	1				EER			BOLT, Hex Flange Head, M10x1.5x55
12	6503 256	1				EER			BOLT, Hex Flange Head, M6x1.0x40
13	6034 408	1				EER			SPACER, Idler Pulley
14	4782 146AC	1				EGC, EGG			PUMP, Power Steering
15	4792 118	1							PULLEY, Power Steering Pump
16	4792 340	1				EGC, EGG			BRACKET, Power Steering Pump
17	6506 019AA	3				EGC, EGG, EGK			BOLT AND WASHER, Hex Head, M10x1.5x30
18									SCREW AND WASHER, Hex Head, M10x1.5x105
	6101 623	1				EGC, EGG, EGK			
19		1				EGJ			SCREW AND WASHER, Hex Head, M8x1.25x45


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = MAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Figure 019-510



CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

September 16, 2005

Hoses, Power Steering 2.7, 3.5L Engines
Figure 019-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales codes									
[EER]=2.7L V6 DOHC 24 Valve									
[EGC]='MAGNUM' 3.5L V6 SOHC 24V									
[EGG]=3.5L High Output V6									
[EGJ]=3.5L V6 SOHC 24 VALVE									
[EGK]=3.5L HIGH OUTPUT V6 24V MPI									
1									RESERVOIR, Power Steering Pump, with Cap
	5011 239AA	1				EER			
	4772 456AD	1				EGC, EGG, EGJ, EGK			
2									CAP, Power Steering Reservoir
	5011 231AB	1				EER			
		1				EGC, EGG, EGJ, EGK			
3	4782 219AB	1				EGC, EGG,			BRACKET, Power Steering, Reservoir Mtg
						EGJ, EGK			
4	6035 102	1				EGC, EGG,			SCREW, Hex Flange Head Tapping, .25-14x.75, P/S Reservoir to Bracket
5	6102 142AA	2				EGW EGC, EGG, EGW			SCREW, Hex Head, M6x1x15
6	4772 682AB	1				EGC, EGG, EGJ, EGK			HOSE, Power Steering, Reservoir To Pump
7	4772 536AE	1							HOSE, Power Steering Return, Cooler to Reservoir
8	6504 217	2							CLAMP, Hose, M18.5, Return Hose Attaching
9	4782 203AI	1							LINE, Power Steering
10	6504 406	2							SCREW, Line Module to Rail Attaching
11									TUBE, Power Steering Pump, Pressure

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses, Power Steering 2.7, 3.5L Engines
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 283AA	1				EER			
	4782 209AB	1				EGC, EGG, EGJ, EGK			
12	4782 260AC	1							COOLER, Power Steering
13	6500 274	2							LOCK NUT, M6x1.0x6
14	4782 229AC	1							CLIP, Cooler, Cooler Line Retention


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005








Group – 42LE

Automatic Transaxle 4 Speed




GROUP 42LE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly	
Transaxle Assembly, Seal and Gasket Package [DGX]	Fig. 42LE-110
Case and Extension	
Transaxle Mounting and Miscellaneous Parts [DGX]	Fig. 42LE-205
Case and Related Parts [DGX]	Fig. 42LE-210
Oil Pump	
Oil Pump with Reaction Shaft [DGX]	Fig. 42LE-310
Gear Train	
Clutch, Input Shaft [DGX]	Fig. 42LE-410
Transfer Shaft [DGX]	Fig. 42LE-420
Gear Train [DGX]	Fig. 42LE-430
Valve Body	
Valve Body [DGX]	Fig. 42LE-710
Accumulator Piston and Springs [DGX]	Fig. 42LE-720
Parking Sprag [DGX]	Fig. 42LE-730
Differential	
Differential Case and Gears [DGX]	Fig. 42LE-810
Gearshift Controls	
Gearshift Controls, Floor and Column Shift [DGX]	Fig. 42LE-1210

42LE-100 Transaxle Assembly	42LE-200 Case and Extension	42LE-300 Oil Pump	42LE-400 Gear Train
			
42LE-700 Valve Body	42LE-800 Differential	42LE-1200 Gearshift Controls	
			

Transaxle Assembly, Seal and Gasket Package [DGX]
Figure 42LE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines

Sales Codes

[DGX] = 4 Speed Automatic Transmission 42LE

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V, De-Tuned

[EGK] = 3.5L High Output V6 24V MPI, Police Package


1									TRANSAXLE PACKAGE, WITH TORQUE CONVERTER Production Number 4799940AC
	5018 940AC	1				EGC, EGG, EGJ	DGX		
	5018 941AC	1				EER, EES	DGX		Production Number 4799941AC
-2 -3	5018 606AA-	1							CONVERTER PACKAGE, Torque SEAL AND GASKET PACKAGE, Transmission
	5086 442AA-	1				EGC, EGG, EGW	DGX		
		1				EER, EES	DGX		
-4	4897 863AG-	1				EER, EES	DGX		OVERHAUL PACKAGE, Transaxle
		1				EGC, EGG, EGJ	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transaxle Mounting and Miscellaneous Parts [DGX] Figure 42LE-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
1									TRANSAXLE, [Reference], (NOT REQUIRED)
2	4578 168AA	1							CABLE, Gear Selector
	4578 169AA	1							Full Length Floor Console
									Without Full Length Floor Console
3	6101 467	1				EGC, EGG, EGW			NUT, Hex Flange, M8x1.25
4	4670 322	1							LEVER, Manual Control
-5	6101 978	1							SCREW AND WASHER, Hex Head, M8-1.25x40
-6	6101 694	2							NUT, M6x1.00
7									WIRING, Transmission
	4759 995AA	1				EGC, EGG, EGJ EER	DGX		
		1					DGX		
8	4593 199AB	1							TUBE, Transmission Oil Filler
9	5003 905AA	1				EGC, EGG, EGK			O RING, Filler Tube
10	4765 014AD	1							INDICATOR, Transmission Fluid Level
11	6101 614	3				EGC, EGG, EGK			SCREW AND WASHER, Hex Head, M8x1.25x45
-12	6030 608	1							SEAL, Oil Filler Tube
13	6507 424AA	4							STUD, Double Ended


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L HO V6 MPI 24V	
			EGC = 3.5L HO V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
1									HOSE, Transmission Vent
	4765 013	1				EGC, EGG, EGW	DGX		
		1				EER, EES	DGX		
2									BOLT
	6502 894	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
3									RETAINER, Transmission Solenoid Connector
	4567 150	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
4									SNUBBER PACKAGE, Drive Chain
	4778 989	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
5									SCREW AND WASHER, Pan Head Lock, M5x.08x22.50
	6503 931	2				EER, EES	DGX		
		2				EGC, EGG, EGJ	DGX		
6									BOLT, Differential Cover


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6503 385	4				EER,	DGX		
		4				EES EGC, EGG, EGJ	DGX		
-7	6504 255	3				EER,	DGX		STUD, Tranmission Case
		3				EES EGC, EGG, EGJ	DGX		
8									COVER, Transaxle Rear, Chain / Gear
	4659 477	1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
9									SCREW AND WASHER, Pan Head, M5x0.8x11.00
	6501 819	2				EGC,	DGX		
		2				EGG, EGW EER, EES	DGX		
10	4567 388	1				EER,	DGX		BAFFLE, Sump
		1				EES EGC, EGG, EGJ	DGX		
11									SCREW AND WASHER, Pan Head, M5x0.8x11.00
	6501 819	1				EGC, EGG, EGW	DGX		
		1				EER, EES	DGX		
12	4539 904	1							TUBE, Chain Oiler
						EER, EES	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGJ	DGX		
13	4567 312	1				EER, EES EGC, EGG, EGJ	DGX		PLUG, Transaxle Case
14	4800 879	1				EER, EES EGC, EGG, EGJ	DGX		SENSOR, Transmission Output Speed
-15	6501 657AB-	1				EER, EES EGC, EGG, EGJ	DGX		O RING, Trans Speed Sensor
16	6033 879	2				EER, EES EGC, EGG, EGJ	DGX		NUT, Inverted Flare, .62-18
17	4800 878	1				EER, EES EGC, EGG, EGJ	DGX		SENSOR, Transmission Input Speed
-18	6501 657AB-	1				EER, EES EGC, EGG, EGJ	DGX		O RING, Trans Speed Sensor
19	4539 762	1				EER, EES	DGX		PAN, Transmission Oil


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGJ	DGX		
20	4446 728	1				EGC, EGG, EGJ	DGX		MAGNET, Transmission
21	6501 474	2				EER	DGX		BOLT, Hex Head, M8x1.25x16
22	6036 053AA	7				EGC, EGG, EGJ	DGX		PLUG, Pressure Check
23	6502 482	1				EER, EES	DGX		SNAP RING
24	6502 453	1				EGC, EGG, EGJ	DGX		O RING, Differential Adjuster -Inner, ATX
25	4659 946AB	1				EER, EES EGC, EGG, EGJ	DGX		VALVE, Cooler Bypass
26	4883 525AA	1				EER, EES	DGX		CASE, Transaxle

CONCORDE-INTREPID-300M (LH)

SERIES
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGJ	DGX		
-27	4531 412	1				EER, EES EGC, EGG, EGJ	DGX		BUSHING, Dowel
		1				EER, EES EGC, EGG, EGJ	DGX		
28	6503 005	2				EER, EES EGC, EGG, EGJ	DGX		BOLT
		2				EER, EES EGC, EGG, EGJ	DGX		
29	4593 022	1				EER, EES EGC, EGG, EGJ	DGX		BRACKET, Differential Bearing
		1				EER, EES EGC, EGG, EGJ	DGX		
30	4800 175AA	1				EER, EES EGC, EGG, EGJ	DGX		BAFFLE, Differential
		1				EER, EES EGC, EGG, EGJ	DGX		
31	4539 890	1				EER, EES EGC, EGG, EGJ	DGX		ADJUSTER, Differential Bearing
		1				EER, EES EGC, EGG, EGJ	DGX		
32	6502 797	1				EER, EES EGC, EGG, EGJ	DGX		O RING, Differential Adjuster -Inner, ATX
		1				EER, EES EGC, EGG, EGJ	DGX		
33						EER, EES EGC, EGG, EGJ	DGX		SEAL, Differential Case


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4539 796	1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
34	4567 036	1				EER,	DGX		COVER, Transaxle Differential
		1				EES EGC, EGG, EGJ	DGX		
35	6036 172AA	1				EGG, EGJ EGC, EGG, EGJ	DGX		PLUG, Oil Fill
36	4539 776	1				EER,	DGX		ADJUSTER, Differential Bearing
		1				EES EGC, EGG, EGJ	DGX		
37									O RING, Differential Adjuster -Outer, ATX
	6502 452	1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
38	4539 891	1				EER,	DGX		SEAL, Differential Case
		1				EES EGC, EGG, EGJ	DGX		
39	4539 760	1				EER,	DGX		BRACKET, Differential Bearing
		1				EES EGC, EGG, EGJ	DGX		
40									CUP, Differential Side Bearing


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DGX]
Figure 42LE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3723 569	1				EER, EES EGC, EGG, EGJ	DGX		
		1				EER, EES EGC, EGG, EGJ	DGX		
41	4531 202	2				EER, EES EGC, EGG, EGJ	DGX		CONNECTOR, Oil Cooler Hose
		2				EER, EES EGC, EGG, EGJ	DGX		
42	4213 328	2				EER, EES EGC, EGG, EGJ	DGX		VENT, Cap
		2				EER, EES EGC, EGG, EGJ	DGX		
43	6503 236	10				EER, EES EGC, EGG, EGJ	DGX		BOLT, Hex Head, M8x1.25x28.50
		10				EER, EES EGC, EGG, EGJ	DGX		
44	4593 517	2				EER, EES EGC, EGG, EGJ	DGX		CLAMP, Vent Tube
		2				EER, EES EGC, EGG, EGJ	DGX		
45	4567 310	1				EER, EES EGC, EGG, EGJ	DGX		PLUG, Transaxle Case, 2.00 Diameter
		1				EER, EES EGC, EGG, EGJ	DGX		
-46	6100 155	17				EER, EES EGC, EGG, EGJ	DGX		BOLT, Hex Head, M8x30, Transfer Plate to Case


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Pump with Reaction Shaft [DGX] Figure 42LE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
-1									SEAL AND GASKET PACKAGE, Transmission Oil Pump
	4883 272	1				EER, EES	DGX		
		1				EGC, EGG,	DGX		
	4883 260	1				EGJ EGC, EGG,	DGX		Transmission Oil Pump Housing
2		1				EGJ EER	DGX		Transmission Oil Pump Housing PUMP, Transmission Oil
	5019 691AA	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
3									SEAL, Ring Reaction Support, 2 1/16 O.D.
	4471 874	4				EGC, EGG,	DGX		
		4				EGJ EER	DGX		
4									BOLT, Hex Head, M8x1.25x19
	6500 211	6				EGC, EGG, EGJ	DGX		
		6				EER	DGX		
5									BALL, Check Reaction Shaft
	0147 482	2				EGC, EGG, EGW	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L MAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Pump with Reaction Shaft [DGX] Figure 42LE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EER,	DGX		Reaction Shaft
	4446 616	2				EES EGC, EGG, EGW	DGX		Reaction Shaft Support
		2				EER, EES	DGX		Reaction Shaft Support
6	4659 126	1				EER, EES	DGX		GASKET, Transmission Oil Pump
		1				EES EGC, EGG, EGJ	DGX		
7	6506 408AA	5				EGC, EGG, EGJ	DGX		SCREW AND WASHER, Hex Flange Head, M8x1.25x25
		5				EER	DGX		
8	4659 945	1				EGC, EGG, EGJ	DGX		SEAL, Oil Pump
		1				EER	DGX		
9	4659 515	1				EGC, EGG, EGW	DGX		BUSHING, Front Pump
		1				EER, EES	DGX		
10	4412 475	1				EGC, EGG, EGJ	DGX		SEAL, Impeller Hub, 57.25mm OD
		1				EER, EGC, EGG, EGW	DGX		
11	0152 127	6				EER, EGC, EGG, EGW	DGX		BALL, Transmission Oil Pump


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX] Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
-1									SEAL AND GASKET PACKAGE, Transmission Front Clutch
	4883 240AB-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
2									PLATE PACKAGE, Underdrive Reaction, 5.72/5.82
	4883 013AB	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
-3									PLATE PACKAGE, Underdrive Reaction, 6.21/6.31
	4883 014AB-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
-4									PLATE PACKAGE, Underdrive Reaction, 6.70/6.80
	4883 015AB-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
5									SNAP RING, Underdrive Clutch, Tapered
	4659 934	1				EGC, EGG, EGJ	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX] Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-6		1				EER	DGX		SNAP RING, Underdrive Clutch, Flat
	4659 980	1				EGC, EGG, EGJ	DGX		
7		1				EER	DGX		THRUST BEARING
	4567 262	1				EGC, EGG, EGJ	DGX		Input Clutch
8		1				EER	DGX		Input Clutch HUB AND SHAFT PACKAGE, Underdrive Clutch
	4864 936	1				EER, EES	DGX		with Shart and Thrust Washer
		1				EGC, EGG, EGJ	DGX		with Shart and Thrust Washer
9									PLATE AND WASHER PACKAGE, Thrust
	5018 923AA	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
10									SNAP RING
	4505 621	1				EGC, EGG, EGJ	DGX		Reverse & OverDrive Clutch Pressure Plate, Wave
		1				EER	DGX		Reverse & OverDrive Clutch Pressure Plate, Wave
11		4				EGC, EGG, EGJ	DGX		DISC, Clutch
	4531 678	4				EER	DGX		
12		4							PLATE, Transmission O/Drive Clutch Underdrive
	4659 053	4				EGC, EGG, EGJ	DGX		
		4				EER	DGX		Underdrive
-13									HUB PACKAGE, Input Clutch


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX]
Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5017 518AA-	1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
14	4505 622	1				EGC, EGG, EGJ	DGX		SNAP RING Reverse and Overdrive Pressure Plate, Flat
		1				EER	DGX		Reverse and Overdrive Pressure Plate, Flat
15	4531 678	4				EGC,	DGX		DISC, Clutch
		4				EGG, EGJ EER	DGX		
16	4659 053	3				EGC, EGG, EGJ	DGX		PLATE, Transmission O/Drive Clutch Reverse Clutch
		3				EER	DGX		Reverse Clutch
17	4377 194	1				EGC, EGG, EGJ	DGX		PLATE, Transmission Clutch Reaction Reverse
		1				EER	DGX		Reverse
-18	4531 556AB-	1				EGC,	DGX		PLATE, Transmission O/Drive Clutch Reverse/overdrive clutch
		1				EGG, EGW EER, EES	DGX		Reverse/overdrive clutch
19	4377 195	1				EGC, EGG, EGJ	DGX		SNAP RING 1.53-1.58mm Thick
		1				EER	DGX		1.53-1.58mm Thick SNAP RING, Reverse Clutch, 1.77-1.83mm


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX]
Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 871	1				EGC, EGG, EGJ	DGX		1.77-1.83mm Thick
-21		1				EER	DGX		1.77-1.83mm Thick SNAP RING, Reverse Clutch, 2.02-2.07mm
	4412 872	1				EGC, EGG, EGJ	DGX		2.02-2.07mm Thick
-22		1				EER	DGX		2.02-2.07mm Thick SNAP RING, Reverse Clutch, 2.27-2.32mm
	4412 873	1				EGC, EGG, EGJ	DGX		2.27-2.32mm Thick
23		1				EER	DGX		2.27-2.32mm Thick PLATE AND WASHER PACKAGE, Thrust
	5018 923AA	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
24		1				EER	DGX		HUB AND SHAFT, Overdrive Clutch
	4659 993	1				EGC, EGG, EGJ	DGX		
25		1				EER	DGX		PLATE, Transmission O/Drive Clutch
	4431 665AB	AR				EGC, EGG, EGJ	DGX		1.59 - 1.66mm
		AR				EER	DGX		1.59 - 1.66mm
	3836 237AB	AR				EGC, EGG, EGJ	DGX		1.70 - 1.77mm
		AR				EER	DGX		1.70 - 1.77mm
	4431 666AB	AR				EGC, EGG, EGJ	DGX		1.81 - 1.88mm
		AR				EER	DGX		1.81 - 1.88mm


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX]
Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3836 238AB	AR				EGC, EGG, EGJ	DGX		1.92 - 1.99mm
	4431 667AB	AR				EER	DGX		1.92 - 1.99mm
		AR				EGC, EGG, EGJ	DGX		2.03 - 2.10mm
	3836 239AB	AR				EER	DGX		2.03 - 2.10mm
		AR				EGC, EGG, EGJ	DGX		2.14 - 2.21mm
	4431 668AB	AR				EER	DGX		2.14 - 2.21mm
		AR				EGC, EGG, EGJ	DGX		2.25 - 2.32mm
	3836 240AB	AR				EER	DGX		2.25 - 2.32mm
		AR				EGC, EGG, EGJ	DGX		2.36 - 2.43mm
	4431 669AB	AR				EER	DGX		2.36 - 2.43mm
		AR				EGC, EGG, EGJ	DGX		2.47 - 2.54mm
	3836 241AB	AR				EER	DGX		2.47 - 2.54mm
		AR				EGC, EGG, EGJ	DGX		2.58 - 2.65mm
	4446 670AB	AR				EER	DGX		2.58 - 2.65mm
		AR				EGC, EGG, EGJ	DGX		2.69 - 2.76mm
	4446 671AB	AR				EER	DGX		2.69 - 2.76mm
		AR				EGC, EGG, EGJ	DGX		2.91 - 2.98mm
26		1				EER	DGX		2.91 - 2.98mm
	4659 980	1				EGC, EGG, EGJ	DGX		SNAP RING, Underdrive Clutch, Flat
		1				EER	DGX		1.53 - 1.58mm
27									DISC, Clutch


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX] Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 678	4				EGC, EGG, EGJ EER	DGX		Underdrive
28	4659 053	4				EGC, EGG, EGJ EER	DGX		PLATE, Transmission O/Drive Clutch Underdrive
29	6501 715	1				EGC, EGG, EGJ	DGX		SNAP RING Underdrive Piston Spring Retainer
30	4431 612	1				EER	DGX		Underdrive Piston Spring Retainer RETAINER AND SEAL, Transmission U/Drive Spring
31	4377 177	1				EGC, EGG, EGJ EER	DGX		SPRING, Drive Lower Case Underdrive Piston Return
32	4431 610	1				EGC, EGG, EGJ EER	DGX		Underdrive Piston Return PISTON, Underdrive
33	6507 226AA	1				EGC, EGG, EGJ	DGX		SNAP RING Input Clutch Retainer to Hub
34	4659 871	1				EGC, EGG, EGJ EER	DGX		Input Clutch Retainer to Hub SEAL, Piston Outer, 140mm OD
35		1				EER	DGX		RETAINER, Transmission Input Clutch


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX]
Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 935	1				EGC, EGG, EGJ	DGX		
36		1				EER	DGX		SEAL, Input Shaft
	4446 543	3				EGC, EGG, EGJ	DGX		
		3				EER	DGX		
37	4412 209	1				EGC, EGG, EGJ	DGX		THRUST BEARING Input Clutch Hub
		1				EER	DGX		Input Clutch Hub
38	4626 452AB	1				EER, EES	DGX		INPUT SHAFT PACKAGE, Transaxle
		1				EGC, EGG, EGJ	DGX		
39									HUB, Input Clutch, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
40	6502 271	1				EGC, EGG, EGJ	DGX		O RING, Transmission Clutch Input Clutch Hub, Blue, .103'
		1				EER	DGX		Input Clutch Hub, Blue, .103'
41	6502 269	1				EGC, EGG, EGJ	DGX		O RING, Transmission Clutch Input Clutch Hub, Red, .106'
		1				EER	DGX		Input Clutch Hub, Red, .106'
42	4659 391AB	1				EGC, EGG, EGJ	DGX		SEAL, Under Drive Inner, 45mm O.D.
		1				EER	DGX		Inner, 45mm O.D. SNAP RING
43									


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Input Shaft [DGX] Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6501 702	1				EGC, EGG, EGJ	DGX		Input Shaft
44		1				EER	DGX		Input Shaft SNAP RING
	4412 203	1				EGC, EGG, EGJ	DGX		Reverse and Overdrive Piston Return Spring
		1				EER	DGX		Reverse and Overdrive Piston Return Spring
45	4412 202	1				EGC, EGG, EGJ	DGX		SPRING, Overdrive Piston Return
46		1				EER	DGX		Return O RING, Reverse & O/Drive Clutch Piston, Transmission
	6033 158	1				EGC, EGG, EGJ	DGX		Inner
		1				EER	DGX		Inner
47	5017 518AA	1				EER, EES	DGX		HUB PACKAGE, Input Clutch
		1				EGC, EGG, EGJ	DGX		
-48									PISTON, Reverse and Overdrive, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
-49	4531 903	1				EGC, EGG, EGJ	DGX		FILTER, Reverse And O/D Clutch
		1				EER	DGX		
50	4659 056	1				EGC, EGG, EGJ	DGX		SEAL, Reverse Servo Piston Reverse and Overdrive Piston, Outer 160mm
		1				EER	DGX		Reverse and Overdrive Piston, Outer 160mm
51									SEAL, Reverse Servo Piston


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 42LE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 056	1				EGC,	DGX		Input Clutch 160mm
						EGG,			
		1				EGJ			
-52						EER	DGX		Input Clutch 160mm
									PISTON, 2nd and 4th Clutch
	4431 647	1				EGC,	DGX		
						EGG,			
						EGW			
		1				EER,	DGX		
						EES			

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines

Sales Codes

[DGX] = 4 Speed Automatic Transmission 42LE

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V, De-Tuned

[EGK] = 3.5L High Output V6 24V MPI, Police Package

1									SHIM, Transfer Shaft, 3.53 - 3.55mm
	4567 151	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-2									SHIM, Transfer Shaft, 3.56 - 3.58mm
	4567 152	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-3									SHIM, Transfer Shaft, 3.59 - 3.61mm
	4567 153	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-4									SHIM, Transfer Shaft, 3.62 - 3.64mm
	4567 154	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-5									SHIM, Transfer Shaft, 3.65 - 3.67mm
	4567 155	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-6									SHIM, Transfer Shaft, 3.68 - 3.70mm
	4567 156	AR				EER, EES	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-7	4567 157	AR	AR			EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 3.71 - 3.73mm
						EER, EES EGC, EGG, EGJ	DGX		
-8	4567 158	AR	AR			EGC, EGG, EGW	DGX		SHIM, Transfer Shaft, 3.74 - 3.76mm
-9	4567 159	AR	AR			EGK EER	DGX DGX		SHIM, Transfer Shaft, 3.77 - 3.79mm
						EER, EES EGC, EGG, EGJ	DGX		
-10	4567 160	AR	AR			EER, EES EGC, EGG, EGJ	DGX DGX		SHIM, Transfer Shaft, 3.80 - 3.82mm
-11	4567 161	AR	AR			EER, EES EGC, EGG, EGJ	DGX DGX		SHIM, Transfer Shaft, 3.83 - 3.85mm
-12	4567 162	AR	AR			EER, EES EGC, EGG, EGJ	DGX DGX		SHIM, Transfer Shaft, 3.86 - 3.88 mm
-13						EER, EES EGC, EGG, EGJ	DGX DGX		SHIM, Transfer Shaft, 3.89 - 3.91mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 163	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-14	4567 164	AR				EER, EES	DGX		SHIM, Transfer Shaft, 3.92 - 3.94mm
		AR				EGC, EGG, EGJ	DGX		
-15	4567 165	AR				EER, EES	DGX		SHIM, Transfer Shaft, 3.95 - 3.97mm
		AR				EGC, EGG, EGJ	DGX		
-16	4567 166	AR				EER, EES	DGX		SHIM, Transfer Shaft, 3.98 - 4.00mm
		AR				EGC, EGG, EGJ	DGX		
-17	4567 167	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.01 - 4.03mm
		AR				EGC, EGG, EGJ	DGX		
-18	4567 168	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.04 - 4.06mm
		AR				EGC, EGG, EGJ	DGX		
-19	4567 169	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.07 - 4.09mm
		AR				EGC, EGG, EGJ	DGX		
-20									SHIM, Transfer Shaft, 4.10 - 4.12mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 170	AR				EER, EES EGC, EGG, EGJ	DGX		
		AR					DGX		
-21	4567 171	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.13 - 4.15mm
		AR					DGX		
						EGG, EGJ			
-22	4567 172	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.16 - 4.18mm
		AR					DGX		
						EGG, EGJ			
-23	4567 173	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.19 - 4.21mm
		AR					DGX		
						EGG, EGJ			
-24	4567 174	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.22 - 4.24mm
		AR					DGX		
						EGG, EGJ			
-25	4567 175	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.25 - 4.27mm
		AR					DGX		
						EGG, EGJ			
-26	4567 176	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.28 - 4.30mm
		AR					DGX		
						EGG, EGJ			
-27									SHIM, Transfer Shaft, 4.31 - 4.33mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 177	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-28	4567 178	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.34 - 4.36mm
		AR				EGC, EGG, EGJ	DGX		
-29	4567 179	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.37 - 4.39mm
		AR				EGC, EGG, EGJ	DGX		
-30	4567 180	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.40 - 4.42 mm
		AR				EGC, EGG, EGJ	DGX		
-31	4567 181	AR				EGC, EGG, EGW	DGX		SHIM, Transfer Shaft, 4.43 - 4.45mm
		AR				EER, EES	DGX		
-32	4539 677	AR				EER, EES	DGX		SHIM, Transfer Shaft, 0.681 - 0.707mm
		AR				EGC, EGG, EGJ	DGX		
-33	4567 182	AR				EER, EES	DGX		SHIM, Transfer Shaft, 4.46 - 4.48mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						EGC, EGG, EGJ	DGX		
-34	4567 183	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.49 - 4.51mm
						EER, EES EGC, EGG, EGJ	DGX		
-35	4567 184	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.52 - 4.54mm
						EER, EES EGC, EGG, EGJ	DGX		
-36	4567 185	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.55 - 4.57mm
						EER, EES EGC, EGG, EGJ	DGX		
-37	4567 186	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.58 - 4.60mm
						EER, EES EGC, EGG, EGJ	DGX		
-38	4567 187	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.61 - 4.63mm
						EER, EES EGC, EGG, EGJ	DGX		
-39	4567 188	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.64 - 4.66mm
						EER, EES EGC, EGG, EGJ	DGX		
-40						EER, EES EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 4.67 - 4.69mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 42LE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 189	AR				EER,	DGX		
		AR				EES EGC, EGG, EGJ	DGX		
41	4539 863	1				EER,	DGX		BEARING CUP, Transfer Gear
		1				EES EGC,	DGX		
42	4539 862	1				EGG, EGJ			BEARING CONE, Transfer Gear
		1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
43	6502 447	1				EER,	DGX		NUT, Transfer Shaft, M33 x 1.50
		1				EES EGC,	DGX		
44	4659 834	1				EGG, EGJ			SPROCKET, Transfer Shaft
	4659 233	1				EER,	DGX		
		1				EES EGC, EGG, EGJ	DGX		
45	4539 901	2				EER,	DGX		WASHER, Sprocket
		2				EES EGC,	DGX		
46	6502 448	2				EGG, EGJ			SNAP RING
		2				EER,	DGX		
		2				EES EGC, EGG, EGJ	DGX		
47									CHAIN, Transmission Drive

SERIES	LINE
--------	------

P = Premium
S = Special
H = High Line
M = LXI
X = R/T

41 = 4 Door Sedan


EER, EE0 = 2.7L V6 DOHC
 EGG = 3.5L HO V6 MPI 24V
 EGJ = 3.5L V6 SOHC 24V
 EGK = 3.5L HO V6 MPI 24V
 EGC = İMAGNUMÖ 3.5L V6

DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 190	2				EER, EES	DGX		
		2				EGC, EGG, EGJ	DGX		
48	4728 303	1				EGC, EGG, EGW	DGX		SEAL PACKAGE, Transfer Shaft
		1				EER, EES	DGX		
49	4567 293	1				EER, EES	DGX		BEARING CUP, Transfer Shaft
		1				EGC, EGG, EGJ	DGX		
50	4567 292	1				EER, EES	DGX		BEARING CONE, Transfer Shaft
		1				EGC, EGG, EGJ	DGX		
51						EGG, EGJ			SHIM, Transfer Shaft, 0.681 - 0.707mm
	4539 677	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-52									SHIM, Transfer Shaft, 0.708 - 0.734mm
	4539 678	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-53									SHIM, Transfer Shaft, 0.735 - 0.761mm
	4539 679	AR				EER, EES	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			AR			EGC, EGG, EGJ	DGX		
-54	4539 680	AR				EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.762 - 0.788mm
-55	4539 681	AR				EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.789 - 0.815mm
-56	4539 682	AR				EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.816 - 0.842mm
-57	4539 683	AR				EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.843 - 0.869mm
-58	4539 684	AR				EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.870 - 0.896mm
-59						EER, EES, EGC, EGG, EGJ	DGX		SHIM, Transfer Shaft, 0.897 - 0.923mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Transfer Shaft [DGX]
Figure 42LE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4539 685	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-60									SHIM, Transfer Shaft, 0.924 - 0.950mm
	4539 686	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-61									SHIM, Transfer Shaft, 0.951 - 0.977mm
	4539 687	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-62									SHIM, Transfer Shaft, 0.978 - 1.004mm
	4539 688	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-63									SHIM, Transfer Shaft, 1.005 - 1.031mm
	4539 689	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-64									SHIM, Transfer Shaft, 1.032 - 1.058mm
	4539 690	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-65									SHIM, Transfer Shaft, 1.059 - 1.085mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 42LE-420

[illegible]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines

Sales Codes

[DGX] = 4 Speed Automatic Transmission 42LE

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V, De-Tuned

[EGK] = 3.5L High Output V6 24V MPI, Police Package

1									CARRIER AND BEARING, Planet Pinion
	5014 201AA	1				EER, EES	DGX		
		1				EGC, EGJ	DGX		
2						EGG, EGJ			BEARING CONE, Output Shaft
	4412 235AB	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
3									SNAP RING
	6501 853	1				EGC, EGG, EGJ	DGX		Low and Reverse Clutch Piston
		1				EER	DGX		Low and Reverse Clutch Piston SPRING, Low/Reverse Clutch Piston
4						EGC, EGG, EGJ	DGX		
	4412 261	1							
		1				EER	DGX		
5									SEAL PACKAGE, Transmission Clutch
	4882 917	1				EGC, EGG, EGJ	DGX		Low and Reverse Clutch Piston
		1				EER, EES	DGX		Low and Reverse Clutch Piston
6									PISTON, Low and Reverse Clutch
	4431 672	1				EGC, EGG, EGJ	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EER	DGX		
7									SEAL PACKAGE, Transmission Clutch
	4882 917	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
8									RETAINER, Transmission Low and Reverse Clutch Pistion
	4431 648	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
-9									SCREW AND WASHER, Pan Head, M5x0.8x11.00
	6501 819	3				EGC, EGG, EGJ	DGX		
		3				EER	DGX		
10									GASKET, Clutch Retainer
	4431 649	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
11									BEARING CUP, Output Shaft
	4412 234	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
12									SHIM, Carrier Bearing, 5.17 - 5.19mm
	5280 020	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-13									SHIM, Carrier Bearing, 5.20 - 5.22mm
	5280 021	AR				EER, EES	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	AR					EGC, EGG, EGJ	DGX		SHIM, Carrier Bearing, 5.23 - 5.25mm
	5280 022	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-15	AR					EER, EES	DGX		SHIM, Carrier Bearing, 5.26 - 5.28mm
	5280 023	AR				EGC, EGG, EGJ	DGX		
		AR				EER, EES	DGX		
-16	AR					EGC, EGG, EGJ	DGX		SHIM, Carrier Bearing, 5.29 - 5.31mm
	5280 024	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-17	AR					EER, EES	DGX		SHIM, Carrier Bearing, 5.32 - 5.34mm
	5280 025	AR				EGC, EGG, EGJ	DGX		
		AR				EER, EES	DGX		
-18	AR					EER, EES	DGX		SHIM, Carrier Bearing, 5.35 - 5.37mm
	5280 026	AR				EGC, EGG, EGJ	DGX		
		AR				EER, EES	DGX		
-19	AR					EER, EES	DGX		SHIM, Carrier Bearing, 5.38 - 5.40mm
						EGC, EGG, EGJ	DGX		


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special			EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5280 027	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-20									SHIM, Carrier Bearing, 5.41 - 5.43mm
	5280 028	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-21									SHIM, Carrier Bearing, 5.44 - 5.46mm
	5280 029	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-22									SHIM, Carrier Bearing, 5.47 - 5.49mm
	5280 030	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-23									SHIM, Carrier Bearing, 5.50 - 5.52mm
	5280 031	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-24									SHIM, Carrier Bearing, 5.53 - 5.55mm
	5280 032	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-25									SHIM, Carrier Bearing, 5.56 - 5.58mm


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special			EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5280 033	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-26									SHIM, Carrier Bearing, 5.59 - 5.61mm
	5280 034	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-27									SHIM, Carrier Bearing, 5.62 - 5.64mm
	5280 035	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-28									SHIM, Carrier Bearing, 5.65 - 5.67mm
	5280 036	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-29									SHIM, Carrier Bearing, 5.68 - 5.70mm
	5280 037	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-30									SHIM, Carrier Bearing, 5.71 - 5.73mm
	5280 038	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-31									SHIM, Carrier Bearing, 5.74 - 5.76mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5280 039	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-32									SHIM, Carrier Bearing, 5.77 - 5.79mm
	5280 040	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-33									SHIM, Carrier Bearing, 5.80 - 5.82mm
	5280 041	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-34									SHIM, Carrier Bearing, 5.83 - 5.85mm
	5280 042	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-35									SHIM, Carrier Bearing, 5.86 - 5.88mm
	5280 043	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-36									SHIM, Carrier Bearing, 5.89 - 5.91mm
	5280 044	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-37									SHIM, Carrier Bearing, 5.92 - 5.94mm

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5280 045	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-38	5280 046	AR				EER, EES	DGX		SHIM, Carrier Bearing, 5.95 - 5.97mm
-39									SHIM, Carrier Bearing, 5.98 - 6.00mm
	5280 047	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-40									SHIM, Carrier Bearing, 6.01 - 6.03mm
	5280 048	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-41									SHIM, Carrier Bearing, 6.04 - 6.06mm
	5280 049	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
42									BEARING CUP, Differential
	4567 022	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
43									BEARING
	4567 025AB	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
44									NUT, Rear Carrier, M36 x 1.50
	6502 476	1				EER, EES	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			EGC, EGG, EGJ	DGX		
45	5280 053	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 2.64 - 2.84mm
-46	5280 054	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 2.85 - 3.05mm
-47	5280 055	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 3.06 - 3.26mm
-48	5280 056	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 3.27 - 3.47mm
-49	5280 057	AR				EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 3.48 - 3.68mm
-50						EER, EES EGC, EGG, EGJ	DGX		SHIM, Carrier Sprocket, 3.69 - 3.89mm

CONCORDE-INTREPID-300M (LH)

SERIES

P = Premium

S = Special

H = High Line

M = LXI

X = R/T

LINE

H = Chrysler Intrepid

D = Dodge Intrepid

C = Concorde

Y = 300M

BODY

41 = 4 Door Sedan

ENGINE

EER, EE0 = 2.7L V6 DOHC

EGG = 3.5L HO V6 MPI 24V

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V

EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION


DGX = 4 Speed Automatic

DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5280 058	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-51									SHIM, Carrier Sprocket, 3.90 - 4.10mm
	5280 059	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
-52									SHIM, Carrier Sprocket, 4.11 - 4.31mm
	5280 120	AR				EER, EES	DGX		
		AR				EGC, EGG, EGJ	DGX		
53									SPROCKET, Output Shaft
	4659 232	1				EGC, EGG, EGJ	DGX		
	4659 831	1				EER, EES	DGX		
54									THRUST BEARING
	4412 209	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
55									GEAR, Sun Rear Sun, 38T
	4377 080	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		Rear Sun, 38T
56									THRUST BEARING, Rear Sun Gear, Front
	4412 229AB	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
57									DISC, Clutch

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 573AB	5				EGC, EGG, EGJ EER	DGX		
58		5					DGX		PLATE, Transmission Clutch Reaction
	4659 055	5				EGC, EGG, EGJ	DGX		
		5				EER	DGX		
59	4412 395	1				EGC, EGG, EGJ	DGX		SNAP RING 6-1/2" O.D.
		1				EER	DGX		6-1/2" O.D. PLATE, Transmission Clutch Reaction
60		1				EGC, EGG, EGJ EER	DGX		5.49-5.75mm Thick
	4377 194	1				EER	DGX		5.49-5.75mm Thick
-61		1					DGX		PLATE PACKAGE, Low/Reverse Clutch, 5.753/6.012
	4897 452AA-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
-62							DGX		PLATE PACKAGE, Low/Reverse Clutch, 6.013/6.272
	4897 453AA-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
-63							DGX		PLATE PACKAGE, Low/Reverse Clutch, 6.273/6.532
	4897 454AA-	1				EER, EES	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			EGC, EGG, EGJ	DGX		
-64									PLATE PACKAGE, Low/Reverse Clutch, 6.533/6.792
	4897 455AA-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
-65									PLATE PACKAGE, Low/Reverse Clutch, 6.793/7.052
	4897 456AA-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
66									SNAP RING
	4799 858AA	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
67									GEAR, Annulus
	4799 794	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
68									SNAP RING
	6035 238	2				EGC, EGG, EGJ	DGX		
		2				EER	DGX		
69									CARRIER, Planetary Pinion
	4567 539AB	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
-70									THRUST BEARING
	4412 209	1				EGC, EGG, EGJ	DGX		Front Planet Pinion Carrier

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

Gear Train [DGX]
Figure 42LE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
71		1				EER	DGX		Front Planet Pinion Carrier
	6035 238	2				EGC, EGG, EGJ	DGX		SNAP RING
72		2				EER	DGX		SNAP RING
	4505 591	1				EGC, EGG, EGJ	DGX		2nd and 4th Clutch Piston Retainer
73		1				EER	DGX		2nd and 4th Clutch Piston Retainer
	4883 078	1				EER, EES EGC, EGG, EGJ	DGX		RETAINER PACKAGE, 2nd & 4th Clutch Piston
74		1				EER,	DGX		SEAL PACKAGE, Transmission Clutch
	4856 002	1				EES EGC, EGG, EGJ	DGX		2nd and 4th Clutch Piston, Inner and Outer Seal, 145mm O.D
75		1				EER, EES	DGX		RETAINER PACKAGE, 2nd & 4th Clutch Piston
	4883 078	1				EGC, EGG, EGJ	DGX		
76		1				EER,	DGX		SEAL PACKAGE, Transmission Clutch
	4856 002	1				EES EGC, EGG, EGJ	DGX		2nd and 4th Clutch Piston, Outer and Inner Seal, 150 mm O.D, 2nd and 4th Clutch Piston, Outer and Inner Seal, 150 mm O.D,
77									SPRING, 2nd And 4th Clutch Piston

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX]
Figure 42LE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 248	1				EGC, EGG, EGJ EER	DGX		
78		1					DGX		THRUST WASHER, Second and Fourth Clutch
	4412 216AB	1				EGC, EGG, EGJ EER	DGX		
79		1					DGX		HUB AND GEAR, Second And Fourth Clutch
	4659 618AB	1				EGC, EGG, EGJ EER	DGX		
80		1					DGX		PLATE, Transmission Clutch Reaction
	4659 054	4				EGC, EGG, EGJ EER	DGX		2nd and 4th
81		4					DGX		2nd and 4th DISC, Clutch
	4799 860AB	4				EGC, EGG, EGJ EER	DGX		2nd and 4th
82		4					DGX		2nd and 4th WASHER, Sprocket
	4539 901	2				EER, EES EGC, EGG, EGJ	DGX		
		2					DGX		
83		2				EGC, EGG, EGW	DGX		SNAP RING
	6502 448	2					DGX		
		2				EER, EES	DGX		
-84									THRUST WASHER, Planet Pinion

CONCORDE-INTREPID-300M (LH)

SERIES

P = Premium

S = Special

H = High Line

M = LXI

X = R/T

LINE

H = Chrysler Intrepid

D = Dodge Intrepid

C = Concorde

Y = 300M

BODY

41 = 4 Door Sedan

ENGINE

EER, EE0 = 2.7L V6 DOHC

EGG = 3.5L HO V6 MPI 24V

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V

EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION


DGX = 4 Speed Automatic

DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DGX] Figure 42LE-430

[illegible]**CONCORDE-INTREPID-300M (LH)**

SERIES **LINE**
P = Premium H = Chrysler
S = Special Intrepid
H = High Line D = Dodge Intrepid
M = LXI C = Concorde
X = R/T Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body [DGX]
Figure 42LE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
-1							GASKET PACKAGE, Valve Body		
	4864 696AB-	1				EER, EES	DGX		
		1				EGC, EGG, EGJ	DGX		
2	5012 907AA	1				EER, EES	DGX		VALVE BODY
		1				EGC, EGG, EGJ	DGX		
3	4412 836	1				EER, EES	DGX		SEAL, Manual Valve Lever
		1				EGC, EGG, EGJ	DGX		
4	4539 665	1				EER, EES	DGX		LEVER, Manual Valve
		1				EGC, EGG, EGJ	DGX		
5	6506 245AA	1				EER EGC, EGG, EGJ	DGX DGX		SCREW
		1							
6	4659 677AC	1				EER, EES	DGX		SENSOR, Manual Valve Lever


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body [DGX]
Figure 42LE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC, EGG, EGJ	DGX		
7	4446 620	1				EER, EES EGC, EGG, EGJ	DGX		PISTON, 2nd and 4th Accumulator
		1				EER, EES EGC, EGG, EGJ	DGX		
8	6500 215	28				EGC, EGG, EGJ	DGX		SCREW AND WASHER, Pan Head, M5x.8x25
		28				EGC, EGG, EGJ	DGX		
9	4412 291	1				EER	DGX		SEAL, Clutch Feed
		1				EGC, EGG, EGJ EER	DGX		
10	6500 215	28				EGC, EGG, EGJ	DGX		SCREW AND WASHER, Pan Head, M5x.8x25
		28				EGC, EGG, EGJ	DGX		
11	4796 730AB	1				EER, EES	DGX		FILTER PACKAGE, Transmission Oil Includes O Ring
		1				EGC, EGG, EGJ	DGX		Includes O Ring
12	6032 780	1				EGC, EGG, EGJ	DGX		O RING, Trans Oil Filter
		1				EER	DGX		
13	6506 245AA	1				EGC, EGG, EGJ	DGX		SCREW

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body [DGX] Figure 42LE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4567 419	1				EER	DGX		RETAINER, Transmission Filter Retaining
		2				EER, EES	DGX		
15	4539 787	2				EGC, EGG, EGJ	DGX		GASKET, Transmission Solenoid
		1				EER, EES EGC, EGG, EGJ	DGX		
16	4471 880	1				EGC, EGG, EGJ	DGX		SPRING, Accumulator 2nd and 4th Accumulator, Outer
		1				EER	DGX		2nd and 4th Accumulator, Outer SOLENOID AND SWITCH, Valve Body Control
17	4539 766	1				EER, EES EGC, EGG, EGJ	DGX		Includes Gasket
		1				EER, EES EGC, EGG, EGJ	DGX		Includes Gasket
18	3878 313	1				EGC, EGG, EGJ	DGX		SCREEN, Transmission Regulator Valve
		1				EER	DGX		SEAL, Accumulator
19	4446 544	2				EGC, EGG, EGJ	DGX		
		2				EER	DGX		SCREW AND WASHER, Pan Head, M5x.8x25
20									


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body [DGX]
Figure 42LE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6500 215	28				EGC, EGG, EGJ EER	DGX		
21		28							SCREW, Pan Head, M5 x 0.8 x 12.60
	6503 232	7				EGC, EGG, EGJ EER	DGX		
22		7							RETAINER, Transmission 2nd and 4th Accumulator Piston
	4431 711	1				EGC, EGG, EGJ EER	DGX		
23		1							DETENT, Valve Body Manual Valve Lever
	4431 710	1				EGC, EGG, EGJ EER	DGX		
24		1							Manual Valve Lever SPRING, Accumulator
	4567 575	1				EGC, EGG, EGJ EER	DGX		
-25	6100 994	1				EER, EGC, EGG, EGW	DGX		DOWEL, M6x16, Trans Valve body
-26	4659 081	1				EGC, EGG, EGW	DGX		VALVE, Transmission Regulator
27		1				EER, EES	DGX		BALL, Valve Body Check
	0104 918	1				EGC, EGG, EGJ EER	DGX		
		1				EGK	DGX		
28									BALL, Check


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Valve Body [DGX]
Figure 42LE-710**


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Accumulator Piston and Springs [DGX]
Figure 42LE-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines

Sales Codes

[DGX] = 4 Speed Automatic Transmission 42LE

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V, De-Tuned

[EGK] = 3.5L High Output V6 24V MPI, Police Package

1									SPRING, Accumulator
	4567 575	1				EGC, EGG, EGJ	DGX		Inner
		1				EER	DGX		Inner
2									SPRING, Accumulator
	4471 880	1				EGC, EGG, EGJ	DGX		Outer
		1				EER	DGX		Outer
3									SEAL, Accumulator
	4446 544	2				EGC, EGG, EGJ	DGX		
		2				EER	DGX		
4									PISTON, 2nd and 4th Accumulator
	4446 620	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
5									COVER, Accumulator
	4431 617	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
6									O RING, Accumulator, Transmission
	6501 549	1				EGC, EGG, EGJ	DGX		
		1				EER	DGX		
7									SNAP RING


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L HO V6 MPI 24V	
			EGC = 3.5L HO V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Accumulator Piston and Springs [DGX] Figure 42LE-720

[illegible]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Parking Sprag [DGX]
Figure 42LE-730**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines									
Sales Codes									
[DGX] = 4 Speed Automatic Transmission 42LE									
[EER] = 2.7L V6 DOHC 24V MPI									
[EGC] = 3.5L Magnum V6 SOHC 24V									
[EGG] = 3.5L High Output V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24V, De-Tuned									
[EGK] = 3.5L High Output V6 24V MPI, Police Package									
1									GUIDE PACKAGE, Parking Sprag
	4883 505AA	1				EGC, EGG, EGJ	DGX		Pawl
2		1				EER	DGX		SPRING, Parking Sprag Return
	4431 653	1				EGC, EGG, EGJ	DGX		
3		1				EER	DGX		ROD, Parking Sprag
	4431 634	1				EGC, EGG, EGJ	DGX		
4		1				EER	DGX		SNAP RING, Rod
	6035 256	1				EGC, EGG, EGJ	DGX		
-5		1				EER	DGX		SCREW AND WASHER, Park Sprag Shaft, M5X0.8X12
	6503 384	1				EGC, EGG, EGW	DGX		
		1				EER, EES	DGX		

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential Case and Gears [DGX]
Figure 42LE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Production Number Transmission 4799940AC is used with ALL 3.5L Engines

Sales Codes

[DGX] = 4 Speed Automatic Transmission 42LE

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V, De-Tuned

[EGK] = 3.5L High Output V6 24V MPI, Police Package

1									DIFFERENTIAL, Transaxle
	4539 661	1				EGC, EGG, EGJ EER	DGX		
		1					DGX		
2	4593 012	2				EGC, EGG, EGJ EER	DGX		CIRCLIP, Half Shaft
		2					DGX		
3	4539 748	1				EGC, EGG, EGJ EER	DGX		OUTPUT SHAFT, Transaxle
		1					DGX		
4	2852 883	1				EGC, EGG, EGJ EER	DGX		LOCK, Drive Shaft
		1					DGX		
5									SCREW, Special Shouldered, M10x1x29
	6502 034	12				EGC, EGG, EGJ EER	DGX		
		12					DGX		
6	4567 505	1				EGC, EGG, EGJ EER	DGX		CASE, Transfer Front
		1					DGX		
7									BUSHING, Support Case


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L MAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential Case and Gears [DGX]
Figure 42LE-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 225	2				EGC, EGG, EGJ	DGX		
8		2				EER	DGX		THRUST WASHER PACKAGE, Axle Differential
	4131 293	1				EGC, EGG, EGJ	DGX		
9		1				EER	DGX		GEAR PACKAGE, Differential
	5016 367AA	1				EGC, EGG, EGJ	DGX		
10		1				EGJ EER	DGX		PIN, Shift Fork
	0154 567	1				EGC, EGG, EGJ	DGX		
11		1				EER	DGX		WASHER, Pinion Thrust
	2852 912	2				EGC, EGG, EGJ	DGX		
12	6501 714	1				EER	DGX		SCREW AND WASHER, Hex Head, M6x1x18
13									CASE, Transfer Front
	4567 505	1				EGC, EGG, EGJ	DGX		
14		1				EER	DGX		BUSHING, Support Case
	4567 225	2				EGC, EGG, EGJ	DGX		
15		2				EER	DGX		GEAR, Differential Ring
	4567 617	1				EGC, EGG, EGJ	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential Case and Gears [DGX]
Figure 42LE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EER	DGX		
16	4593 012	2				EGC, EGG, EGJ	DGX		CIRCLIP, Half Shaft
		2				EER	DGX		
17	6502 363	2				EGC, EGG, EGJ	DGX		O RING, CV Joint
		2				EGJ	DGX		
18	6502 482	1				EER	DGX		SNAP RING
		1				EGC, EGG, EGJ	DGX		
19	4539 879	1				EER	DGX		BEARING, Differential
		1				EGC, EGG, EGJ	DGX		
20	4567 216	1				EER	DGX		OUTPUT SHAFT, Transaxle
		1				EGC, EGG, EGJ	DGX		
21	4412 235AB	1				EER	DGX		BEARING CONE, Output Shaft
		1				EGC, EGG, EGW	DGX		
		1				EGK	DGX		
-22	6502 482	1				EER	DGX		SNAP RING
		1				EGC, EGG, EGJ	DGX		
23	1790 541	2				EER	DGX		BEARING, Differential Side Cone
						EGC, EGG, EGJ	DGX		

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 42LE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24		2				EER	DGX		Side Cone
	1790 541	2				EGC, EGG, EGJ	DGX		BEARING, Differential Case Cone
25		2				EER	DGX		Case Cone
	6502 363	2				EGC, EGG, EGJ	DGX		O RING, CV Joint
26	4593 110	2				EGJ			
		2				EER EGC, EGG,	DGX DGX		GEAR, Differential Side
27						EGW			PINION, Differential
	4593 112	2				EGC, EGG,	DGX		
28		2				EGW EER, EES	DGX		
	2852 913	2				EGC, EGG, EGW	DGX		SHAFT, Differential Pinion

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gearshift Controls, Floor and Column Shift [DGX]
Figure 42LE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Shifter Cable Implementation Dates Are Approximate, It Is Advisable To Obtain Part Number From Original Cable Installed.									
1	4593 203AF	1							LEVER, Gearshift With [CUF & DHD]
	4593 201AG	1							With [CUF] Without [DHD]
	4578 171AB	1							With [CUF & DHD] With Stamp # [04578171AB]
2	4578 148AA	1							SHIFTER, Transmission, With [CUF] Without [DHD]
3	4593 490AA	1							Vinyl
	4593 491AA	1							Leather
-4	6504 104	1							SCREW, Set, Shift Knob, M5x0.8x10
-5	6502 756	5							NUT, Hex Lock, M8x1.25
6	4295 369	1							CLIP, Clutch Cable, Shift Control Cable, M27x31.75Lg.
7	4578 168AA	1							CABLE, Gear Selector After [5/27/02] With Sales Code [CUF]
	4593 215BB	1							Up To [5/26/02] With Sales Code [CUF]
8	4578 013AA	1							CABLE, Ignition Interlock
9									COLUMN, Steering, Reference, (NOT SERVICED) (Not Serviced)
10	4578 169AA	1							CABLE, Gear Selector After [05/27/02] Without Sales Code [CUF]
	4593 216BB	1							Up To [5/26/02] Without Sales Codes [CUF]
11	4761 170	1							CABLE, Park Interlock
12	6503 078	1							CLIP, Moulding, Shift Cable, Column Shift, M25.20x16.50Lg.
-13	6505 405AA-	1							STUD, ATX Cable Retainer Clamp Attaching
-14	6031 147	1							NUT, Hex, M6x1.00, Gear Shift Lever
-15	J012 0393	1							WASHER, Flat, Shift Cable mounting

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005




Group – 022
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks


Illustration Title Group-Fig. No.

Wheels and Hardware	
Wheels and Hardware	Fig. 022-110
Wheel Covers and Center Caps	
Covers, Wheel	Fig. 022-210
Jack Stowage	
Jack and Spare Tire Stowage	Fig. 022-310



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	
			

Wheels and Hardware
Figure 022-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Codes:									
[WCS] = 16 X 7.0 BLACK									
[WD6] = 16 inch ALUMINUM, CHROME									
[WFJ] = 17 inch ALUMINUM									
[WFS] = 17 inch ALUMINUM-SPARKLE SILVER									
[FWF] = 17 inch ALUMINUM									
[WF7] = 17 inch ALUMINUM, CHROME									
[WGK] = 17 inch ALUMINUM, CHROME									
[WNG] = 16 inch ALUMINUM, SILVER									
[WNW] = 16 inch ALUMINUM									
[WN2] = 16 inch ALUMINUM									
[WPW] = 18 inch ALUMINUM									
1									WHEEL
	TU70 PAKAB	4							[WNW]
	XV71 PAKAA	4							[WNR]
2	4782 425AB	4							WHEEL, [WGE] - Crusader, 17 x 7
3	LG30 PAK	4							WHEEL, Aluminum, [WFJ] - Sparkle Silver
4	4782 296AB	4							WHEEL, [WGK,WGW] - 10 Spoke Chrome, 17 x 7
5									WHEEL, Aluminum
	4782 289AA	4							[WF7] - Chrome, 17 x 7, Aluminum Caps - Up to 6-5-01
	4782 289AB	4							[WF7] - Chrome, 17 x 7, Plastic Caps - After 6-5-01
6									WHEEL, Aluminum
	UL86 PAKAA	4							[WNG]
	WA54 PAKAB	4							[WFS]
7									CAP, Wheel Center
	WA55 PAKAA	4							[WFS] Up to 07-19-01
	RG98 PAKAA	4							[WFJ,WNR] [WFS] After 07-19-01
	4782 290AA	4							[WF7,WD6], Aluminum
	4782 783AA	4							[WF7,WGE,WD9], Plastic
	4782 905AA	4							[WPW]
	4284 004	4							[WNG]
	4782 314AA	4							[WGK,WGW]
	4782 787AA	4							[WNW,WN2]
	4782 792AA	4							[WMH,WDH] And Police Package
	4782 427AA	4							[FWF]
	4755 049	4							[WD9]
8									WHEEL, Steel
	4782 175AB	1							Compact Spare

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheels and Hardware
Figure 022-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4782 244AB	4							[WCS]
	4782 793AA	1							[WDH] And Police Package
	UU48 PAKAB	4							WHEEL, Aluminum 5 Spoke
	4782 575AB	4							[WN2]
10	UW21 XZAAA	4							[WD9]
11	6502 738	20							WHEEL, Aluminum, 15 Spoke,
12									[WPW]
13	6504 672	20							NUT, Wheel Chrome, M12x1.5
	6507 498AA	20							NUT, Wheel, M12x1.5
									[WCS,W6D,W6F,W6G]
									[WMH] Police Group
-14	2073 355	5							STEM, Wheel Valve
	2401 840	1							[W6F, W6G, W6D]
	5083 124AA-	5							CAP, Valve Stem, Chrome
									LABEL, Tire Pressure
-15	4782 251AA	1							P225/60 R16 BSW A/S TOURING
	4782 256AA	1							P225/55VR16 BSW
	4782 299AA	1							P225/55R17 95V AS Performance
	4782 849AB	1							245/45ZR18 96Y BSW
-16	52088 990AC-	5							SENSOR, Tire Pressure, valve stem
-17	4897 346AA-	5							VALVE CORE, WHEEL SENSOR
-18									VALVE, ALUMINUM
	5083 123AA-	5							GROMMET
	5083 124AA-	5							CAP, Valve Stem, Chrome
	52088 961AA-	5							NUT, Tire Pressure
-21	52109 664AA-	1							MAGNET, Sensor

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Covers, Wheel
Figure 022-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE:Sales Codes:									
[W6F] = WHEEL COVERS - 16'									
[W6G] = WHEEL COVERS - 16'									
1	TW10 PAKAA	4							COVER, Wheel, [W6F]
2	TW11 PAKAA	4							COVER, Wheel, [W6G]
3	WR51 PAKAA	4							COVER, Wheel, 16", Police Group, [W6D]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Jack and Spare Tire Stowage
Figure 022-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 807AB	1							SUPPORT, Spare Tire Cover
2	4580 451AD	1	C						COVER, Spare Tire
	4580 458AD	1	D, Y						
3	6504 600	1							NUT, M8x1.25, Wing, Spare Tire
4	4782 534AA	1							Hold Down PLATE, Spare Tire
5	6504 599	1							NUT, M10x1.50, Wing, Jack Hold Down
6	4772 481AB	1							JACK, Scissors
-7	4772 483AB-	1							WRENCH, Wheel Lug Nut
-8	4782 248AA-	1							LABEL, Tire Pressure
	4782 251AA-	1							[TR1] P255/55R17 30 PSI, English
	4782 299AA-	1							[TRU] P255/60R16 32 PSI, English
									[TRG] P255/55R17 95V 30 PSI, English
-9									FASTENER, (NOT SERVICED) (Not Serviced)
10	4580 812AA	1							SPACER, Spare Tire
	4782 177	1							Orange - 16 inch Steel Wheel
11	6505 614AA	1							16 x 4 Convenience Spare BOLT, Square Neck, M8 x 1.25 x 226.50

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Double Bitted Lock Cylinder Repair Components	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer System	Fig. 23D-205



<div>23D-100</div> <div>Lock Cylinders and Keys</div> <div></div>	<div>23D-200</div> <div>Windshield Wiper and Washer Systems</div> <div></div>		
--	--	--	--

Lock Cylinders and Double Bitted Lock Cylinder Repair Components
Figure 23D-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: ALL LOCK CYLINDERS ARE UNCODED


1	5018 689AA	1	D						KEY, Blank without Sentry with Sentry without Sentry without Sentry with Sentry with Sentry CYLINDER, Ignition Lock
	5018 690AA	1	D						
	5018 868AA	1	C						
	5018 869AA	1	Y						
2		1	Y						
		1	Y						
		1	C						
3	5003 843AB	1	C						TUMBLER, Ignition Number 1, Sidebar
		1	Y						
		1	D						
-4	5010 879AA	1	Y						TUMBLER, Ignition Number 2, Sidebar
		1	D						
		1	C						
-5	5010 880AA-	1	Y						TUMBLER, Ignition Number 3, Sidebar
		1	D						
		1	C						
-6	5010 881AA-	1	Y						TUMBLER, Ignition Number 4, Sidebar
		1	D						
		1	C						
7	5010 882AA-	1	Y						SPRING, Ignition Tumbler, Sidebar
		1	D						
		1	C						
8	5010 883AB	1	C						CYLINDER, Deck Lid Lock
		1	Y						
		1	D						
9	4778 145AB	1	C						CYLINDER, Door Lock
	4778 145	1	D						
		1	Y						

CONCORDE-INTREPID-300M (LH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic			
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm			
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V				
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V				
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6				

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lock Cylinders and Double Bitted Lock Cylinder Repair Components
Figure 23D-105








ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 040AA	1	Y						Up to 9/28/01, Right or Left
		1	D						Up to 9/28/01, Right or Left
		1	C						Up to 9/28/01, Right or Left
	5056 182AA	1	C						After 9/28/01, Right or Left
		1	D						After 9/28/01, Right or Left
10		1	Y						After 9/28/01, Right or Left
	4778 125	1	C						LOCK CYLINDER
		1	Y						Bright/and Liftgate, Door Lock
11		1	D						Bright/and Liftgate, Door Lock
	4778 117	1	C						TUMBLER, Door and Deck Number 1, Wide
		1	Y						
-12		1	D						
	4778 118	1	C						TUMBLER, Door and Deck Number 2, Wide
		1	Y						
-13		1	D						
	4778 119	1	C						TUMBLER, Door and Deck Number 3, Wide
		1	Y						
-14		1	D						
	4778 120	1	C						TUMBLER, Door and Deck Number 4, Wide
		1	Y						
15		1	D						
	4778 121	1	C						SPRING, Door and Deck Tumbler
		1	Y						
16		1	D						
	4778 448	1	C						CYLINDER, Glove Box Lock
		1	Y						
17		1	D						
	5257 132	1	C						TUMBLER, Ignition Number 1
		1	Y						

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lock Cylinders and Double Bitted Lock Cylinder Repair Components
Figure 23D-105








ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	5257 133	1	D						TUMBLER, Ignition Number 2
		1	C						
		1	Y						
		1	D						
-19	5257 134	1	C						TUMBLER, Ignition Number 3
		1	Y						
		1	D						
		1	D						
-20	5257 135	1	C						TUMBLER, Ignition Number 4
		1	Y						
		1	D						
		1	D						
21	4746 873	1	C						SPRING, Lock Cylinder Tumbler
		1	Y						
		1	D						
		1	D						
22	4778 149	1	C						CAP, Door Lock Cylinder, Bright
		1	Y						
		1	D						
		1	D						
23	4778 150	1	C						SHUTTER, Door, Deck and Liftgate, Bright
		1	Y						
		1	D						
		1	D						
24	4378 793	1	C						SPRING, Cylinder Return Door Door Door
		1	Y						
		1	D						
		1	D						
25	4378 798	1	C						SPRING, Lock Cylinder Return Deck Lid Deck Lid Deck Lid
		1	Y						
		1	D						
		1	D						
26	4658 444	1	C						CAP, Serviced with Cylinder, Deck Lid P/N 4778145, (NOT SERVICED) (Not Serviced)
		1	Y						
		1	D						
		1	D						
27	4658 444	1	C						CLIP, Latch purple purple purple
		1	Y						
		1	D						
		1	D						

CONCORDE-INTREPID-300M (LH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic			
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm			
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V				
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V				
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6				

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lock Cylinders and Double Bitted Lock Cylinder Repair Components
Figure 23D-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 445	1	Y						orange
		1	C						orange
		1	D						orange
28									LEVER, Front Door Cylinder
	4717 288	1	C						
		1	Y						
		1	D						
29									LEVER, Deck Lid Cylinder
	4780 387AB	1	C						
	4780 457AA	1	D						
		1	Y						
30	4480 116	1							RETAINER, Lock Cylinder
-31	4878 786AA-	1							RETAINER, Door Lock Cylinder
32									TRANSMITTER, Keyless Entry
	4602 260AA	2							
	4602 261AA	2							Export
33									RECEIVER, Keyless Entry
	4602 415AB	1							Export
	56045 755AB	1							
34	4602 273AB	1							MODULE, Immobilizer
-35	8350 4802	2							BATTERY, Transmitter
-36	5015 636AB-	1							CAP KIT, Fuel Tank Locking
37									CLIP, Retainer, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DGX = 4 Speed Automatic	
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DG0 = All Automatic Transm	
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V		
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V		
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V		
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Windshield Wiper and Washer System

Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Concorde									
CP=LHS									
1	5011 198AA	1							LINKAGE, Wiper Arm
-2	5011 199AB-	1							MOTOR, Wiper
-3	5011 200AA-	1							LINK, Drive Wiper
-4	5011 201AA-	1							LINK, Slave
5	5011 202AA	1							GROMMET, WIPER FRAME
6	6504 559	2							SCREW AND WASHER, Hex Head, M6x1.00x45.00, Wiper Module attaching
7	6505 683AA	1							SCREW AND WASHER, HEX HEAD, M8 X 1.25 X 75.00
8	6504 954AA	2							NUT & WASHER, Hex, M10 X 1.25
9	4630 783	2							CAP, Wiper Arm Nut
10	5011 204AB	1							ARM, Wiper Right
	5011 205AB	1							Left
11	5011 206AC	1							BLADE, Wiper Right
	5011 207AB	1							Left
12	5011 208AB	1							REFILL, Wiper Blade Right
	5011 209AA	1							Left
13	4805 192AE	1			C				NOZZLE, Washer, Windshield
	4805 194AD	1			D				
	4805 466AB	1			Y				Right
	4805 467AB	1			Y				Left
14	4805 166	1							CONNECTOR, Washer Hose, Y
15	4805 409AA	2							CLIP, Washer Hose
16	5018 127AA	1							HOSE, Windshield Washer, 50 foot roll make up as required
17	5011 825AA	1							COUPLING, Flexible
18	6503 759	1							BOLT, Hex Head, M6x1.00x25.00
19	5011 819AA	1			Y				RESERVOIR, Washer with Headlamp Washers
	5011 823AB	1							
-20	6503 641	AR							SCREW, M7X1.25X16.00, Reservoir attaching
-21	5011 809AA-	1							GROMMET, Windshield Washer Pump
-22									GROMMET, Washer Reservoir


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Windshield Wiper and Washer System
Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4863 704	1							Inlet connector
	5013 755AA-	1							Fluid level sesnor
23	6101 712	1							NUT, U, M6x1, Wiper Module attaching
24	55077 241AB	1							PUMP, Washer, Windshield
25	5011 821AA	1	Y						PUMP, Washer, Headlamp
-26	5011 809AA-	1							GROMMET, Windshield Washer
									Pump
-27	5011 822AA-	1	Y						GROMMET, Headlamp Washer
									Pump
28	4882 797	1							SENSOR, Washer Fluid Level
29	4797 694	1							CAP, Washer Reservoir
30	5011 827AA	1							FILLER, Mouth
31	5011 810AA	1							INLET, Connector
32									NOZZLE, Washer, Headlamp
	4805 072AD	1							Right
	4805 073AD	1							Left
-33	4805 071AC-	1	Y						HOSE, Washer, Headlamp, Export
-34	6505 570AA-	4							SCREW, Pan Head, M4 x 0.70 x 10.00, Headlamp Washer Attaching
-35	HWV00 532AB-	1							HOSE 1FT, Windshield Washer, 5/32"
-36	HWV00 764AB-	1							HOSE 1FT, Windshield Washer, 7/64"

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005







Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. No.
Air Conditioner and Heater Units	
Air Conditioning Unit	Fig. 024-110
ATC Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
Plumbing Air Conditioning	Fig. 024-210
Plumbing, Heater	Fig. 024-220
Air Conditioner and Heater Controls	
Controls, Air Conditioning and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Related Parts	Fig. 024-415
Air Conditioning Compressor Mounting	
Compressor Mounting	Fig. 024-515
Air Ducts and Outlets	
Air Distribution Ducts	Fig. 024-610
Air Distribution Outlets	Fig. 024-625



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioning Unit
Figure 024-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5010 979AD	1							HOUSING, A/C And Heater
-2	4596 099AC-	1							TUBE, Drain
3	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3							STUD, A/C Heater Housing
5	6031 087	3							WASHER, A/C Unit Mounting Stud
6	4734 770AC	1							ACTUATOR, Blend Door
7	4734 772AC	1							ACTUATOR, Mode Door
8	4734 984AC	1							ACTUATOR, Recirculation Door
9	5010 981AA	1							HOUSING, Air Inlet
10	6101 308	2	D						NUT, U, M6x1
11	4885 845AA	1							RESISTOR, Blower Motor
12	4760 757	1							WIRING, A/C and HEATER
13	4885 148AC	1							MOTOR, Blower with Wheel
14	4885 057AB	1							COVER, Blower Motor
15	4734 733AB	1							DUCT, Floor Distribution
16	5011 078AB	1							CORE, Heater
17	5011 079AC	1							EVAPORATOR KIT, Air Conditioning Up to 01-09-02
	5093 737AA	1							After 01-09-02
-18	4734 726	1							PROBE, Air Conditioning
19	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
20	4734 728	1							VALVE, Expansion, Up to 01-09-02
21	5093 736AA	1							VALVE KIT, Expansion, Kit includes: Valve, 2 O-Rings, Screws, Plate, After 01-09-02
22	6032 572	2							SCREW, Cap, .25-20x2.00
23	5010 977AA	1							SEAL KIT, A/C And Heater Unit
-24	4596 179AB-	1							DECAL, A/C System Specification
-25	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum
-26	0154 910AA-	AR							SCREW, HVAC Unit Repair
-27	6503 825	2							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, HVAC unit to Plenum
-28	0154 907AA-	AR	C, D						SCREW, Hex Head, .25-14x1.25
-29	4885 929AA-	2							CLIP, Air Conditioning Wire

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

ATC Unit
Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5010 979AD	1							HOUSING, A/C And Heater
-2	4596 099AC-	1							TUBE, Drain
3	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3							STUD, A/C Heater Housing
5	6031 087	3							WASHER, A/C Unit Mounting Stud
6	4734 770AC	1							ACTUATOR, Blend Door
7	4734 772AC	1							ACTUATOR, Mode Door
8	4734 984AC	1							ACTUATOR, Recirculation Door
9	5010 981AA	1							HOUSING, Air Inlet
10	6101 308	1							NUT, U, M6x1
11	4760 451	1							WIRING, A/C and HEATER
12	4885 148AC	1							MOTOR, Blower with Wheel
13	4885 057AB	1							COVER, Blower Motor
14	4734 733AB	1							DUCT, Floor Distribution
15	5011 078AB	1							CORE, Heater
16	5011 079AC	1							EVAPORATOR KIT, Air Conditioning Up to 01-09-02
	5093 737AA	1							After 01-09-02
-17	4734 913AE-	1							MODULE, ATC Blower Control
18	4734 726	1							PROBE, Air Conditioning
19	4734 728	1							VALVE, Expansion, Up to 01-09-02
20	5093 736AA	1							VALVE KIT, Expansion, Kit includes: Valve, 2 O-Rings, Screws, Plate, After 01-09-02
21	6032 572	2							SCREW, Cap, .25-20x2.00
22	5010 977AA	1							SEAL KIT, A/C And Heater Unit
23	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
-24	4596 179AB-	1							DECAL, A/C System Specification
-25	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum
-26	4734 385	1							SCREW AND WASHER, Control Lever

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning Figure 024-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: For Heater Plumbing see Illustration 7-310 Coolant Recovery System.

Sales Codes:

[EER] = 2.7L V6 DOHC 24 VALVE MPI

[EES] = 2.7L V6 24V W/ACTIVE INTAKE

[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V

[EGG] = 3.5L HIGH OUTPUT V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24 VALVE

[EGK] = 3.5L HIGH OUTPUT V6 24V MPI

1									LINE, A/C Liquid
	5003 979AA	1				EER, EES			
	5003 981AA	1				EGC, EGG,			Up to 09/01/2002
	5003 979AA	1				EGJ, EGK EGC, EGG,			After 09/01/2002
						EGJ, EGK			
2									O RING, A/C Line
	5011 590AA	3				EER,			Up to 12/11/2001
	5066 560AA	1				EER			After 12/11/2001
	5011 590AA	3				EGC, EGG,			Up to 12/11/2001
	5066 560AA	1				EGJ, EGK EGC, EGG,			After 12/11/2001
3	5010 962AA	1				EGJ, EGK EER, EES			VALVE, Charging
4	5011 637AA	1				EER, EES			CAP, A/C Charge Valve
5									SCREW, [M6.3X1.81X25.00], (NOT SERVICED) (Not Serviced)
6									DRIER, Air Conditioning Filter, With Bracket and Tube
	5003 980AA	1				EER, EES			Up to 12/11/2001

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning Figure 024-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5101 762AA	1				EER			After 12/11/2001
	5003 980AA	1				EGC, EGG, EGJ, EGK			Up to 12/11/2001
	5101 762AA	1				EGC, EGG, EGJ, EGK			After 12/11/2001
7	4882 137	1				EER, EES			O RING, A/C Line Up to 12/11/2001
	5072 462AA	1				EER			After 12/11/2001
	4882 137	1				EGC, EGG, EGJ, EGK			Up to 12/11/2001
	5072 462AA	1				EGC, EGG, EGJ, EGK			After 12/11/2001
8	4734 728	1							VALVE, Expansion, With Gasket, Up to 12/11/2001
-9	4677 045	1							GASKET, Valve To Evaporator, Up to 12/11/2001
10	5093 736AA	1							VALVE KIT, Expansion, After 12/11/ 2001, Includes Valve, 2 O-Rings, Screws, Plate
11	4698 751	1				EER, EES			LINE, A/C Suction, Compressor
12	4796 564	2				EER, EES			O RING, A/C Line
13	4698 752	1				EER, EES			LINE, A/C Suction, Evaporator Up to 12/11/2001
	4596 529AB	1				EER			After 12/11/2001
14	4882 136	1				EER, EES			O RING, A/C Line
15	5264 638	1				EER, EES			VALVE, Charging

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning
Figure 024-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	5264 642	1				EER, EES			CAP, A/C Check Valve
17	4758 337AD	1				EGC, EGG,			LINE, A/C Suction Up to 12/11/2001
	4596 531AB	1				EGJ, EGK EGC, EGG,			After 12/11/2001
18	4796 564	1				EGJ, EGK EGC, EGG,			O RING, A/C Line
19	4882 136	1				EGJ, EGK EGC, EGG,			O RING, A/C Line
						EGJ, EGK			
20	6101 445	2							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Line to Valve
21	4758 335AE	1				EER, EES			LINE, A/C Discharge
	4758 330AE	1				EGC, EGG, EGJ, EGK			
22	4796 565	2				EER, EES EGC, EGG,			O RING, A/C Line
		2				EGJ, EGK			
23	5019 881AA	1							TRANSDUCER PACKAGE, A/C Pressure


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning

Figure 024-210



[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Heater
Figure 024-220





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Codes:									
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
[EES] = 2.7L V6 24V W/ACTIVE INTAKE									
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V									
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI									
[EGW] = 3.2L V6 SOHC 24 VALVE MPI									
1	4758 269AB	1							BOTTLE, Pressurized Coolant
2	4596 198	1							CAP, Radiator
3	4596 444AA	1							CAP, Coolant Recovery Bottle,
									Export
4	6034 716	2							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875, Bottle Mounting
5	6502 018	1				EGC,			CLAMP, Hose, M28.9 x 1.60
						EGG,			
						EGJ,			
						EGK			
6									CLAMP, Hose
	4592 126	1				EER,			
		1				EES			
						EGC,			
						EGG,			
7	6100 574	1				EGW			BOLT AND CONED WASHER, Hex
						EER,			Head, M8x20x17
						EES			TUBE, Heater Return, w/Hose
8									
	4767 152AC	1				EER,			
						EES			
	4767 150AC	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-9	4792 308	1				EER			CLIP, Heater Hose
10									HOSE, Heater, Return (Roll Stock)
	3744 931	1				EES			
		1				EER			
-11									O RING
	4792 307AB-	1				EES			
		1				EER			
12									BRACKET, Heater Tube To Block
	4596 266AC	1				EES			
		1				EER			
13									HOSE, Heater Supply

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Heater Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4767 170AB	1				EGC,			
						EGG,			
						EGJ,			
	4767 172AG	1				EGK			
						EER,			
14						EES			HOSE, Bottle Supply, Serviced with TUBE ASSY- POSTIVE CRANKCASE VENTILATION
									HEATED - 4792645AB, (NOT SERVICED) (Not Serviced)
15	6101 467	1				EER			NUT, Hex Flange, M8x1.25
		1				EES			Tube Attaching
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DXG = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Air Conditioning and Heater Figure 024-310


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DXG = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DX0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor and Related Parts
Figure 024-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Codes:									
[EER] = 2.7L V6 DOHC 24 VALVE MPI									
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V									
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI									
[EGJ] = 3.5L V6 SOHC 24 VALVE									
[EGK] =3.5L HIGH OUTPUT V6 24V MPI									
1									CLUTCH OVERHAUL KIT, A/C Compressor
	4723 011AB	1				EER,			
		1				EES EGC, EGG, EGJ, EGK			
2									MANIFOLD KIT, A/C Compressor
	5010 168AA	1				EER, EES			
	5010 169AA	1				EGC, EGG, EGJ, EGK			
3									SEAL, Manifold To Compressor
	4728 854	1				EER, EES EGC,			
		1				EGG, EGJ, EGK			
4									VALVE CORE, High Flow, A/C Compressor
	4723 015	1				EER, EES EGC,			
		1				EGG, EGJ, EGK			
5									CAP, High Flow Valve Core, A/C Compressor
	4723 017	1				EER, EES			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor and Related Parts
Figure 024-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			EGC, EGG, EGJ, EGK			
6									VALVE CORE, Low Flow, A/C Compressor
	4723 016	1				EER, EES EGC, EGG, EGJ, EGK			
		1							
7									CAP, Low Flow Valve Core, A/C Compressor
	4723 018	1				EER, EES EGC, EGG, EGJ, EGK			
		1							
8									VALVE, High Pressure Relief, Servicd in Manifold for 1999, (NOT SERVICED) (Not Serviced)
9									COMPRESSOR, Air Conditioning
	4698 723AC	1				EER			
	4758 322AB	1				EGC, EGG, EGW EGC, EGG, EGJ, EGK			
		1							
10									COIL, Stator, A/C Compressor Clutch
	4797 390	1				EER, EES EGC, EGG, EGJ, EGK			
		1							
11									PULLEY HUB KIT, A/C Compressor


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor and Related Parts

Figure 024-415





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 170AA	1				EER,			
	4723 014	1				EES EGC, EGG, EGJ, EGK			
12	5264 457	1				EER, EES			BOLT KIT, A/C Compressor Manifold
		1				EGC, EGG, EGJ, EGK			
13	5264 454	1				EER, EES			SNAP RING KIT, A/C Clutch
		1				EGC, EGG, EGJ, EGK			
-14	4596 357AA-	1				EER			PIN, Push, Engine Oil Cooler Line to Compressor

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM0 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor Mounting
Figure 024-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:

[EER] = 2.7L V6 DOHC 24 VALVE MPI
[EGC] = 'MAGNUM' 3.5L V6 SOHC 24V
[EGG] = 3.5L HIGH OUTPUT V6 24V MPI
[EGJ] = 3.5L V6 SOHC 24 VALVE
[EGK] = 3.5L HIGH OUTPUT V6 24V MPI

1									SCREW AND WASHER, Hex Head, M8x1.25x95 Compressor Mounting
	6502 425	3				EGC, EGG, EGJ, EGK EER			Compressor Mounting
2	4792 291AB	1				EGC, EGG, EGK EGJ			BRACKET, A/C Compressor
-3		1							STUD, Compressor Bracket and Belt Guide mounting
	6505 653AA-	1				EGC, EGG, EGK EGJ			
-4	6506 019AA-	9							BOLT AND WASHER, Hex Head, M10x1.5x30, A/C Compressor Brkt Mounting to Cyl. Head and Timing Cover, Lower
-5	6101 467	2							NUT, Hex Flange, M8x1.25, Belt guide mounting, Belt Guide Mounting


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 'MAGNUM' 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Distribution Ducts Figure 024-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 533AB	1							DUCT, Defroster
2	6101 946	1							SCREW, Tapping, Duct Attaching
3	4758 350AB	1							DUCT, Heat Distribution
4	6501 925	1							PIN, Splash Shield, Duct Mounting
5	4758 351AD	1							DUCT, Heat Distribution
6	4758 352	1							DUCT, Floor Console, Front
7	4758 353	1							DUCT, Floor Console, Carpet Module, Front
8	4758 349AB	1							DUCT, Floor Console, Center
9	4698 690	1							DUCT, Instrument Panel, Under Column
10	4734 733AB	1							DUCT, Floor Distribution
11									DUCT, Air Distribution, Center
	4698 518	1	D						
	4698 685	1	Y						
	4698 687	1	C						
12									DUCT, Air Distribution, Left
	4698 520	1	D						
	4698 675	1	C						C-P
		1	Y						
13									DUCT, Air Distribution, Right
	4698 519	1	D						
		1	C						C-H
	4698 684	1	C						C-P
		1	Y						
14									DUCT, Demister Right
	4698 534AB	1	D						
		1	C						C-H, Right
		1	Y						Right
15									DUCT, Demister Left
	4698 683AB	1	D						
		1	C						C-H, Left
		1	Y						Left
-16									DUCT, Air Distribution P Series, Right
	4698 684	1	C						
	4698 685	1	C						Left
	4698 684	1	Y						Right
	4698 685	1	Y						Left
	4698 682	1	C						H Series, Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Distribution Outlets Figure 024-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	GRILLE, Demister, Right								
	PD56 WL8	1	C						[L5]
		1	D						[L5]
	PD56 XDV	1	C						[DV]
		1	D						[DV]
	PD56 XTM	1	C						[T5]
2		1	D						[T5]
	GRILLE, Demister, Right								
	QH88 WL8	1	C						[L2]
		1	Y						[L2]
	QH88 XDV	1	C						[DV]
		1	Y						[DV]
3	QH88 XTM	1	C						[T5]
		1	Y						[T5]
	GRILLE, Demister, Left								
	PD57 WL8	1	D						[L5]
	PD57 XDV	1	D						[DV]
	PD57 XTM	1	D						[T5]
4	GRILLE, Demister, Left								
	PD61 WL8	1	C						[L2]
		1	Y						[L2]
	PD61 XDV	1	C						[DV]
		1	Y						[DV]
	PD61 XTM	1	C						[T5]
5		1	Y						[T5]
	OUTLET, Air Conditioning & Heater, Center								
	QT04 WL8AA	3	C						[L2]
		3	Y						[L2]
	QT04 XDVAA	3	C						[DV]
		3	Y						[DV]
6	QT04 XTMAA	3	C						[T5]
		3	Y						[T5]
	QT04 YBPAA	3	C						[BP]
		3	Y						[BP]
	OUTLET, Air Conditioning & Heater, Center								
	QU67 WL8AB	1	C						[L5]
7	QU67 XDVAB	1	C						[DV]
	QU67 XTMAAB	1	C						[T5]
	OUTLET, Air Conditioning & Heater, Center								


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Distribution Outlets
Figure 024-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	QU69 WL8AA	2	D						[L5], Center
	QU69 XDVAA	2	D						[DV], Center
	QU69 XTMAA	2	D						[T5], Center
									OUTLET, Air Conditioning & Heater, Woodgrain
	QT02 WL8AA	2	C						[L2]
	QT02 XDVAA	2	C						[DV]
9	QT02 XTMAA	2	C						[T5]
		2	Y						[T5]
									OUTLET, Air Conditioning & Heater, Left
	QU68 WL8AB	1	C						[L5]
	QU68 XDVAB	1	C						[DV]
	QU68 XTMAAB	1	C						[T5]
10									OUTLET, Air Conditioning & Heater, Left
	QU71 WL8AA	1	D						[L5]
	QU71 XDVAA	1	D						[DV]
	QU71 XTMAA	1	D						[T5]
									OUTLET, Air Conditioning & Heater, Right side
	QU66 WL8AB	2	C						[L5]
11		2	D						[L5]
	QU66 XDVAB	2	C						[DV]
		2	D						[DV]
	QU66 XTMAAB	2	C						[T5]
		2	D						[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels Fig. 025-110


EGR System




EGR Valve System Fig. 025-210

Vacuum Canister

Emission Harness Fig. 025-310

Vapor Canister and Leak Detection Pump Fig. 025-320



025-100 Emission Labels	025-200 EGR System	025-300 Vacuum Canister	
			

Emission Labels
Figure 025-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

[EGK] = 3.5L High Output V6 24V MPI Police Package


1									LABEL, Emission
	4578 117AB	1				EER			NAS] U.S. 50 State
	4578 121AB	1				EGJ			[NAS][NA1] U.S.50 State or Export
	4578 123AB	1				EGC, EGG, EGK			[NAS] U.S.50 State up to 08/27/01
	4578 119AA	1				EER			[NA1, NA3]
	4578 125AA	1				EGC, EGG			[NA1, NA3]
		1				EGG			[NA1, NA3]
	4578 123AB	1				EGC, EGG, EGK			[NAS] After 08/27/01 and up to 10/ 31/02
	4578 302AA	1				EGC, EGG, EGK			[NAS] After 10/31/02

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L HO V6 MPI 24V	
			EGC = 3.5L HO V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



EGR Valve System
Figure 025-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DGX] = 4 Speed Automatic Transmission

[EER] = 2.7L V6 DOHC 24V MPI

[EGC] = 3.5L Magnum V6 SOHC 24V

[EGG] = 3.5L High Output V6 24V MPI

[EGJ] = 3.5L V6 SOHC 24V De-Tuned

[EGK] = 3.5L High Output V6 24V MPI Police Package


1	4612 184	1				EER			GASKET, EGR Tube Flange
2	4591 251AB	2				EGC, EGG, EGJ, EGK			CLIP, Emission
3	4591 814AC	1				EER			VALVE, EGR
4	4591 815AC	1				EGC, EGG, EGJ, EGK			VALVE, EGR
5	4591 416AA	1				EER			TUBE, EGR Valve to Intake
6	4591 094	1				EGC, EGG, EGW			TUBE, EGR
-7	4667 431	2				EER			SEAL, EGR Tube
8	4591 250	2				EGC, EGG, EGW			SEAL, EGR Tube
9	5277 928	1				EGC, EGG, EGW			GASKET, EGR Tube Flange
10	4591 617AD	1				EER			TUBE, Exhaust Manifold to EGR Valve
11	6504 829AA	2				EGC, EGG, EGJ, EGK			SCREW, Hex Flange Head
12		4				EER			SCREW, Hex Flange Head, M8x1. 25x18, (NOT SERVICED) (Not Serviced)
13	6101 331	3							BOLT, M6x1.00x20
14	6504 622	1				EER			STUD, 2 End Same, M6x1.00x45.00

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L MAGNUM 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



EGR Valve System

Figure 025-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4663 247AB	1				EGC,			GASKET, EGR Valve
						EGG,			
						EGJ,			
						EGK			
-16	4891 312AA-	2				EGC,			ISOLATOR AND SEAL, EGR Blocker
						EGG,			
						EGJ,			
						EGK			

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Emission Harness
Figure 025-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes									
[EER]=2.7L Engine									
[EES]=2.7L Engine w/MTV									
[EGC]=3.5L Magnum Engine									
[EGG]=3.5L High Output Engine									
[EGW]=3.2L Engine									
1	4578 209AA	1							HARNESS, Vapor
2	4591 733AA	1							SOLENOID, Proportional Purge
-3	4578 099AA-	1							BRACKET, Proportional Purge
									Solenoid, Solenoid Bracket
-4									TUBE, Vacuum, To LDP in Tank, (NOT SERVICED) (Not Serviced)
-5	4591 090	1							PORT, Emission Testing

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

Vapor Canister and Leak Detection Pump
Figure 025-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[NAB]=Leaded Fuel

[NAS]=50 States Emissions

1									CANISTER, Vapor
	4891 428AC	1							Natural Vacuum Leak Detection
	4581 388AC	1							Export
2	4891 387AB	1							DETECTOR, Natural Vacuum Leak
									Detection
3									SCREW, Tapping, .19-16x.375,
									(NOT SERVICED) (Not Serviced)
4	4581 352AB	1							FILTER, Fuel Vapor Canister
-5	4581 386AA-	1							FILTER, Air, Without Leak Detection
									Pump
6	4581 240AA	1							BRACKET, Leak Detection Pump
7									HOSE, Vent Valve to Filter, Serviced
									With Filter, (NOT SERVICED) (Not
									Serviced)
-8	6101 978	1							SCREW AND WASHER, Hex Head,
									M8-1.25x40
-9	4581 354AA-	1							VALVE, Onboard Vapor Recovery
									Control, Service Manual calls this a
									Flow Management Valve.

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – DLH

Doors and Related Parts

GROUP DLH - Doors and Related Parts

Illustration Title

Group-Fig. No.

Front Door

Door, Front Shell and Hinges	Fig. DLH-108
Door, Front Exterior Handle and Links	Fig. DLH-110
Door, Front Glass and Regulators	Fig. DLH-120
Door, Front Bezels and Speakers	Fig. DLH-130

Rear Door


Door, Rear Shell and Hinges	Fig. DLH-205
Door, Rear Exterior Handle and Links	Fig. DLH-210
Door, Rear Glass and Regulators	Fig. DLH-220
Door, Rear Bezels	Fig. DLH-230





Exterior Mirror

Mirror, Exterior	Fig. DLH-510
------------------	--------------


Weatherstrips and Seals

Weatherstrips Front and Rear Door	Fig. DLH-610
-----------------------------------	--------------



DLH-100 Front Door	DLH-200 Rear Door	DLH-500 Exterior Mirror	DLH-600 Weatherstrips and Seals
			

Door, Front Shell and Hinges Figure DLH-108



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	5003 224AD	1	D						Right
	5003 225AD	1	D						Left
	5003 226AG	1	C, Y						Right
	5003 227AG	1	C, Y						Left
2									PANEL, Door Outer
	4574 230AD	1	D						Right
	4574 231AD	1	D						Left
	4574 272AC	1	C, Y						Right
	4574 273AC	1	C, Y						Left
3									WATERSHIELD, Front Door
	4780 148AE	1							Right
	4780 149AE	1							Left
4	6505 762AA	4							STUD, M8-1.25x52
5	6505 567AA	8							NUT, Flange
6									HINGE, Front Door Upper
	4574 274AB	1							Right
	4574 275AB	1							Left
7									HINGE, Front Door Lower
	4574 300AB	1							Right
	4574 301AB	1							Left
8	6505 546AA	6							SCREW AND WASHER, Hex Head, M8x1.25x30
-9	6505 530AA-	8							SCREW, Hex Flange Head, Hinge to Body
10									CHECK STRAP, Front Door
	4574 332AH	1							Right
	4574 333AH	1							Left
-11	4780 506AC-	2							SEAL, A-Pillar, Check Strap
12	6101 736	2							NUT AND WASHER, Hex, M6x1
13	6504 055	4							SCREW, Hex Head, M6x1x16
14									PROTECTOR KIT, Door Edge, Front, (NOT SERVICED) (Not Serviced)
15									WEATHERSTRIP, Front Door
									Opening
	4574 336	1							Right
	4574 337	1							Left
-16	4780 529AA-	2							TAPE, Access Hole

98Q093 105

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Exterior Handle and Links

Figure DLH-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HANDLE, Front Door Exterior,
									Includes pink Clip
	LF02 DX8AD	1							[X8], Right
	LF03 DX8AD	1							[X8], Left
	LF02 SW1AD	1							[W1], Right
	LF03 SW1AD	1							[W1], Left
	LF02 VLBAD	1							[LB], Right
	LF03 VLBAD	1							[LB], Left
	LF02 WELAD	1							[EL], Right
	LF03 WELAD	1							[EL], Left
	LF02 WS2AD	1							[S2], Right
	LF03 WS2AD	1							[S2], Left
	LF02 XBQAD	1							[BQ], Right
	LF03 XBQAD	1							[BQ], Left
	LF02 XRVAD	1							[RV], Right
	LF03 XRVAD	1							[RV], Left
	LF02 YBWAD	1							[BW], Right
	LF03 YBWAD	1							[BW], Left
	LF02 YJRAD	1							[JR], Right
	LF03 YJRAD	1							[JR], Left
	LF02 ZKJAD	1							[KJ], Right
	LF03 ZKJAD	1							[KJ], Left
	LF02 ZDRAD	1							[DR], Right
	LF03 ZDRAD	1							[DR], Left
2									LINK, Outside Handle To Latch,
									Front Door
	4574 152	1							Right
	4574 153	1							Left
3									LINK, Key Cylinder To Latch
	4574 154	1							Right
	4574 155	1							Left
4	6505 533AA	4							SCREW, Hex Flange Head Tapping, M4.8 x 1.59 x 14.00, Handle
5									Attaching KNOB AND LINK, Door Latch
	LE98 WL8AF	1							[L5,L2], Right
	LE99 WL8AF	1							[L5,L2], Left
	LE98 XDVAF	1							[DV], Right
	LE99 XDVAF	1							[DV], Left
	LE98 XTMAF	1							[T5], Right
	LE99 XTMAF	1							[T5], Left
-6	4658 674	AR							CLIP, Latch Link

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Exterior Handle and Links

Figure DLH-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7									BEZEL, Lock Knob
	PP03 WL8AB	1							[L5,L2]
	PP03 XDVAB	1							[DV]
	PP03 XTMAAB	1							[T5]
	PP03 YBPAB	1							[BP]
8									LATCH, Front Door
	4574 150AD	1							Right
	4574 151AD	1							Left
9									LINK, Inside Handle To Latch, Front
									Door
	4574 140	1	D						Right
	4574 141	1	D						Left
	4574 140	1	C	H, M					Right
	4574 141	1	C	H, M					Left
	4574 136	1	C	P					Right
	4574 137	1	C	P					Left
	4574 136	1	Y						Right
	4574 137	1	Y						Left
10	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch Attaching


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Glass and Regulators Figure DLH-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS AND LIFTPLATE, Front Door
	4780 230AG	1							Solar
	4780 231AG	1							Right
	4780 231AG	1							Left
2	4878 907AB	2							LIFT PLATE, Door Glass, Also serviced in Glass Assembly
3									MOLDING, Front Door
	4805 524AL	1	C	P					Chrome, Right
	4805 525AL	1	C	P					Chrome, Left
	4805 524AL	1	C	H					Chrome, Right
	4805 525AL	1	C	H					Chrome, Left
	4805 524AL	1	Y	S					Chrome, Right
	4805 525AL	1	Y	S					Chrome, Left
	4805 524AL	1	Y	X					Chrome, Right
	4805 525AL	1	Y	X					Chrome, Left
	4805 638AE	1	D						Black, Right
	4805 639AE	1	D						Black, Left
	4805 638AE	1	C	H					Black, Right
	4805 639AE	1	C	H					Black, Left
	4805 638AE	1	C	M					Black, Right
	4805 639AE	1	C	M					Black, Left
4									SCREW, Pan Head Tapping, .164-32x.468, Moulding Attaching (.164-18X.562)
	6036 182AA	3	C	P					
		3	C	H					
		3	Y	S					
		3	Y	X					
		3	D						
		3	C	M					
5	0154 863AA	AR							SCREW, .164-18x.375
6	6036 042AA	14							NUT/SPRING, Snap In, .164-18
7									WEATHERSTRIP, Front Door Glass
	4574 032AJ	1							Right
	4574 033AJ	1							Left
8									CHANNEL, Door Glass
	4780 080AF	1							Right Front
	4780 081AF	1							Left Front
9									CHANNEL, Front Door Glass
	4780 510AF	1							Right Rear
	4780 511AF	1							Left Rear


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Glass and Regulators
Figure DLH-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	6501 728	2							SCREW, Pan Head, M6x1x20, Channel mounting
11	6101 443	4							NUT AND WASHER, Hex, M5x.80, Front Glass Run
12									REGULATOR, Front Door Window
	4574 092AO	1							Right
	4574 093AO	1							Left
13									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left
-14	6504 342	2							NUT, Hex Flange Lock, Glass to Regulator attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Bezels and Speakers
Figure DLH-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Bezels not listed are serviced with Trim Panel.									
Sales Codes:									
[RCE] = SPEAKERS - 9 INFINITY IN 7 LOCATIONS									
[RCG] = SPEAKERS - SIX									
[RCP] = SPEAKERS -11 INFINITY IN 9 LOCATIONS									
1	4760 364AE	1							SPEAKER, Front Door
	4760 650AB	1							[RCD]
	4760 374AB	1							[RCG]
	56038 410AC	1							[RCE]
2	TC52 DX9AB	1	D						[RCE], Woofer
	TC50 DX9AB	1	C	H, M					PLATE, Speaker
		1	C						Right
		1	Y	S					Right
		1	Y	X					Right
	TC51 DX9AB	1							Left
-3	6504 904AA-	3							NUT, Speaker Attaching
4									BRACKET, Speaker, Enclosure,
									Outer
	4628 882AB	1	D						Right
	4628 883AB	1	D						Left
	4628 882AB	1	C	H, M					Right
	4628 883AB	1	C	H, M					Left
5									BEZEL, Power Window Switch
	QB08 WL8AB	1							[L2], Chrome Switches, Right
	QB09 WL8AC	1							[L2], Chrome Switches, Left
	QB08 XDVAB	1							[DV], Chrome Switches, Right
	QB09 XDVAC	1							[DV], Chrome Switches, Left
	QB08 XTMAAB	1							[T5], Chrome Switches, Right
	QB09 XTMAC	1							[T5], Chrome Switches, Left
	PT68 WL8AB	1							[L5], Right
	PT68 XDVAB	1							[DV], Right
	PT68 XTMAAB	1							[T5], Right
-6									BEZEL, Power Mirror Switch
	PP01 WL8AB-	1							[L5]
	PP01 XDVAB-	1							[DV]
	PP01 XTMAAB-	1							[T5]
-7									PLUG, Bezel Trim
	QU33 WL8AA-	1							[L2,L5], Chrome Switches
	QU33 XDVAA-	1							[DV], Chrome Switches
	QU33 XTMAA-	1							[T5], Chrome Switches

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Bezels and Speakers Figure DLH-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TG71 WL5CA-	1							[L5]
	TG71 WL8CA-	1							[L2]
	TG71 XDVCA-	1							[DV]
	TG71 XT5CA-	1							[T5]
8	6032 723	20							SCREW, Self Tapping, M4.2x1. 69x19.05, Panel Attaching
9	PQ28 WL5	1	D						GRILLE, Speaker [L5], Right
	PQ29 WL5	1	D						[L5], Left
	PQ28 XDV	1	D						[DV], Right
	PQ29 XDV	1	D						[DV], Left
	PQ28 XT5	1	D						[T5], Right
	PQ29 XT5	1	D						[T5], Left
	PY44 WL5	1	C	H, M					[L5], Right
	PY45 WL5	1	C	H, M					[L5], Left
	PY44 XDV	1	C	H, M					[DV], Right
	PY45 XDV	1	C	H, M					[DV], Left
	PY44 XT5	1	C	H, M					[T5], Right
	PY45 XT5	1	C	H, M					[T5], Left
	PT98 TL2AB	1	C	P					[L2], Right
	PT99 TL2AB	1	C	P					[L2], Left
	PT98 XDVAB	1	C	P					[DV], Right
	PT99 XDVAB	1	C	P					[DV], Left
	PT98 XT5AB	1	C	P					[T5], Right
	PT99 XT5AB	1	C	P					[T5], Left
	PT98 TL2AB	1	Y						[L2], Right
	PT99 TL2AB	1	Y						[L2], Left
	PT98 XDVAB	1	Y						[DV], Right
	PT99 XDVAB	1	Y						[DV], Left
	PT98 XT5AB	1	Y						[T5], Right
	PT99 XT5AB	1	Y						[T5], Left
10									NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced)
-11									REFLECTOR, Door Trim Panel
	4760 356	1							Right
	4760 357	1							Left
12	TC46 XDVAD	1	D						HOUSING, Speaker
		1	C	H, M					Infinity [DV,L5,T5], Right
	TC44 XDVAD	1	C	P					Infinity [DV,L5,T5], Right
									Infinity [BP,DV,L2,T5], Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Bezels and Speakers Figure DLH-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Y	S					Infinity [BP,DV,L2], Right
	TC44 XTMA	1	Y	S					Infinity [T5,DV,L2], Right
	TC44 XDVA	1	Y	X					Infinity [DV], Right
	TC45 XDVA	1							Infinity [BP,DV,L2,T5,L5], Left
	TC48 XDVA	1	D						6 Speakers [DV,L5], Right
	TC48 XTMA	1	D						6 Speakers [T5], Right
	TC48 XDVA	1	C	H, M					6 Speakers [DV,L5,T5], Right
	TC58 XDVA	1	Y	S					6 Speakers [BP,DV,L2], Right
	TC58 XTMA	1	Y	S					6 Speakers [T5], Right
	TC58 XDVA	1	Y	X					6 Speakers [DV], Right
	TC47 XDVA	1							6 Speakers [DV,L5], Left
	TC47 XTMA	1							6 Speakers [T5], Left
	TC56 DX9A	1	D						4 Speakers, Right
	TC57 DX9A	1	D						4 Speakers, Left
	TC56 DX9A	1	C	H, M					4 Speakers, Right
	TC57 DX9A	1	C	H, M					4 Speakers, Left
-13	0153 816	1							SCREW, Tapping, .164-18x.75
14									COVER, Speaker Opening
	TC56 DX9A	1	D						
		1	C	H, M					
-15	0153 816	1							SCREW, Tapping, .164-18x.75
16	6035 934AA	3							SCREW, Tapping
-17	6505 115AA-	4							NUT, Door Flag Outer Plate Mounting
18									KIT, Door Handle
	5102 836AA	1							Dark Slate, Right
	5102 839AA	1							Dark Slate, Left
	5102 838AA	1							Dark Taupe, Right
	5102 841AA	1							Dark Taupe, Left
	5102 837AA	1							Dark Sandstone, Right
	5102 840AA	1							Dark Sandstone, Left
	5102 847AA	1							Slate - Infinity, Right
	5102 849AA	1							Slate - Infinity, Left
	5102 850AA	1							Dark Sandstone - Infinity, Right
	5102 851AA	1							Dark Sandstone - Infinity, Left
	5102 852AA	1							Dark Taupe - Infinity, Right
	5102 853AA	1							Dark Taupe - Infinity, Left
	5102 863AA	1							Slate/Chrome, Right
	5102 862AA	1							Slate/Chrome, Left
	5102 865AA	1							Sandstone/Chrome, Right
	5102 864AA	1							Sandstone/Chrome, Left
	5102 867AA	1							Taupe/Chrome, Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Bezels and Speakers Figure DLH-130


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Shell and Hinges Figure DLH-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	5003 258AF	1	D						Right
	5003 259AF	1	D						Left
	5003 236AH	1	C, Y						Right
	5003 237AH	1	C, Y						Left
2									PANEL, Door Outer
	4574 362AE	1	D						Right
	4574 363AE	1	D						Left
	4574 364AD	1	C, Y						Right
	4574 365AD	1	C, Y						Left
3									WATERDAM, Rear Door
	4780 152AD	1	D						Right
	4780 153AD	1	D						Left
	4780 248AE	1	C, Y						Right
	4780 249AE	1	C, Y						Left
4									HINGE, Rear Door Upper
	4574 428	1							Right
	4574 429	1							Left
5	6505 546AA	6							SCREW AND WASHER, Hex Head, M8x1.25x30
-6	6505 567AA-	8							NUT, Flange, Hinge
-7	6505 530AA-	8							SCREW, Hex Flange Head
8	6101 736	2							NUT AND WASHER, Hex, M6x1
9	6504 055	2							SCREW, Hex Head, M6x1x16
10									HINGE, Rear Door Lower
	4574 436	1							Right
	4574 437	1							Left
11									WEATHERSTRIP, Rear Door Opening
	4780 158	1	D						Right
	4780 159	1	D						Left
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
12									CHECK STRAP, Rear Door
	4574 412AG	1							Right
	4574 413AG	1							Left
-13	6503 909	4							SCREW, Dryer, M6-1.0x20, Check Attaching
-14	4780 508AD-	2							SEAL, B-Pillar, Check Strap
-15									LABEL, Child Protection Lock, English
	4780 544AA-	1							Right

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Shell and Hinges
Figure DLH-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4780 545AA-	1							Left
-16									LABEL, Child Protection Lock, French
	4780 546AC-	1							Right
	4780 547AC-	1							Left



CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Exterior Handle and Links Figure DLH-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	HANDLE, Rear Door Exterior								
	LF04 DX8AC	1							[X8], Right
	LF05 DX8AC	1							[X8], Left
	LF04 SW1AC	1							[W1], Right
	LF05 SW1AC	1							[W1], Left
	LF04 VLBAC	1							[LB], Right
	LF05 VLBAC	1							[LB], Left
	LF04 WELAC	1							[EL], Right
	LF05 WELAC	1							[EL], Left
	LF04 WS2AC	1							[S2], Right
	LF05 WS2AC	1							[S2], Left
	LF04 XBQAC	1							[BQ], Right
	LF05 XBQAC	1							[BQ], Left
	LF04 XRVAC	1							[RV], Right
	LF05 XRVAC	1							[RV], Left
	LF04 YBWAC	1							[BW], Right
	LF05 YBWAC	1							[BW], Left
	LF04 YJRAC	1							[JR], Right
	LF05 YJRAC	1							[JR], Left
	LF04 ZKJAC	1							[KJ], Right
	LF05 ZKJAC	1							[KJ], Left
	LF04 ZDRAC	1							[DR], Right
	LF05 ZDRAC	1							[DR], Left
2	LINK, Outside Handle To Latch, Rear Door								
	4780 378AB	1	C, Y						Right
	4780 379AB	1	C, Y						Left
	4574 024AC	1	D						Right
	4574 025AC	1	D						Left
3	6505 533AA	4							SCREW, Hex Flange Head Tapping, M4.8 x 1.59 x 14.00
4	KNOB AND LINK, Door Latch								
	LE92 WL8AK	1	D						[L5], Right
	LE93 WL8AK	1	D						[L5], Left
	LE92 XDVAK	1	D						[DV], Right
	LE93 XDVAK	1	D						[DV], Left
	LE92 XTMAK	1	D						[T5], Right
	LE93 XTMAK	1	D						[T5], Left
	LE98 WL8AF	1							[L2,L5], Right
	LE99 WL8AF	1							[L2,L5], Left
	LE98 XDVAF	1							[DV], Right
	LE99 XDVAF	1							[DV], Left

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Exterior Handle and Links Figure DLH-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LE98 XTMAF	1							[T5], Right
	LE99 XTMAF	1							[T5], Left
	SG74 WL8AF	1	C, Y						[L2], Right
	SG74 XDVAF	1	C, Y						[DV], Right
	SG74 XTMAF	1	C, Y						[T5], Right
	SG75 WL8AF	1	C, Y						[L2], Left
	SG75 XDVAF	1	C, Y						[DV], Left
	SG75 XTMAF	1	C, Y						[T5], Left
-5	5056 208AA-	2							CABLE, Door Lock Knob Emergency Release, Police Package
6	PP03 WL8AB	1							BEZEL, Lock Knob [L2,L5]
	PP03 XDVA	1							[DV]
	PP03 XTMA	1							[T5]
	PP03 YBPAB	1							[BP]
7									LINK, Door Lock Control
	4574 984AF	1	D						Right
	4574 985AF	1	D						Left
	4780 370AE	1	C, Y						Right
	4780 371AE	1	C, Y						Left
8	4658 448AC	2							CLIP, Latch
9									LINK, Inside handle To Latch, Rear Door
	4574 012AB	1	D						Right
	4574 013AB	1	D						Left
	4574 008AC	1	C	H, M					Right
	4574 009AC	1	C	H, M					Left
	4574 010AC	1	C	P					Right
	4574 011AC	1	C	P					Left
	4574 010AC	1	Y						Right
	4574 011AC	1	Y						Left
10									LATCH, Rear Door
	4574 022AE	1							Right
	4574 023AE	1							Left
11	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch Attaching
12									BELLCRANK, Outside Door Handle
	5525 6722	1							Right
	5525 6723	1							Left
-13									LABEL, Child Protection Lock, English
	4780 544AA-	1							Right

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Exterior Handle and Links
Figure DLH-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4780 545AA-	1							Left




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Glass and Regulators

Figure DLH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS AND LIFTPLATE, Rear Door
									Solar
	4574 512AH	1	D						Right
	4574 513AH	1	D						Left
	4574 514AF	1	C, Y						Right
	4574 515AF	1	C, Y						Left
2									MOLDING, Rear Door
	4805 530AC	1	D						Black, Right
	4805 531AC	1	D						Black, Left
	4805 528AG	1	C	P					Anodized Aluminum, Right
	4805 529AG	1	C	P					Anodized Aluminum, Left
	4805 528AG	1	C	H					Anodized Aluminum, Right
	4805 529AG	1	C	H					Anodized Aluminum, Left
	4805 528AG	1	Y	S					Anodized Aluminum, Right
	4805 529AG	1	Y	S					Anodized Aluminum, Left
	4805 528AG	1	Y	X					Anodized Aluminum, Right
	4805 529AG	1	Y	X					Anodized Aluminum, Left
	4805 684AD	1	C	H					Satin, Right
	4805 685AD	1	C	H					Satin, Left
	4805 684AD	1	C	M					Satin, Right
	4805 685AD	1	C	M					Satin, Left
3	6036 042AA	12							NUT/SPRING, Snap In, .164-18
4									SCREW, Moulding Attaching (.164-18X.562), (NOT SERVICED) (Not Serviced)
5	0154 863AA	AR							SCREW, .164-18x.375
6									WEATHERSTRIP, Rear Door Flush Glass
	4780 164AG	1	D						Right
	4780 165AG	1	D						Left
	4780 162AI	1	C, Y						Right
	4780 163AI	1	C, Y						Left
7									CHANNEL, Rear Door Glass
	4780 130AJ	1	D						Right
	4780 131AJ	1	D						Left
	4780 132AH	1	C, Y						Right
	4780 133AH	1	C, Y						Left
8									SCREW, (M6X1.00X12.00), (NOT SERVICED) (Not Serviced)
9									CHANNEL, Rear Door Glass
	4780 514AD	1							Right
	4780 515AD	1							Left

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Glass and Regulators

Figure DLH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									SCREW, (M6X1.00X16.00), (NOT SERVICED) (Not Serviced)
11	6101 443	2							NUT AND WASHER, Hex, M5x.80
12									SCREW, (8-18X.375), (NOT SERVICED) (Not Serviced)
13									REGULATOR, Rear Door Window
	4574 100AN	1							Right
	4574 101AN	1							Left
14									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left
-15	4780 546AC-	1							LABEL, Child Protection Lock, French
-16	4780 545AA-	1							LABEL, Child Protection Lock, English

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Rear Bezels
Figure DLH-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Bezels not listed are serviced in Door Trim Panel.


1									BEZEL, Power Window Switch
	PQ42 WL5	1							[L5], Right
	PQ43 WL5	1							[L5], Left
	PQ42 WL8	1							[L2], Right
	PQ43 WL8	1							[L2], Left
	PQ42 XDV	1							[DV], Right
	PQ43 XDV	1							[DV], Left
	PQ42 XTM	1							[T5], Right
	PQ43 XTM	1							[T5], Left
-2									REFLECTOR, Door Trim Panel
	4760 356	1							Right
	4760 357	1							Left
3									PANEL, C Pillar
	PB90 DX9AD	1	C, Y						Right
	PB91 DX9AD	1	C, Y						Left
	PB92 DX9AD	1	D						Right
	PB93 DX9AD	1	D						Left
-4	6035 906	2	C, Y						CLIP, Door Trim, Sail Attaching
-5									GRILLE, Speaker
	QB14 WL8	1							[L2], Right
	QB15 WL8	1							[L2], Left
	QB14 XDV	1							[DV], Right
	QB15 XDV	1							[DV], Left
	QB14 XTM	1							[T5], Right
	QB15 XTM	1							[T5], Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mirror, Exterior
Figure DLH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sales Codes:									
[GTK] = MIRRORS - POWER FOLD-AWAY									
[GTQ] = MIRRORS - PWR HEATED MEMORY FOLD-AWAY									
[GTS] = MIRRORS - POWER HEATED, FOLD-AWAY									
[GU7] = MIRRORS - PWR,HEAT,MEMORY,FOLDING,AUTO DIM									
[GT8] = MIRRORS - POWER									
[GUC] = MIRRORS - POWER, FOLD-AWAY, AUTO DIM									
[GUD] = MIRRORS - PWR,HEAT,MEMORY,FOLDING,AUTO DIM									
[GUE] = MIRRORS - PWR,HEAT,MEMORY,FOLDING,AUTO DIM, EUROPE									
[GUG] = MIRRORS - PWR,HEAT,MEMORY,FOLDING,AUTO DIM, MIDDLE EAST									
[GUP] = MIRRORS - POWER HTD, MEMORY, FOLDAWAY									
1									MIRROR, Outside, Rearview, Electric, Heated
	4574 590AI	1							[GUP,GUD], Up to 11-23-01, Right
	4805 837AA	1							[GUP], Up to 11-23-01, Left
	4805 867AA	1							[GUD], Up to 11-23-01, Left
	4805 944AA	1							[GUP,GUD], After 11-23-01, Molded in Color, Right
	4805 953AA	1							[GUP], After 11-23-01, Molded in Color, Left
	4805 951AA	1							[GUD], After 11-23-01, Molded in Color, Left
	4805 424AI	1							[GTK,GUE], Up to 11-23-01, Molded in Color, Right
	4805 946AB	1							[GTK,GUE], After 11-23-01, Molded in Color, Right
	4805 841AA	1							[GTK,GUE], Up to 11-23-01, Molded in Color, Left
	4805 947AB	1							[GTK,GUE], After 11-23-01, Molded in Color, Left
	UT74 DX8AB	1							[GU7], X8 Paint Code, with Signal Indicator, Right
	UT75 DX8AB	1							[GU7], X8 Paint Code, with Signal Indicator, Left
	UT74 WS2AB	1							[GU7], S2 Paint Code, with Signal Indicator, Right
	UT75 WS2AB	1							[GU7], S2 Paint Code, with Signal Indicator, Left
	UT74 YBWAB	1							[GU7], BW Paint Code, with Signal Indicator, Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mirror, Exterior Figure DLH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UT75 YBWAB	1							[GU7], BW Paint Code, with Signal Indicator, Left
2	5018 306AA	1							GLASS, Mirror Replacement [GUP,GUD,APA,GU7], Right
	5018 467AA	1							[GUP], Left
	5103 259AA	1							[GU7,GUD], Left
3	5093 643AA	1							[GTK,GUE], Right MIRROR, Outside Rearview, Folding, Arabic
	4805 738AI	1							[GTS,GUC,GUG], Up to 11-23-01, Right
	4805 948AA	1							[GTS,GUC,GUG], After 11-23-01, Molded in Color, Right
	4805 869AA	1							[GTS,GUC,GUG], Up to 11-23-01, Left
	4805 949AB	1							[GTS,GUC,GUG], After 11-23-01, Molded in Color, Left
4	5018 297AA	1							GLASS, Mirror Replacement, [GTS, GUC,GUG], Right
5	4574 606AF	1							MIRROR, Outside Rearview [GT8], Right
	4574 607AF	1							[GT8], Left
6	5018 464AA	1							GLASS, Mirror Replacement [GT8], Right
	5018 465AA	1							[GT8], Left
-7	4780 529AA-	2							TAPE, Access Hole
8	6101 952	2							SCREW, Hex Flange Head Tapping, M4.8 x 1.59 x 25.00
9	6101 443	2							NUT AND WASHER, Hex, M5x.80
-10	5066 994AA-	1							FOAM, Mirror Flag Mirror mounting, Right
	5066 995AA-	1							Mirror mounting, Left


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Weatherstrips Front and Rear Door
Figure DLH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Drip Rail
									Secondary
	4780 764AB	1							Right
	4780 765AB	1							Left
-2									SUPPORT, Roof, Drip Rail Seal
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 594	1	C						Right
	4575 595	1	C						Left
	4575 594	1	Y	S					Right
	4575 595	1	Y	S					Left
	4575 594	1	Y	X					Right
	4575 595	1	Y	X					Left
3									WEATHERSTRIP, Front Door Opening, Door Mounted
	4574 336	1							Right
	4574 337	1							Left
4									WEATHERSTRIP, Rear Door Opening, Door Mounted
	4780 158	1	D						Right
	4780 159	1	D						Left
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
5									WEATHERSTRIP, Front Door Opening, Body Mounted
	TE72 TL2AF	1							[L2,D2], Right
	TE73 TL2AF	1							[L2,D2], Left
	TE72 WL5AF	1							[L5], Right
	TE73 WL5AF	1							[L5], Left
	TE72 XT5AF	1							[T5], Right
	TE73 XT5AF	1							[T5], Left
	UP92 XXXAB	1							[BP,DV], Right
	UP93 XXXAB	1							[BP,DV], Left
6									WEATHERSTRIP, Rear Door, Body Mounted
	TE68 TL2AH	1							[L2,D2], Right
	TE69 TL2AH	1							[L2,D2], Left
	TE68 WL5AH	1							[L5], Right
	TE69 WL5AH	1							[L5], Left
	TE68 XT5AH	1							[T5], Right
	TE69 XT5AH	1							[T5], Left
	UP90 XXXAB	1							[BP,DV], Right


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Weatherstrips Front and Rear Door
Figure DLH-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UP91 XXXAB	1							[BP,DV], Left
7									WEATHERSTRIP, Door Bottom Cladding
	4780 096AB	1							Right
	4780 097AB	1							Left



CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – ELH

Exterior Ornamentation

GROUP ELH - Exterior Ornamentation

Illustration Title Group-Fig. No.


Nameplates


Nameplates and Medallions Fig. ELH-110

Moldings and Ornamentation


Moldings Fig. ELH-210

Cladding Fig. ELH-220



<div>ELH-100</div> <div>Nameplates</div> <div>CHRYSLER</div> <div>DODGE</div>	<div>ELH-200</div> <div>Moldings and Ornamentation</div> <div></div>		
---	---	--	--

Nameplates and Medallions
Figure ELH-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NAMEPLATE, Deck Lid, Chrysler
	4805 105	1	Y						Chrome [MV9]
	4805 184AA	1	D						Chrome [MV9]
2	4805 065AB	1	C	P					EMBLEM, Decklid, Winged Victory
3	4805 281AB	1							NAMEPLATE, Decklid, Concorde,
									Chrome
4									NAMEPLATE, Concorde LXI
	4805 879AA	1							[MZ5]
	4805 308AB	1							[MVZ], Silver
5	4805 878AA	2							NAMEPLATE, Concorde LX, [MZ4]
6	4805 064	2	C	P					NAMEPLATE, LHS
7	KS76 SZ1	1	D						NAMEPLATE, Medallion, Ram Head,
									Chrome
8	5288 694AB	1	D						NAMEPLATE, Chrysler, Gold
9	5288 946AC	1							NAMEPLATE, Deck Lid, Dodge
10	4805 182AA	1							NAMEPLATE, Decklid, Intrepid
-11	4805 632AA-	1							NAMEPLATE, 3.5L Magnum, Decklid
12	4805 957AA	2							NAMEPLATE, R/T, Front Door
13	4805 060	2							NAMEPLATE, Chrysler, Chrome
14	4805 183AB	1							NAMEPLATE, ES
15									MEDALLION, Fender, 300
	4805 287AC	1							[MG2]
	4805 762AA	2							[MW2]
16	4805 286AC	1							MEDALLION, Deck Lid, 300, [MG3]
17	4805 747AA	1							MEDALLION, 300 [MW3]
18	4805 880AA	2							NAMEPLATE, Concorde Limited
-19	4806 063AA-	1							NAMEPLATE, SXT
20	4805 648AB	1							NAMEPLATE, SE
-21	4806 082AA-	2							NAMEPLATE, Pro Am

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = 3.5L HO V6 MPI 24V	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mouldings Figure ELH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Rear Door
	PT20 DX8	2	C						[K5X,K8X]
		2	Y						[K5X,K8X]
	PT20 SW1	2	C						[K5W,K8W]
		2	Y						[K5W,K8W]
	PT20 WEL	2	C						[K5R,K8R]
		2	Y						[K5R,K8R]
	PT20 WS2	2	C						[K5S,K8S]
		2	Y						[K5S,K8S]
	PT20 XBQ	2	C						[K5B,K8B]
		2	Y						[K5B,K8B]
	PT20 XRV	2	C						[K5A,K8A]
		2	Y						[K5A,K8A]
	PT20 YBW	2	C						[K5U,K8U]
		2	Y						[K5U,K8U]
	PT20 YJR	2	C						[K5E,K8E]
		2	Y						[K5E,K8E]
	PT20 ZKJ	2	C						[K5M,K8M]
		2	Y						[K5M,K8M]
	PT20 VLB	2	C						[K5N,K8N]
		2	Y			S			[K5N,K8N]
	PT20 ZDR	2	C						[K5F,K8F]
		2	Y			S			[K5F,K8F]
	LG48 DX8	2	D						[K2X,K7X]
	LG48 SW1	2	D						[K2W,K7W]
	LG48 VLB	2	D						[K2N,K7N]
	LG48 WEL	2	D						[K2R,K7R]
	LG48 WS2	2	D						[K2S,K7S]
	LG48 XBQ	2	D						[K2B,K7B]
	LG48 XRV	2	D						[K2A,K7A]
	LG48 YBW	2	D						[K2U,K7U]
	LG48 YJR	2	D						[K2E,K7E]
	LG48 ZKJ	2	D						[K2M,K7M]
	LG48 ZDR	2	D						[K2F,K7F]
2									MOLDING, Rear Door, DLO
	4805 530AC	1	D						Black, Right
	4805 531AC	1	D						Black, Left
	4805 528AE	1	Y						Chrome, Right
	4805 529AE	1	Y						Chrome, Left
	4805 528AE	1	C		P				Chrome, Right
	4805 529AE	1	C		P				Chrome, Left


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mouldings Figure ELH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4805 528AE	1	C	H					Chrome - EXPORT, Right
	4805 529AE	1	C	H					Chrome - EXPORT, Left
	4805 684AD	1	C	H					Black, Right
	4805 685AD	1	C	H					Black, Left
	4805 684AD	1	C	M					Black, Right
	4805 685AD	1	C	M					Black, Left
3									MOLDING, Front Door
	PT10 DX8	2	C						[K5X,K8X]
		2	Y	S					[K5X,K8X]
	PT10 SW1	2	Y	X					[K5X,K8X]
		2	C						[K5W,K8W]
		2	Y	S					[K5W,K8W]
	PT10 VLB	2	C						[K5N,K8N]
		2	Y	S					[K5N,K8N]
	PT10 WEL	2	C						[K5R,K8R]
		2	Y	S					[K5R,K8R]
	PT10 WS2	2	C						[K5S,K8S]
		2	Y	S					[K5S,K8S]
		2	Y	X					[K5S,K8S]
	PT10 XBQ	2	C						[K5B,K8B]
		2	Y	S					[K5B,K8B]
	PT10 XRV	2	C						[K5A,K8A]
		2	Y	S					[K5A,K8A]
	PT10 YBW	2	C						[K5U,K8U]
		2	Y	S					[K5U,K8U]
		2	Y	X					[K5U,K8U]
	PT10 YJR	2	C						[K5E,K8E]
		2	Y	S					[K5E,K8E]
	PT10 ZKJ	2	C						[K5M,K8M]
		2	Y	S					[K5M,K8M]
	PT10 ZDR	2	C						[K5F,K8F]
		2	Y	S					[K5F,K8F]
	LG34 DX8	2	D						[K2X,K7X]
	LG34 SW1	2	D						[K2W,K7W]
	LG34 VLB	2	D						[K2N,K7N]
	LG34 WEL	2	D						[K2R,K7R]
	LG34 WS2	2	D						[K2S,K7S]
	LG34 XBQ	2	D						[K2B,K7B]
	LG34 XRV	2	D						[K2A,K7A]
	LG34 YBW	2	D						[K2U,K7U]
	LG34 YJR	2	D						[K2E,K7E]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mouldings Figure ELH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LG34 ZKJ	2	D						[K2M,K7M]
4	4805 524AK	1	C	H					MOLDING, Front Door, DLO
	4805 525AK	1	C	H					Anodized Aluminum, Right
	4805 524AK	1	C	P					Anodized Aluminum, Left
	4805 525AK	1	C	P					Anodized Aluminum, Right
	4805 524AK	1	Y	S					Anodized Aluminum, Left
	4805 525AK	1	Y	S					Anodized Aluminum, Right
	4805 524AK	1	Y	X					Anodized Aluminum, Left
	4805 525AK	1	Y	X					Anodized Aluminum, Right
	4805 638AD	1	D						Black, Right
	4805 639AD	1	D						Black, Left
	4805 638AD	1	C	H					Black, Right
	4805 639AD	1	C	H					Black, Left
	4805 638AD	1	C	M					Black, Right
	4805 639AD	1	C	M					Black, Left
5									MOLDING, A-PILLAR
	4805 686AA	1							Right
	4805 687AA	1							Left
-6	0153 732	8							SCREW, .164-15x.500, A-Pillar Moulding attaching
7	4574 592AD	1							MOLDING, Windshield Reveal
8									MOLDING, A-PILLAR
	4805 686AA	1							Right
	4805 687AA	1							Left
9	0154 228	AR							SCREW, Tapping, .19-16x.625, A Pillar Moulding attaching
10	4805 701AA	1	C						MOLDING, Hood
11									APPLIQUE, Front Door
	UT68 XS9AA	1							[K1H], Right,Lower
	UT69 XS9AA	1							[K1H], Left,Lower
12									APPLIQUE, Rear Door
	UT66 XS9AA	1							[K1H], Right,Lower
	UT67 XS9AA	1							[K1H], Left,Lower


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cladding Figure ELH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6501 559	6							RIVET, .25x.50
2									CLADDING, Quarter Panel
	5018 738AA	1	D						[K20] Paint as required, Right
	5018 739AA	1	D						[K20] Paint as required, Left
	5018 724AA	1	Y	S					[K30] Paint as required, Right
	5018 725AA	1	Y	S					[K30] Paint as required, Left
	UT58 1BWAB	1	Y	X					[K3U], Right
	UT59 1BWAA	1	Y	X					[K3U], Left
	UT58 1S2AB	1	Y	X					[K3S], Right
	UT59 1S2AA	1	Y	X					[K3S], Left
	UT58 1X8AB	1	Y	X					[K3X], Right
	UT59 1X8AA	1	Y	X					[K3X], Left
	UT58 1DRAB	1	Y	X					[K3F], Right
	UT59 1DRAB	1	Y	X					[K3F], Left
	5018 730AA	1	C						[K50], Right
	5018 731AA	1	C						[K50], Left
3									CLADDING, Fender
	5018 736AA	1	D						[K20] Paint as required, Right
	5018 737AA	1	D						[K20] Paint as required, Left
	5018 722AA	1	Y	S					[K30] Paint as required, Right
	5018 723AA	1	Y	S					[K30] Paint as required, Left
	UT56 1BWAA	1	Y	X					[K3U], Right
	UT57 1BWAA	1	Y	X					[K3U], Left
	UT56 1S2AA	1	Y	X					[K3S], Right
	UT57 1S2AA	1	Y	X					[K3S], Left
	UT56 1X8AA	1	Y	X					[K3X], Right
	UT57 1X8AA	1	Y	X					[K3X], Left
	UT56 1DRAC	1	Y	X					[K3F], Right
	UT57 1DRAC	1	Y	X					[K3F], Left
	5018 728AA	1	C						[K50], Right
	5018 729AA	1	C						[K50], Left
4	6036 070AA	2							SCREW AND WASHER, Round Head, .164-18x.625
-5	5011 076AB-	1	D						RETAINER, Side Cladding, M33.5 x 14.5, White
-6	5011 077AB-	1	D						RETAINER, Side Cladding, M35 x 8.33, Black

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	









AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – ILH

Interior Trim



ILH-100 Headliner and Visor 	ILH-200 Moldings, Scuff Plates 	ILH-300 Carpet 	ILH-400 Door Trim Panels 
ILH-500 Front Seats and Attaching Parts 	ILH-600 Rear Seats- Folding and Quad 	ILH-700 Seat Belts-Front and Rear 	ILH-800 Adjusters, Covers, Shields, and Risers 

GROUP ILH - Interior Trim

Illustration Title

Group-Fig. No.

Headliner and Visor

Headliner, Visors, Assist Straps And Shelf Panel Fig. ILH-110

Moldings, Scuff Plates

Cowl Panel, Footrest, Dash Silencer Fig. ILH-210

Scuff Plates - Front And Rear Fig. ILH-215

Molding - A and B Pillar Fig. ILH-220

Panel, Quarter Trim - Upper And Lower Fig. ILH-225

Carpet

Carpet And Floor Mats Fig. ILH-310

Carpet Luggage Compartment Fig. ILH-315

Silencers Fig. ILH-320

Door Trim Panels

Door Panels - Front Fig. ILH-410

Door Panels - Rear Fig. ILH-420

Front Seats and Attaching Parts

Seat Front - Trim Code B7 Fig. ILH-510

Seat Front - Trim Code BF Fig. ILH-515

Seat Front - Trim Code CL, R5 Fig. ILH-520

Seat Front - Trim Code Q5 Fig. ILH-525

Seat Front - Trim Code NL Fig. ILH-530

Seat Front - Trim Code ML Fig. ILH-535

Seat Front - Trim Code MP Fig. ILH-540

Seat Front - Trim Code QF Fig. ILH-545

Seat Front - Trim Code TL Fig. ILH-550

Seat Front - Trim Code Z5 Fig. ILH-555

Seat Front - Trim Code SL Fig. ILH-560

Seat Front - Trim Code UL Fig. ILH-565

Seat Front - Trim Code C8 ,X5 Police Car Fig. ILH-570

Seat Front - Trim Code AL, DL Fig. ILH-575

Rear Seats- Folding and Quad

Seat Rear - Trim Code B7 Fig. ILH-610

Seat Rear - Trim Code BF Fig. ILH-615

Seat Rear - Trim Code CL, R5 Fig. ILH-620

Seat Rear - Trim Code Q5 Fig. ILH-625

Seat Rear - Trim Code NL Fig. ILH-630

Seat Rear - Trim Code ML Fig. ILH-635

Seat Rear - Trim Code MP Fig. ILH-640

Seat Rear - Trim Code QF Fig. ILH-645

Seat Rear - Trim Code TL Fig. ILH-650

GROUP ILH - Interior Trim	
Illustration Title	Group-Fig. No.
Rear Seats- Folding and Quad (Continued)	
Seat Rear - Trim Code Z5	Fig. ILH-655
Seat Rear - Trim Code SL	Fig. ILH-660
Seat Rear - Trim Code UL	Fig. ILH-665
Seat Rear - Trim Code C8, X5	Fig. ILH-670
Seat Rear - Trim Code AL	Fig. ILH-675
Seat Rear - Trim Code DL	Fig. ILH-680
Seat Belts-Front and Rear	
Seat Belts - Front	Fig. ILH-710
Seat Belts - Rear	Fig. ILH-720
Adjusters, Covers, Shields, and Risers	
Seats Attaching Parts Manual Seat	Fig. ILH-810
Seats Attaching Parts Power Seat	Fig. ILH-815
Seats Attaching Parts	Fig. ILH-820




Headliner, Visors, Assist Straps And Shelf Panel
Figure ILH-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADLINER
	TJ04 TL2AD	1	D					O0	Beige, With Garage Door Opener, Without Sunroof
	TJ08 TL2AC	1	D					O0	Beige, With Garage Door Opener, With Sunroof
	TJ20 TL2AD	1	D					O0	Beige, (Base Model) With Sunroof
	TJ09 TL2AC	1	Y	S				O0	Beige, With Garage Door Opener, Without Sunroof
		1	Y	X				O0	Beige, With Garage Door Opener, Without Sunroof
	TJ10 TL2AC	1	Y	S				O0	Beige, With Garage Door Opener, With Sunroof
		1	Y	X				O0	Beige, With Garage Door Opener, With Sunroof
	TJ12 TL2AC	1	C	M				O0	Beige, With Garage Door Opener, Without Sunroof
		1	C	H				O0	Beige, With Garage Door Opener, Without Sunroof
		1	C	P				O0	Beige, With Garage Door Opener, Without Sunroof
	TJ14 TL2AC	1	C	M				O0	Beige, With Garage Door Opener, With Sunroof
		1	C	H				O0	Beige, With Garage Door Opener, With Sunroof
		1	C	P				O0	Beige, With Garage Door Opener, With Sunroof
	TJ13 TL2AC	1	C	H				O0	Beige, With Garage Door Opener, Without Sunroof (Premium)
	TJ03 TL2AE	1	D					O0	Beige, (Base Model)
	TJ21 TL2AC	1	C	H				O0	Base, with Sunroof
2									VISOR
	TH96 TL2AB	1	D					O0	Beige, With or Without Sunroof, Right
	TH97 TL2AB	1	D					O0	Beige, With or Without Sunroof, Left
	TH98 TL2AA	1	Y					O0	Beige, Illuminated Visor, Right
		1	C	P				O0	Beige, Illuminated Visor, Right
	TH99 TL2AA	1	Y					O0	Beige, Illuminated Visor, Left
		1	C	P				O0	Beige, Illuminated Visor, Left
	TJ00 TL2AA	1	C	H				O0	Beige, With Garage Door Opener, With or Without Sunroof, Right

CONCORDE-INTREPID-300M (LH)								
SERIES	LINE		BODY	ENGINE		TRANSMISSION		
P = Premium	H = Chrysler		41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC		DGX = 4 Speed Automatic		
S = Special	Intrepid			EGG = 3.5L HO V6 MPI 24V		DG0 = All Automatic Transm		
H = High Line	D = Dodge Intrepid			EGJ = 3.5L V6 SOHC 24V				
M = LXI	C = Concorde			EGK = 3.5L HO V6 MPI 24V				
X = R/T	Y = 300M			EGC = ÎMAGNUMÖ 3.5L V6				

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Headliner, Visors, Assist Straps And Shelf Panel
Figure ILH-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D					O0	Beige, With Garage Door Opener, With or Without Sunroof, Right
		1	C	M				O0	Beige, With Garage Door Opener, With or Without Sunroof, Right
	TJ01 TL2AA	1	C	H				O0	Beige, With Garage Door Opener, With or Without Sunroof, Left
		1	D					O0	Beige, With Garage Door Opener, With or Without Sunroof, Left
		1	C	M				O0	Beige, With Garage Door Opener, With or Without Sunroof, Left
-3	5013 812AA-	1	D					O0	RETAINER, Visor Black Piece That Clip Goes Into The Headliner
		1	Y	S				O0	Black Piece That Clip Goes Into The Headliner
		1	Y	X				O0	Black Piece That Clip Goes Into The Headliner
		1	C	H				O0	Black Piece That Clip Goes Into The Headliner
		1	C	M				O0	Black Piece That Clip Goes Into The Headliner
		1	C	P				O0	Black Piece That Clip Goes Into The Headliner
4								O0	PANEL, Shelf
	TJ05 WL8BC	1	D					O0	[L5], Includes Teather and Covers
	TJ05 XDVBC	1	D					O0	[DV], Includes Teather and Covers
	TJ05 XT MBC	1	D					O0	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	C					O0	[L5], Includes Teather and Covers
	TJ06 XDVBC	1	C					O0	[DV], Includes Teather and Covers
	TJ06 XT MBC	1	C					O0	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	C					O0	[L2], Includes Teather and Covers
	TJ07 WL8BC	1	Y	S				O0	[L2], Includes Teather and Covers
		1	Y	X				O0	[L2], Includes Teather and Covers
	TJ07 XDVBC	1	Y	S				O0	[DV], Includes Teather and Covers
		1	Y	X				O0	[DV], Includes Teather and Covers
	TJ07 XT MBC	1	Y	S				O0	[T5], Includes Teather and Covers
		1	Y	X				O0	[T5], Includes Teather and Covers
-5								O0	COVER, Anchor
	TA52 XDVA A-	3						O0	[DV], Cover Only
	TA52 WL8AA-	3						O0	[L5], Cover Only
	TA52 XTMA A-	3						O0	[T5], Cover Only
6									SILENCER, Shelf Extension

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Headliner, Visors, Assist Straps And Shelf Panel
Figure ILH-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4628 854AC	1	C	P					
	4628 856AC	1	Y						
	4628 854AC	1	C	H, M					
7	4628 855AB	1	D						SILENCER, Rear Shelf
8	6501 925	1							PIN, Splash Shield, Shelf Panel
-9									HANDLE
	QB26 TL2AB-	1	Y					O0	Beige, Right
		1	C	H				O0	Beige, Right
		1	C	P				O0	Beige, Right
	QB26 TL2AC-	1	C	M				O0	Beige, Right
	QB27 TL2AB-	1	D					O0	Beige, Right
		1	Y					O0	Beige, Left
		1	C	H				O0	Beige, Left
		1	C	P				O0	Beige, Left
		1	C	M				O0	Beige, Left
	QB27 TL2AC-	1	D					O0	Beige, Left
10									RETAINER PACKAGE, Headliner, Serviced With Headliner Only, (NOT SERVICED) (Not Serviced)
11									RETAINER, Assist Handle, (NOT REQUIRED)
-12									HANDLE, Roof Grab
	HR71 1L2	1	Y	X				O0	Beige, Front
		1	Y	S				O0	Beige, Front
		1	C	P				O0	Beige, Front
	QB24 TL2	1	D					O0	Beige, Front
-13									TETHER, Child Seat, Serviced With Rear Shelf Panel, (NOT SERVICED) (Not Serviced)
-14	4754 806	1							BRACKET, Flare (RHD Japan)
-15	6034 645	1							RIVET, .25 Grip-.06-.25, Bracket attaching
16	4728 575	1	D					O0	CLIP, Roll Top
-17	0152 490	AR							NUT, Spring, .16-18, Grab Handle mounting
18									CLIP, Visor
	MH08 TL2	1	Y					O0	
		1	C	H				O0	
		1	C	P				O0	
		1	D					O0	
-19									MAGNET, Headliner

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Headliner, Visors, Assist Straps And Shelf Panel
Figure ILH-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5134 211AA-	1	D					O0	
		1	Y					O0	
		1	C	H				O0	
		1	C	M				O0	
-20									CLIP, Headliner
	5127 332AA-	1	D					O0	
		1	Y					O0	
		1	C	H				O0	
		1	C	M				O0	




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl Panel, Footrest, Dash Silencer Figure ILH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side Trim
	LK74 TL2AD	1						O0	[L2], Right
	LK74 WL5AD	1						O0	[L5], Right
	LK74 XDVAD	1						O0	[DV], Right
	LK74 XT5AD	1						O0	[T5], Right
	LK75 TL2AC	1						O0	[L2], Left
	LK75 WL5AC	1						O0	[L5], Left
	LK75 XDVAC	1						O0	[DV], Left
	LK75 XT5AC	1						O0	[T5], Left
2									SCREW, SCREW, (.190-16x2.00), (NOT SERVICED) (Not Serviced)
3	6033 581	1							SCREW, Hex Flange Head, .25-14x. 875, Foot Rest Attaching
4	4628 567AB	1							SUPPORT, Footrest
5	4698 441AB	1							SILENCER, Cowl Side
6									STUD, Tapping - Dashliner Attaching (M6x1.00/.250-14x51.50), (NOT SERVICED) (Not Serviced)
-7	6030 441	4							PIN, Retainer, Dash Cowl Silencer


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Scuff Plates - Front And Rear Figure ILH-215


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Molding - A and B Pillar
Figure ILH-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Windshield
	LK48 TL2AH	1						O0	[L2] [L5] [D2] [DV], Right
	LK48 XT5AH	1						O0	[T5], Right
	LK49 TL2AI	1						O0	[L2] [L5] [D2] [DV], Left
	LK49 XT5AI	1						O0	[T5], Left
2									COVER, B Pillar Trim Panel
	LK52 TL2AE	1						O0	[L2] [L5] [D2] [DV], Right,Upper
	LK52 XT5AE	1						O0	[T5], Right,Upper
	LK53 TL2AE	1						O0	[L2] [L5] [D2] [DV], Left,Upper
	LK53 XT5AE	1						O0	[T5], Left,Upper
3									COVER, B Pillar Trim Panel
	LK54 TL2AC	1						O0	[L2], Right
	LK54 WL5AC	1						O0	[L5], Right
	LK54 XDVAC	1						O0	[DV], Right
	LK54 XT5AC	1						O0	[T5], Right
	LK55 TL2AC	1						O0	[L2], Left
	LK55 WL5AC	1						O0	[L5], Left
	LK55 XDVAC	1						O0	[DV], Left
	LK55 XT5AC	1						O0	[T5], Left
4	6504 563	2						O0	CLIP, Molding, Fastens Item 1, 2 and 3
5									COVER, B Pillar Trim Panel
	FF08 TL2	1						O0	[L2], Right
	FF08 WL5	1						O0	[L5], Right
	FF08 XDV	1						O0	[DV], Right
	FF08 XT5	1						O0	[T5], Right
	FF09 TL2	1						O0	[L2], Left
	FF09 WL5	1						O0	[L5], Left
	FF09 XDV	1						O0	[DV], Left
	FF09 XT5	1						O0	[T5], Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Panel, Quarter Trim - Upper And Lower Figure ILH-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	LL90 TL2AE	1	C					O0	[BP], Right
		1	C					O0	[DV], Right
		1	C					O0	[L2], Right
		1	C					O0	[L5], Right
	LL90 XT5AE	1	C					O0	[T5], Right
	LL91 TL2AE	1	C					O0	[BP], Left
		1	C					O0	[DV], Left
		1	C					O0	[L2], Left
		1	C					O0	[L5], Left
	LL91 XT5AE	1	C					O0	[T5], Left
	LL94 TL2AD	1	Y					O0	[BP], Right
		1	Y					O0	[DV], Right
		1	Y					O0	[L2], Right
	LL94 XT5AD	1	Y					O0	[T5], Right
	LL95 TL2AD	1	Y					O0	[BP], Left
		1	Y					O0	[DV], Left
		1	Y					O0	[L2], Left
	LL95 XT5AD	1	Y					O0	[T5], Left
	LL96 TL2AF	1	D					O0	[DV], Right
		1	D					O0	[L5], Right
	LL96 XT5AF	1	D					O0	[T5], Right
	LL97 TL2AF	1	D					O0	[DV], Left
		1	D					O0	[L5], Left
	LL97 XT5AF	1	D					O0	[T5], Left
2									PANEL, Quarter Trim, Lower
	LL92 WL5AC	1	C	H, M				O0	[L5], Right
	LL92 XDVAC	1	C	P				O0	[DV], Right
		1	C	H, M				O0	[DV], Right
	LL92 XT5AC	1	C	P				O0	[T5], Right
		1	C	H, M				O0	[T5], Right
	LL92 TL2AC	1	C	P				O0	[L2], Right
	LL93 WL5AC	1	C	H, M				O0	[L5], Left
	LL93 XDVAC	1	C	P				O0	[DV], Left
		1	C	H, M				O0	[DV], Left
	LL93 XT5AC	1	C	P				O0	[T5], Left
		1	C	H, M				O0	[T5], Left
	LL93 TL2AC	1	C	P				O0	[L2], Left
	LL92 TL2AC	1	Y					O0	[L2], Right
	LL92 XDVAC	1	Y					O0	[DV], Right
	LL92 XT5AC	1	Y					O0	[T5], Right

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Panel, Quarter Trim - Upper And Lower
Figure ILH-225

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LL93 TL2AC	1	Y					O0	[L2], Left
	LL93 XDVAC	1	Y					O0	[DV], Left
	LL93 XT5AC	1	Y					O0	[T5], Left
	LL98 WL5AC	1	D					O0	[L5], Right
	LL98 XDVAC	1	D					O0	[DV], Right
	LL98 XT5AC	1	D					O0	[T5], Right
	LL99 WL5AC	1	D					O0	[L5], Left
	LL99 XDVAC	1	D					O0	[DV], Left
	LL99 XT5AC	1	D					O0	[T5], Left




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Carpet And Floor Mats
 Figure ILH-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Item 1 is CARPET, with Floor Console									
1	SC84 WL8AG	1						O0	CARPET, Floor Console
		1						O0	[L2]
	SC84 XDVAG	1						O0	[L5]
	SC84 XTMAF	1						O0	[DV]
2	SE86 WL8AF	1	C	M				O0	CARPET, Floor
		1	D					O0	[L5]
	SE86 WL8AG	1	C	M				O0	[L5]
	SE86 XDVAF	1	D					O0	[DV]
	SE86 XTMAF	1	D					O0	[DV]
		1	C	H				O0	[T5]
3	WN70 DX9AA	1						O0	MAT, Floor, Vinyl and Pad Assy, [
									Used with police package]
4	8220 6493	1	C, D, Y	H, M, P,	41				MAT KIT, Floor - Front
				S, X					Taupe
	8220 6495	1	C, D, Y	H, M, P,	41				Dark Slate
				S, X					
	8220 6497	1	C, D, Y	H, M, P,	41				Sandstone
				S, X					
5	8220 6494	1	C, D, Y	H, M, P,	41				MAT KIT, Floor - Rear
				S, X					Taupe
	8220 6496	1	C, D, Y	H, M, P,	41				Dark Slate
				S, X					
	8220 6498	1	C, D, Y	H, M, P,	41				Sandstone
				S, X					
-6	4787 219	AR							RETAINER, Floor Carpet or Mat,
									(Hook Portion)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Carpet Luggage Compartment
Figure ILH-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Luggage Compartment
	4628 846AE	1	Y						
	4698 338AC	1	C	H, M					
		1	C	P					
	4698 339AB	1	D						
2	6101 946	2							SCREW, Tapping
3	4759 514AB	2							GROMMET, Trunk Carpet Attaching
-4									GROMMET, Floor Carpet
	4754 324	2	Y						Trunk Carpet Attaching (Tail Lamp
		4	C						Area)
									Trunk Carpet Attaching (Tail Lamp
									Area)
5	6505 360AA	6							PIN, Push, Wheelhouse Area, Carpet
									Attaching
6									COVER, Decklid Interior Trim
	4628 813AF	1	Y	S					
		1	Y	X					
	4698 341AF	1	C						
-7	6505 411AA-	4							PIN, Push
-8	4628 911AA-	2							HOOK, Cargo Net
-9	4787 493AB-	1							NET KIT, Storage
-10									LATCH, Decklid
	4575 361AJ-	1	C						With Emergency Release Handle
	4575 362AJ-	1	D, Y						With Emergency Release Handle
-11	4628 973AA-	1							VINYL, Luggage Compartment,
									Trunk Dress Up

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Silencers
Figure ILH-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 767AD	1							SILENCER, Cowl Plenum Panel
2	4580 622AC	1							Upper SILENCER, Dash Panel-Engine Compartment
3	6504 406	3							SCREW
4									STUD, Dashliner Attaching (M6x1.00/ .250-14x51.50), (NOT SERVICED) (Not Serviced)
5	4698 441AB	1							SILENCER, Cowl Side
6	6501 910	4							RETAINER, Trim Panel, Dash Silencer
7									SILENCER, Wheelhouse Right
	4628 914AA	1							Left
	4628 915AA	1							
8									PIN, Push, M6.35x12.60
	6502 842	10 13	C, Y D						
9									SILENCER, Hood, Inner Panel, (NOT SERVICED) (Not Serviced)
-10									SILENCER, Floor Pan Right Front
	4780 516AB-	1							Left Front
	4780 517AD-	1							
	4780 538AF-	1	C						Rear Shelf

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door Panels - Front
Figure ILH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Front Door Trim, Includes
	TS46 1BPAB	1						NL	Door Handle [BP], With Real Wood [CSY], Right
		1						TL	[BP], With Real Wood [CSY], Right
		1						SL	[BP], With Real Wood [CSY], Right
	TS46 1DVAB	1						NL	[DV], With Real Wood [CSY], Right
		1						TL	[DV], With Real Wood [CSY], Right
		1						SL	[DV], With Real Wood [CSY], Right
		1						Z5	[DV], With Real Wood [CSY], Right
	TS46 1L2AB	1						NL	[L2], With Real Wood [CSY], Right
		1						TL	[L2], With Real Wood [CSY], Right
	TS46 1T5AB	1						NL	[T5], With Real Wood [CSY], Right
		1						TL	[T5], With Real Wood [CSY], Right
		1						SL	[T5], With Real Wood [CSY], Right
		1						Z5	[T5], With Real Wood [CSY], Right
	TS47 1BPAB	1						NL	[BP], With Real Wood [CSY], Left
		1						TL	[BP], With Real Wood [CSY], Left
		1						SL	[BP], With Real Wood [CSY], Left
	TS47 1DVAB	1						NL	[DV], With Real Wood [CSY], Left
		1						TL	[DV], With Real Wood [CSY], Left
		1						SL	[DV], With Real Wood [CSY], Left
		1						Z5	[DV], With Real Wood [CSY], Left
	TS47 1L2AB	1						NL	[L2], With Real Wood [CSY], Left
		1						TL	[L2], With Real Wood [CSY], Left
	TS47 1T5AB	1						NL	[T5], With Real Wood [CSY], Left
		1						TL	[T5], With Real Wood [CSY], Left
		1						SL	[T5], With Real Wood [CSY], Left
	TA14 1DVDB	1						QF	[DV], (Use Up to 6-14-01), Right


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	[DV], (Use Up to 6-14-01), Right
		1						MP	[DV], (Use Up to 6-14-01), Right
		1						Q5	[DV], (Use Up to 6-14-01), Right
	TA14 1L5DB	1						QF	[L5], (Use Up to 6-14-01), Right
		1						ML	[L5], (Use Up to 6-14-01), Right
		1						MP	[L5], (Use Up to 6-14-01), Right
		1						Q5	[L5], (Use Up to 6-14-01), Right
	TA14 1T5DB	1						QF	[T5], (Use Up to 6-14-01), Right
		1						ML	[T5], (Use Up to 6-14-01), Right
		1						MP	[T5], (Use Up to 6-14-01), Right
		1						Q5	[T5], (Use Up to 6-14-01), Right
	TA15 1DVDB	1						QF	[DV], (Use Up to 6-14-01), Left
		1						ML	[DV], (Use Up to 6-14-01), Left
		1						MP	[DV], (Use Up to 6-14-01), Left
		1						Q5	[DV], (Use Up to 6-14-01), Left
	TA15 1L5DB	1						QF	[L5], (Use Up to 6-14-01), Left
		1						ML	[L5], (Use Up to 6-14-01), Left
		1						MP	[L5], (Use Up to 6-14-01), Left
		1						Q5	[L5], (Use Up to 6-14-01), Left
	TA15 1T5DB	1						QF	[T5], (Use Up to 6-14-01), Left
		1						ML	[T5], (Use Up to 6-14-01), Left
		1						MP	[T5], (Use Up to 6-14-01), Left
		1						Q5	[T5], (Use Up to 6-14-01), Left
	WH10 1DVAA	1						UL	[DV], Right
	WH11 1DVAA	1						UL	[DV], Left
	WH10 1D2AA	1						UL	[D2], Right
	WH11 1D2AA	1						UL	[D2], Left
	PR50 1L5DB	1						R5	[L5], Cloth Bolster, Right
	PR50 1T5DB	1						R5	[T5], Cloth Bolster, Right
	PR50 XDVDB	1						R5	[DV], Cloth Bolster, Right
	PR51 1L5DB	1						R5	[L5], Cloth Bolster, Left
	PR51 1T5DB	1						R5	[T5], Cloth Bolster, Left
	PR51 XDVDB	1						R5	[DV], Cloth Bolster, Left
	PV72 1L5DC	1						CL	[L5], Right
	PV72 1T5DC	1						CL	[T5], Right
	PV72 XDVDC	1						CL	[DV], Right
	PV72 1L5DC	1						R5	[L5], Vinyl Bolster, Right
	PV72 1T5DC	1						R5	[T5], Vinyl Bolster, Right
	PV72 XDVDC	1						R5	[DV], Vinyl Bolster, Right
	PV73 1L5DC	1						R5	[L5], Vinyl Bolster, Left
	PV73 1T5DC	1						R5	[T5], Vinyl Bolster, Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PV73 XDVDC	1						R5	[DV], Vinyl Bolster, Left
	PV73 1L5DC	1						CL	[L5], Left
	PV73 1T5DC	1						CL	[T5], Left
	PV73 XDVDC	1						CL	[DV], Left
	PU20 1DVDC	1						NL	[DV], Right
		1						SL	[DV], Right
		1						Z5	[DV], Right
		1						TL	[DV], Right
	PU20 1L2DC	1						NL	[L2], Right
		1						TL	[L2], Right
	PU20 1T5DC	1						NL	[T5], Right
		1						SL	[T5], Right
		1						Z5	[T5], Right
		1						TL	[T5], Right
	PU21 1DVDC	1						NL	[DV], Left
		1						SL	[DV], Left
		1						Z5	[DV], Left
		1						TL	[DV], Left
	PU21 1L2DC	1						NL	[L2], Left
		1						TL	[L2], Left
	PU21 1T5DC	1						NL	[T5], Left
		1						SL	[T5], Left
		1						Z5	[T5], Left
		1						TL	[T5], Left
	WQ70 1L5AA	1						BF	[L5], (Use Between 4-1-01 and 7-1-01), Right
		1						B7	[L5], (Use Between 4-1-01 and 7-1-01), Right
	WQ70 1T5AA	1						BF	[T5], (Use Between 4-1-01 and 7-1-01), Right
		1						B7	[T5], (Use Between 4-1-01 and 7-1-01), Right
	WQ70 XDVAA	1						B7	[DV], (Use Between 4-1-01 and 7-1-01), Right
		1						BF	[DV], (Use Between 4-1-01 and 7-1-01), Right
		1						C8	[DV], (Use Between 4-1-01 and 7-1-01), Right
		1						X5	[DV], (Use Between 4-1-01 and 7-1-01), Right
	WQ71 1L5AA	1						B7	[L5], (Use Between 4-1-01 and 7-1-01), Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						BF	[L5], (Use Between 4-1-01 and 7-1-01), Left
	WQ71 1T5AA	1						BF	[T5], (Use Between 4-1-01 and 7-1-01), Left
		1						B7	[T5], (Use Between 4-1-01 and 7-1-01), Left
	WQ71 XDVA	1						BF	[DV], (Use Between 4-1-01 and 7-1-01), Left
		1						B7	[DV], (Use Between 4-1-01 and 7-1-01), Left
		1						X5	[DV], (Use Up To 4-1-01), Left
		1						C8	[DV], (Use Up To 4-1-01), Left
	TL62 1L5DB	1						BF	[L5], (Use Up To 4-1-01), Right
		1						B7	[L5], (Use Up To 4-1-01), Right
	TL62 1T5DB	1						BF	[T5], (Use Up To 4-1-01), Right
		1						B7	[T5], (Use Up To 4-1-01), Right
	TL62 XDVDB	1						BF	[DV], (Use Up To 4-1-01), Right
		1						B7	[DV], (Use Up To 4-1-01), Right
	TL63 1L5DB	1						BF	[L5], (Use Up To 4-1-01), Left
		1						B7	[L5], (Use Up To 4-1-01), Left
	TL63 1T5DB	1						BF	[T5], (Use Up To 4-1-01), Left
		1						B7	[T5], (Use Up To 4-1-01), Left
	TL63 XDVDB	1						BF	[DV], (Use Up To 4-1-01), Left
		1						B7	[DV], (Use Up To 4-1-01), Left
	WQ70 1L5AB	1						BF	[L5], (Use After 7-1-01), Right
		1						B7	[L5], (Use After 7-1-01), Right
	WQ70 1T5AB	1						BF	[T5], (Use After 7-1-01), Right
		1						B7	[T5], (Use After 7-1-01), Right
	WQ70 XDVAB	1						B7	[DV], (Use After 7-1-01), Right
		1						BF	[DV], (Use After 7-1-01), Right
		1						C8	[DV], (Use After 7-1-01), Right
		1						X5	[DV], (Use After 7-1-01), Right
	WQ71 1L5AB	1						BF	[L5], (Use After 7-1-01), Left
		1						B7	[L5], (Use After 7-1-01), Left
	WQ71 1T5AB	1						BF	[T5], (Use After 7-1-01), Left
		1						B7	[T5], (Use After 7-1-01), Left
	WQ71 XDVAB	1						B7	[DV], (Use After 7-1-01), Left
		1						BF	[DV], (Use After 7-1-01), Left
		1						X5	[DV], (Use After 7-1-01), Left
		1						C8	[DV], (Use After 7-1-01), Left
	TA14 1DVDD	1						QF	[DV], Use After 6-14-01, Right

CONCORDE-INTREPID-300M (LH)			
SERIES	LINE	BODY	ENGINE
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6
		TRANSMISSION	
		DGX = 4 Speed Automatic	
		DG0 = All Automatic Transm	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	[DV], Use After 6-14-01, Right
		1						MP	[DV], Use After 6-14-01, Right
		1						Q5	[DV], Use After 6-14-01, Right
	TA14 1L5DD	1						QF	[L5], Use After 6-14-01, Right
		1						ML	[L5], Use After 6-14-01, Right
		1						MP	[L5], Use After 6-14-01, Right
		1						Q5	[L5], Use After 6-14-01, Right
	TA14 1T5DD	1						QF	[T5], Use After 6-14-01, Right
		1						ML	[T5], Use After 6-14-01, Right
		1						MP	[T5], Use After 6-14-01, Right
		1						Q5	[T5], Use After 6-14-01, Right
	TA15 1DVDD	1						QF	[DV], Use After 6-14-01, Left
		1						ML	[DV], Use After 6-14-01, Left
		1						MP	[DV], Use After 6-14-01, Left
		1						Q5	[DV], Use After 6-14-01, Left
	TA15 1L5DD	1						QF	[L5], Use After 6-14-01, Left
		1						ML	[L5], Use After 6-14-01, Left
		1						MP	[L5], Use After 6-14-01, Left
		1						Q5	[L5], Use After 6-14-01, Left
	TA15 1T5DD	1						QF	[T5], Use After 6-14-01, Left
		1						ML	[T5], Use After 6-14-01, Left
		1						MP	[T5], Use After 6-14-01, Left
		1						Q5	[T5], Use After 6-14-01, Left
	XU40 1ZAAA	1						AL	[DV], With Pro-Am Package, Right
		1						DL	[DV], With Pro-Am Package, Right
	XU41 1ZAAA	1						AL	[DV], With Pro-Am Package, Left
		1						DL	[DV], With Pro-Am Package, Left
2	6032 723	20							SCREW, Self Tapping, M4.2x1. 69x19.05, Door Panel Attaching
3	4628 691AB	2							BRACKET, Door Pull Cup, Support
4	6506 878AA	6							NUT, Snap In
5	6505 534AA	1							FASTENER, Door Trim Panel
								B7	
		1						BF	
		1						CL	
		1						R5	
		1						C8	
		1						X5	
6	6101 786	2							SCREW, Self Tapping, M6x1x15
7									CUP, Door Pull
	PP04 WL5CB	1						Q5	[L5], Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						QF	[L5], Right
		1						ML	[L5], Right
		1						MP	[L5], Right
	PP04 XDVCB	1						Q5	[DV], Right
		1						QF	[DV], Right
		1						ML	[DV], Right
		1						MP	[DV], Right
	PP04 XT5CB	1						Q5	[T5], Right
		1						QF	[T5], Right
		1						ML	[T5], Right
		1						MP	[T5], Right
		1						QF	[L5], Left
	PP05 WL5CB	1						ML	[L5], Left
		1						MP	[L5], Left
		1						Q5	[L5], Left
		1						QF	[DV], Left
	PP05 XDVCB	1						ML	[DV], Left
		1						MP	[DV], Left
		1						Q5	[DV], Left
		1						QF	[T5], Left
	PP05 XT5CB	1						ML	[T5], Left
		1						MP	[T5], Left
		1						Q5	[T5], Left
		1						NL	[L2], Right
	QB22 WL8CB	1						TL	[L2], Right
		1						NL	[DV], Right
		1						SL	[DV], Right
		1						Z5	[DV], Right
		1						TL	[DV], Right
		1						UL	[D2], Right
		1						NL	[T5], Right
	QB22 XTMCB	1						SL	[T5], Right
		1						Z5	[T5], Right
		1						TL	[T5], Right
		1						NL	[L2], Left
		1						TL	[L2], Left
	QB23 WL8CB	1						NL	[DV], Left
		1						SL	[DV], Left
		1						Z5	[DV], Left
		1						TL	[DV], Left
		1						UL	[D2], Left

CONCORDE-INTREPID-300M (LH)			
SERIES	LINE	BODY	ENGINE
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6
		TRANSMISSION	
		DGX = 4 Speed Automatic	
		DG0 = All Automatic Transm	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door Panels - Front
Figure ILH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QB23 XTMCB	1						NL	[T5], Left
		1						SL	[T5], Left
		1						Z5	[T5], Left
		1						TL	[T5], Left
8									WATERSHIELD, Front Door
	4780 148AE	1							Right
	4780 149AE	1							Left
9									CLIP, Door Trim
	6035 906	2	C, Y					O0	
		2	D					O0	
-10	6504 014	AR							FASTENER, Door Trim Panel, [White], Attaching
-11	6503 204	AR							FASTENER, Door Trim Panel, [Green], Attaching
-12									PLUG, Bezel Trim, Pull Cup
	TG71 WL5CA-	1						CL	[L5]
		1						QF	[L5]
		1						ML	[L5]
		1						MP	[L5]
		1						Q5	[L5]
		1						R5	[L5]
		1						BF	[L5]
		1						B7	[L5]
	TG71 WL8CA-	1						NL	[L2]
		1						TL	[L2]
	TG71 XDVCA-	1						CL	[DV]
		1						QF	[DV]
		1						ML	[DV]
		1						MP	[DV]
		1						Q5	[DV]
		1						R5	[DV]
		1						NL	[DV]
		1						SL	[DV]
		1						Z5	[DV]
		1						TL	[DV]
		1						BF	[DV]
		1						B7	[DV]
		1						UL	[DV]
	TG71 XT5CA-	1						CL	[T5]
		1						QF	[T5]
		1						ML	[T5]


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						MP	[T5]
		1						Q5	[T5]
		1						BF	[T5]
		1						B7	[T5]
		1						R5	[T5]
	TG71 XTMCA-	1						SL	[T5]
		1						NL	[T5]
		1						Z5	[T5]
		1						TL	[T5]
-13									NUT, Push
	4698 978AA-	3						NL	
		3						TL	
		3						SL	
		3						Z5	
14	6506 655AA	4							PLUG, Door Trim Panel, Female End
-15									PLUG, Door Trim Panel
	6506 654AA-	2						B7	Male End - Goes With Item 14
		2						BF	Male End - Goes With Item 14
		2						CL	Male End - Goes With Item 14
		2						ML	Male End - Goes With Item 14
		2						MP	Male End - Goes With Item 14
		2						NL	Male End - Goes With Item 14
		2						Q5	Male End - Goes With Item 14
		2						QF	Male End - Goes With Item 14
		2						R5	Male End - Goes With Item 14
		2						SL	Male End - Goes With Item 14
		2						TL	Male End - Goes With Item 14
		2						Z5	Male End - Goes With Item 14
16	6100 275	5							BOLT AND CONED WASHER, Hex
									Head, M6x16x14
17	6035 807	2							NUT, Door Trim
-18									BEZEL, Door Trim Panel
	TS48 AAAAA-	1						NL	Woodgrain, Right
	TS49 AAAAA-	1						NL	Woodgrain, Left
19									KIT, Door Handle
	5102 836AA	1						CL	Dark Slate, Right
		1						R5	Dark Slate, Right
		1						BF	Dark Slate, Right
		1						B7	Dark Slate, Right
		1						X5	Dark Slate, Right
		1						C8	Dark Slate, Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						Y5	Dark Slate, Right
	5102 839AA	1						CL	Dark Slate, Left
		1						R5	Dark Slate, Left
		1						BF	Dark Slate, Left
		1						B7	Dark Slate, Left
		1						X5	Dark Slate, Left
		1						C8	Dark Slate, Left
		1						Y5	Dark Slate, Left
	5102 838AA	1						CL	Dark Taupe, Right
		1						R5	Dark Taupe, Right
		1						BF	Dark Taupe, Right
		1						C8	Dark Taupe, Right
		1						B7	Dark Taupe, Right
		1						X5	Dark Taupe, Right
		1						Y5	Dark Taupe, Right
		1						CL	Dark Taupe, Left
	5102 841AA	1						R5	Dark Taupe, Left
		1						BF	Dark Taupe, Left
		1						B7	Dark Taupe, Left
		1						X5	Dark Taupe, Left
		1						Y5	Dark Taupe, Left
		1						C8	Dark Taupe, Left
		1						C8	Dark Sandstone, Right
	5102 837AA	1						B7	Dark Sandstone, Right
		1						BF	Dark Sandstone, Right
		1						Y5	Dark Sandstone, Right
		1						R5	Dark Sandstone, Right
		1						X5	Dark Sandstone, Right
	5102 840AA	1						CL	Dark Sandstone, Left
		1						R5	Dark Sandstone, Left
		1						BF	Dark Sandstone, Left
		1						B7	Dark Sandstone, Left
		1						X5	Dark Sandstone, Left
		1						C8	Dark Sandstone, Left
		1						NL	Dark Slate, Right
	5102 847AA	1						SL	Dark Slate, Right
		1						Z5	Dark Slate, Right
		1						TL	Dark Slate, Right
		1						UL	Dark Slate, Right
		1						AL	Dark Slate, Right
		1						DL	Dark Slate, Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5102 849AA	1						NL	Dark Slate, Left
		1						SL	Dark Slate, Left
		1						Z5	Dark Slate, Left
		1						TL	Dark Slate, Left
		1						UL	Dark Slate, Left
		1						AL	Dark Slate, Left
		1						DL	Dark Slate, Left
	5102 850AA	1						NL	Dark Sandstone, Right
		1						SL	Dark Sandstone, Right
		1						Z5	Dark Sandstone, Right
		1						TL	Dark Sandstone, Right
	5102 851AA	1						NL	Dark Sandstone, Left
		1						SL	Dark Sandstone, Left
		1						Z5	Dark Sandstone, Left
		1						TL	Dark Sandstone, Left
	5102 852AA	1						NL	Dark Taupe, Right
		1						SL	Dark Taupe, Right
		1						Z5	Dark Taupe, Right
		1						TL	Dark Taupe, Right
	5102 853AA	1						NL	Dark Taupe, Left
		1						SL	Dark Taupe, Left
		1						Z5	Dark Taupe, Left
		1						TL	Dark Taupe, Left
	5102 862AA	1						QF	Dark Slate / Chrome, Left
		1						ML	Dark Slate / Chrome, Left
		1						MP	Dark Slate / Chrome, Left
		1						Q5	Dark Slate / Chrome, Left
	5102 863AA	1						QF	Dark Slate / Chrome, Right
		1						ML	Dark Slate / Chrome, Right
		1						MP	Dark Slate / Chrome, Right
		1						Q5	Dark Slate / Chrome, Right
	5102 864AA	1						QF	Dark Sandstone / Chrome, Left
		1						ML	Dark Sandstone / Chrome, Left
		1						MP	Dark Sandstone / Chrome, Left
		1						Q5	Dark Sandstone / Chrome, Left
	5102 865AA	1						QF	Dark Sandstone / Chrome, Right
		1						ML	Dark Sandstone / Chrome, Right
		1						MP	Dark Sandstone / Chrome, Right
		1						Q5	Dark Sandstone / Chrome, Right
	5102 866AA	1						QF	Dark Taupe / Chrome, Left
		1						ML	Dark Taupe / Chrome, Left


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Front
Figure ILH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						MP	Dark Taupe / Chrome, Left
		1						Q5	Dark Taupe / Chrome, Left
	5102 867AA	1						QF	Dark Taupe / Chrome, Right
		1						ML	Dark Taupe / Chrome, Right
		1						MP	Dark Taupe / Chrome, Right
		1						Q5	Dark Taupe / Chrome, Right



CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Rear
Figure ILH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: RCP = Speakers 11 Infinity In 9 Locations

RCE = Speakers 9 Infinity in 7 Locations


CSY = Wood Trim

1									PANEL, Rear Door Trim
	LR04 1DVDB	1						MP	[DV] (Use Up To 7-1-01 Cloth), Right
		1						ML	[DV] (Use Up To 7-1-01 Cloth), Right
		1						QF	[DV] (Use Up To 7-1-01 Cloth), Right
		1						Q5	[DV] (Use Up To 7-1-01 Cloth), Right
	LR04 1DVDC	1						Q5	[DV] (Use After 7-1-01 Vinyl), Right
		1						QF	[DV] (Use After 7-1-01 Vinyl), Right
		1						ML	[DV] (Use After 7-1-01 Vinyl), Right
		1						MP	[DV] (Use After 7-1-01 Vinyl), Right
	LR04 1L5DB	1						MP	[L5] (Use Up To 7-1-01 Cloth), Right
		1						ML	[L5] (Use Up To 7-1-01 Cloth), Right
		1						QF	[L5] (Use Up To 7-1-01 Cloth), Right
		1						Q5	[L5] (Use Up To 7-1-01 Cloth), Right
	LR04 1L5DC	1						Q5	[L5] (Use After 7-1-01 Vinyl), Right
		1						QF	[L5] (Use After 7-1-01 Vinyl), Right
		1						ML	[L5] (Use After 7-1-01 Vinyl), Right
		1						MP	[L5] (Use After 7-1-01 Vinyl), Right
	LR04 1T5DB	1						MP	[T5] (Use Up To 7-1-01 Cloth), Right
		1						ML	[T5] (Use Up To 7-1-01 Cloth), Right
		1						QF	[T5] (Use Up To 7-1-01 Cloth), Right
		1						Q5	[T5] (Use Up To 7-1-01 Cloth), Right
	LR04 1T5DC	1						Q5	[T5] (Use After 7-1-01 Vinyl), Right
		1						QF	[T5] (Use After 7-1-01 Vinyl), Right
		1						ML	[T5] (Use After 7-1-01 Vinyl), Right
		1						MP	[T5] (Use After 7-1-01 Vinyl), Right
	LR05 1DVDB	1						MP	[DV] (Use Up To 7-1-01 Cloth), Left


CONCORDE-INTREPID-300M (LH)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic	
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm	
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V		
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V		
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Rear Figure ILH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	[DV] (Use Up To 7-1-01 Cloth), Left
		1						QF	[DV] (Use Up To 7-1-01 Cloth), Left
		1						Q5	[DV] (Use Up To 7-1-01 Cloth), Left
	LR05 1DVDC	1						Q5	[DV] (Use After 7-1-01 Vinyl), Left
		1						QF	[DV] (Use After 7-1-01 Vinyl), Left
		1						ML	[DV] (Use After 7-1-01 Vinyl), Left
		1						MP	[DV] (Use After 7-1-01 Vinyl), Left
	LR05 1L5DB	1						MP	[L5] (Use Up To 7-1-01 Cloth), Left
		1						ML	[L5] (Use Up To 7-1-01 Cloth), Left
		1						QF	[L5] (Use Up To 7-1-01 Cloth), Left
		1						Q5	[L5] (Use Up To 7-1-01 Cloth), Left
	LR05 1L5DC	1						Q5	[L5] (Use After 7-1-01 Vinyl), Left
		1						QF	[L5] (Use After 7-1-01 Vinyl), Left
		1						ML	[L5] (Use After 7-1-01 Vinyl), Left
		1						MP	[L5] (Use After 7-1-01 Vinyl), Left
	LR05 1T5DB	1						MP	[T5] (Use Up To 7-1-01 Cloth), Left
		1						ML	[T5] (Use Up To 7-1-01 Cloth), Left
		1						QF	[T5] (Use Up To 7-1-01 Cloth), Left
		1						Q5	[T5] (Use Up To 7-1-01 Cloth), Left
	LR05 1T5DC	1						Q5	[T5] (Use After 7-1-01 Vinyl), Left
		1						QF	[T5] (Use After 7-1-01 Vinyl), Left
		1						ML	[T5] (Use After 7-1-01 Vinyl), Left
		1						MP	[T5] (Use After 7-1-01 Vinyl), Left
	PQ52 2L5DB	1						R5	[L5], (Use Up To7-1-01), Right
	PQ52 2T5DB	1						R5	[T5], (Use Up To7-1-01), Right
	PQ52 XDVDB	1						R5	[DV], (Use Up To7-1-01), Right
	PQ53 2L5DB	1						R5	[L5], (Use Up To7-1-01), Left
	PQ53 2T5DB	1						R5	[T5], (Use Up To7-1-01), Left
	PQ53 XDVDB	1						R5	[DV], (Use Up To7-1-01), Left
	PU90 1DVDB	1						TL	[DV], (Use After 7-1-01), Right
		1						SL	[DV], With [RCE], (Use Up To 7-1-01), Right
		1						Z5	[DV], With [RCE], (Use Up To 7-1-01), Right
		1						NL	[DV], With [RCE], (Use Up To 7-1-01), Right
		1						NL	[DV], With [RCE], (Use After 7-1-01), Right
	PU90 1DVDC	1						NL	[DV], With [RCE], (Use After 7-1-01), Right
		1						Z5	[DV], With [RCE], (Use After 7-1-01), Right
		1						SL	[DV], With [RCE], (Use After 7-1-01), Right

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door Panels - Rear
Figure ILH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						TL	[DV], With [RCE], (Use After 7-1-01), Right
	PU90 1L2DB	1						TL	[L2], With [RCE], (Use Up To 7-1-01), Right
		1						NL	[L2], With [RCE], (Use Up To 7-1-01)
	PU90 1L2DC	1						NL	[L2], With [RCE], (Use After 7-1-01), Right
		1						TL	[L2], With [RCE], (Use After 7-1-01), Right
	PU90 1T5DB	1						TL	[T2], With [RCE], (Use Up To 7-1-01), Right
		1						SL	[T2], With [RCE], (Use Up To 7-1-01), Right
		1						Z5	[T2], With [RCE], (Use Up To 7-1-01), Right
		1						NL	[T2], With [RCE], (Use Up To 7-1-01), Right
	PU90 1T5DC	1						SL	[T5], With [RCE], (Use After 7-1-01), Right
		1						TL	[T5], With [RCE], (Use After 7-1-01), Right
		1						NL	[T5], With [RCE], (Use After 7-1-01), Right
		1						Z5	[T5], With [RCE], (Use After 7-1-01), Right
	PU91 1DVDB	1						TL	[DV], With [RCE], (Use Up To 7-1-01), Left
		1						SL	[DV], With [RCE], (Use Up To 7-1-01), Left
		1						Z5	[DV], With [RCE], (Use Up To 7-1-01), Left
		1						NL	[DV], With [RCE], (Use Up To 7-1-01), Left
	PU91 1DVDC	1						SL	[DV], With [RCE], (Use After 7-1-01), Left
		1						TL	[DV], With [RCE], (Use After 7-1-01), Left
		1						NL	[DV], With [RCE], (Use After 7-1-01), Left
		1						Z5	[DV], With [RCE], (Use After 7-1-01), Left


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Rear Figure ILH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PU91 1L2DB	1						TL	[L2], With [RCE], (Use Up To 7-1-01), Left
		1						NL	[L2], With [RCE], (Use Up To 7-1-01), Left
	PU91 1L2DC	1						NL	[L2], With [RCE], (Use After 7-1-01), Left
		1						TL	[L2], With [RCE], (Use After 7-1-01), Left
	PU91 1T5DB	1						TL	[T2], With [RCE], (Use Up To 7-1-01), Left
		1						SL	[T2], With [RCE], (Use Up To 7-1-01), Left
		1						Z5	[T2], With [RCE], (Use Up To 7-1-01), Left
		1						NL	[T2], With [RCE], (Use Up To 7-1-01), Left
	PU91 1T5DC	1						NL	[T5], With [RCE], (Use After 7-1-01), Left
		1						Z5	[T5], With [RCE], (Use After 7-1-01), Left
		1						SL	[T5], With [RCE], (Use After 7-1-01), Left
		1						TL	[T5], With [RCE], (Use After 7-1-01), Left
	PW26 1L5DB	1						CL	[DV], (Use After 7-1-01 Vinyl), Right
		1						R5	[L5], (Use After 7-1-01), Right
	PW26 1T5DB	1						CL	[T5], Right
		1						R5	[T5], (Use After 7-1-01), Right
	PW26 XDVDB	1						CL	[DV], Right
		1						R5	[DV], (Use After 7-1-01), Right
	PW27 1L5DB	1						CL	[L5], Left
		1						R5	[L5], (Use After 7-1-01), Left
	PW27 1T5DB	1						CL	[T5], Left
		1						R5	[T5], (Use After 7-1-01), Left
	PW27 XDVDB	1						R5	[DV], (Use After 7-1-01), Left
		1						CL	[DV], Left
	RB50 1DVDB	1						TL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						SL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Right

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door Panels - Rear
Figure ILH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						Z5	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						NL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Right
	RB50 1DVDC	1						TL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						SL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						Z5	[DV], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						NL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Right
	RB50 1L2DB	1						TL	[L2], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						NL	[L2], With [RCP] (Use Up To 7-1-01 Cloth), Right
	RB50 1L2DC	1						TL	[L2], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						NL	[T5] (Use Up To 7-1-01 Cloth), Right
	RB50 1T5DB	1						NL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						Z5	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						TL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Right
		1						SL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Right
	RB50 1T5DC	1						Z5	[T5], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						NL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						TL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Right
		1						SL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Right
	RB51 1DVDB	1						TL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						SL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						Z5	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Rear
Figure ILH-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						NL	[DV], With [RCP] (Use Up To 7-1-01 Cloth), Left
	RB51 1DVDC	1						SL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						TL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						NL	[DV], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						Z5	[DV], With [RCP] (Use After 7-1-01 Vinyl), Left
	RB51 1L2DB	1						NL	[L2], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						TL	[L2], With [RCP] (Use Up To 7-1-01 Cloth), Left
	RB51 1L2DC	1						NL	[L2], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						TL	[L2], With [RCP] (Use After 7-1-01 Vinyl), Left
	RB51 1T5DB	1						TL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						SL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						Z5	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Left
		1						NL	[T5], With [RCP] (Use Up To 7-1-01 Cloth), Left
	RB51 1T5DC	1						SL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						TL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						Z5	[T5], With [RCP] (Use After 7-1-01 Vinyl), Left
		1						NL	[T5], With [RCP] (Use After 7-1-01 Vinyl), Left
	TL48 2L5DB	1						BF	[L5], (Use Up To 7-1-01 Cloth), Right
		1						B7	[L5], (Use Up To 7-1-01 Cloth), Right
	TL48 2T5DB	1						BF	[T5], (Use Up To 7-1-01 Cloth), Right
		1						B7	[T5], (Use Up To 7-1-01 Cloth), Right

CONCORDE-INTREPID-300M (LH)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE		
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic	
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm	
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V		
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V		
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Rear Figure ILH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TL48 XDVDB	1						B7	[DV], (Use Up To 7-1-01 Cloth), Right
		1						BF	[DV], (Use Up To 7-1-01 Cloth), Right
	TL49 2L5DB	1						BF	[L5], (Use Up To 7-1-01 Cloth), Left
		1						B7	[L5], (Use Up To 7-1-01 Cloth), Left
	TL49 2T5DB	1						B7	[T5], (Use Up To 7-1-01 Cloth), Left
		1						BF	[T5], (Use Up To 7-1-01 Cloth), Left
	TL49 XDVDB	1						BF	[DV], (Use Up To 7-1-01 Cloth), Left
		1						B7	[DV], (Use Up To 7-1-01 Cloth), Left
	WH12 1D2AA	1						UL	[D2], With [RCP], Right
	WH12 1DVAA	1						UL	[DV], With [RCP], Right
	WH13 1D2AA	1						UL	[D2], With [RCP], Left
	WH13 1DVAA	1						UL	[DV], With [RCP], Left
	WH16 1D2AA	1						UL	[D2], With [RCE], Right
	WH16 1DVAA	1						UL	[DV], With [RCE], Right
	WH17 1D2AA	1						UL	[D2], With [RCE], Left
	WH17 1DVAA	1						UL	[DV], With [RCE], Left
	WQ68 1L5AA	1						BF	[L5], (Use After 7-1-01 Vinyl), Right
		1						B7	[L5], (Use After 7-1-01 Vinyl), Right
	WQ68 1T5AA	1						B7	[T5], (Use After 7-1-01 Vinyl), Right
		1						BF	[T5], (Use After 7-1-01 Vinyl), Right
	WQ68 XDVAA	1						B7	[DV], (Use After 7-1-01 Vinyl), Right
		1						X5	[DV], Right
		1						BF	[DV], (Use After 7-1-01 Vinyl), Right
		1						C8	[DV], Right
	WQ69 1L5AA	1						B7	[L5], (Use After 7-1-01 Vinyl), Left
		1						BF	[L5], (Use After 7-1-01 Vinyl), Left
	WQ69 1T5AA	1						BF	[T5], (Use After 7-1-01 Vinyl), Left
		1						B7	[T5], (Use After 7-1-01 Vinyl), Left
	WQ69 XDVAA	1						C8	[DV], Left
		1						X5	[DV], Left
		1						BF	[DV], Left
		1						B7	[DV], (Use After 7-1-01 Vinyl), Left
	WU40 1DVAA	1						Z5	[DV], With [RCP & CSY], Right

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Door Panels - Rear
Figure ILH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						TL	[DV], With [RCP & CSY], Right
		1						NL	[DV], With [RCP & CSY], Right
		1						SL	[DV], With [RCP & CSY], Right
	WU40 1L2AA	1						TL	[L2], With [RCP & CSY], Right
		1						NL	[L2], With [RCP & CSY], Right
	WU40 1T5AA	1						Z5	[T5], With [RCP & CSY], Right
		1						SL	[T5], With [RCP & CSY], Right
		1						NL	[T5], With [RCP & CSY], Right
		1						TL	[T5], With [RCP & CSY], Right
	WU41 1DVAA	1						SL	[DV], With [RCP & CSY], Left
		1						NL	[DV], With [RCP & CSY], Left
		1						Z5	[DV], With [RCP & CSY], Left
		1						TL	[DV], With [RCP & CSY], Left
	WU41 1L2AA	1						TL	[L2], With [RCP & CSY], Left
		1						NL	[L2], With [RCP & CSY], Left
	WU41 1T5AA	1						SL	[T5], With [RCP & CSY], Left
		1						TL	[T5], With [RCP & CSY], Left
		1						Z5	[T5], With [RCP & CSY], Left
		1						NL	[T5], With [RCP & CSY], Left
	WU42 1DVAA	1						NL	[DV], With [RCE & CSY], Right
		1						TL	[DV], With [RCE & CSY], Right
		1						Z5	[DV], With [RCE & CSY], Right
		1						SL	[DV], With [RCE & CSY], Right
	WU42 1L2AA	1						NL	[L2], With [RCE & CSY], Right
		1						TL	[L2], With [RCE & CSY], Right
	WU42 1T5AA	1						NL	[T5], With [RCE & CSY], Right
		1						TL	[T5], With [RCE & CSY], Right
		1						Z5	[T5], With [RCE & CSY], Right
		1						SL	[T5], With [RCE & CSY], Right
	WU43 1DVAA	1						SL	[DV], With [RCE & CSY], Left
		1						NL	[DV], With [RCE & CSY], Left
		1						Z5	[DV], With [RCE & CSY], Left
		1						TL	[DV], With [RCE & CSY], Left
	WU43 1L2AA	1						TL	[L2], With [RCE & CSY], Left
		1						NL	[L2], With [RCE & CSY], Left
	WU43 1T5AA	1						NL	[T5], With [RCE & CSY], Left
		1						Z5	[T5], With [RCE & CSY], Left
		1						TL	[T5], With [RCE & CSY], Left
		1						SL	[T5], With [RCE & CSY], Left
	XU10 1ZAAA	1						AL	[DV], Without Speakers - With Pro-Am Package, Right

CONCORDE-INTREPID-300M (LH)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic	
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm	
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V		
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V		
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6		

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Door Panels - Rear
Figure ILH-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						DL	[DV], Without Speakers - With Pro-Am Package, Right
	XU11 1ZAAA	1						AL	[DV], Without Speakers - With Pro-Am Package, Left
		1						DL	[DV], Without Speakers - With Pro-Am Package, Left
	XU12 1ZAAA	1						AL	[DV], With Speakers - With Pro-Am Package, Right
		1						DL	[DV], With Speakers - With Pro-Am Package, Right
	XU13 1ZAAA	1						AL	[DV], With Speakers - With Pro-Am Package, Left
		1						DL	[DV], With Speakers - With Pro-Am Package, Left
2	6032 723	20							SCREW, Self Tapping, M4.2x1.69x19.05, Door Panel Attaching
-3	6504 014	AR							FASTENER, Door Trim Panel, White
-4	6503 204	AR							FASTENER, Door Trim Panel, Green, Attaching (Green)
5	4628 692	2							BRACKET, Door Pull Cup
6	6100 047	1							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
7	6101 786	2							SCREW, Self Tapping, M6x1x15
8	6506 878AA	6							NUT, Snap In
9									FASTENER, Door Trim Panel
	6505 534AA	1						B7	
		1						BF	
		1						CL	
		1						R5	
		1						C8	
		1						X5	
10	PP04 WL5CB	1						Q5	CUP, Door Pull [L5], Right
		1						QF	[L5], Right
		1						ML	[L5], Right
		1						MP	[L5], Right
	PP04 XDVCB	1						Q5	[DV], Right
		1						QF	[DV], Right
		1						ML	[DV], Right
		1						MP	[DV], Right
	PP04 XT5CB	1						Q5	[T5], Right


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door Panels - Rear Figure ILH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						QF	[T5], Right
		1						ML	[T5], Right
		1						MP	[T5], Right
	PP05 WL5CB	1						QF	[L5], Left
		1						ML	[L5], Left
		1						MP	[L5], Left
		1						Q5	[L5], Left
	PP05 XDVCB	1						QF	[DV], Left
		1						ML	[DV], Left
		1						MP	[DV], Left
		1						Q5	[DV], Left
	PP05 XT5CB	1						QF	[T5], Left
		1						ML	[T5], Left
		1						MP	[T5], Left
		1						Q5	[T5], Left
	TK60 WL5CB	1						B7	[L5], Right
		1						BF	[L5], Right
		1						CL	[L5], Right
		1						R5	[L5], Right
	TK60 XDVCB	1						B7	[DV], Right
		1						BF	[DV], Right
		1						C8	[DV], Right
		1						X5	[DV], Right
		1						CL	[DV], Right
		1						R5	[DV], Right
	TK60 XT5CB	1						B7	[T5]
		1						BF	[T5]
		1						CL	[T5]
		1						R5	[T5]
	TK61 XDVCB	1						B7	[DV], Left
		1						BF	[DV], Left
		1						C8	[DV], Left
		1						X5	[DV], Left
		1						CL	[DV], Left
		1						R5	[DV], Left
	TK61 XT5CB	1						B7	[T5], Left
		1						BF	[T5], Left
		1						CL	[T5], Left
		1						R5	[T5], Left
-11	6505 077AA-	2						O0	NUT, Snap In
12									ASH RECEIVER, Quarter Panel,
									Door Panel


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Rear Figure ILH-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JU27 WL5	2	D					O0	[L5]
	JU27 XDV	2	D					O0	[DV]
	JU27 XT5	2	D					O0	[T5]
	JU27 WL5	2	C	H				O0	[L5]
		2	C	M				O0	[L5]
	JU27 WL8	2	C	P				O0	[L5]
	JU27 XDV	2	C	H				O0	[DV]
		2	C	M				O0	[DV]
		2	C	P				O0	[DV]
	JU27 XT5	2	C	H				O0	[T5]
		2	C	M				O0	[T5]
	JU27 XTM	2	C	P				O0	[T5]
	JU27 WL8	2	Y					O0	[L5]
	JU27 XDV	2	Y					O0	[DV]
	JU27 XTM	2	Y					O0	[T5]
13									PLUG, Bezel Trim, Pull Cup
	TG71 XT5CA	1						B7	[T5]
	TG71 WL5CA	1						B7	[L5]
	TG71 XT5CA	1						BF	[T5]
	TG71 WL5CA	1						BF	[L5]
	TG71 XDVCA	1						CL	[DV]
	TG71 XT5CA	1						CL	[T5]
	TG71 WL5CA	1						CL	[L5]
	TG71 XT5CA	1						ML	[T5]
	TG71 XDVCA	1						ML	[DV]
	TG71 WL5CA	1						ML	[L5]
	TG71 XT5CA	1						MP	[T5]
	TG71 XDVCA	1						MP	[DV]
	TG71 WL5CA	1						MP	[L5]
	TG71 XDVCA	1						NL	[DV]
	TG71 WL8CA	1						NL	[L2]
	TG71 XT5CA	1						Q5	[T5]
	TG71 XDVCA	1						Q5	[DV]
	TG71 WL5CA	1						Q5	[L5]
		1						QF	[L5]
	TG71 XDVCA	1						QF	[DV]
	TG71 XT5CA	1						QF	[T5]
	TG71 WL5CA	1						R5	[L5]
	TG71 XDVCA	1						R5	[DV]
	TG71 XT5CA	1						R5	[T5]
	TG71 XDVCA	1						SL	[DV]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door Panels - Rear
Figure ILH-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TG71 WL8CA	1						TL	[L2]
	TG71 XDVCA	1						TL	[DV]
		1						Z5	[DV]
14	6506 655AA	4							PLUG, Door Trim Panel, Female End
-15									PLUG, Door Trim Panel
	6506 654AA-	2						CL	Male End - Goes With Item 14
		2						QF	Male End - Goes With Item 14
		2						ML	Male End - Goes With Item 14
		2						MP	Male End - Goes With Item 14
		2						Q5	Male End - Goes With Item 14
		2						R5	Male End - Goes With Item 14
		2						NL	Male End - Goes With Item 14
		2						SL	Male End - Goes With Item 14
		2						Z5	Male End - Goes With Item 14
		2						TL	Male End - Goes With Item 14
		2						BF	Male End - Goes With Item 14
		2						B7	Male End - Goes With Item 14
16	6035 807	2							NUT, Door Trim
17									WATERDAM, Rear Door
	4780 152AD	1	D						Shield/Water, Right
	4780 153AD	1	D						Shield/Water, Left
	4780 248AE	1	C, Y						Shield/Water, Right
	4780 249AE	1	C, Y						Shield/Water, Left
-18									BEZEL, Door Trim Panel
	TS48 AAAAA-	1						NL	Woodgrain, Right
	TS49 AAAAA-	1						NL	Woodgrain, Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code B7 Figure ILH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WT27 1DVAA	1						B7	[DV], Right & Left
	WT27 1L5AA	2						B7	[L5], Right & Left
	WT27 1T5AA	2						B7	[T5], Right & Left
2									COVER, Front Seat Cushion
	WT30 1DVAA	1						B7	[DV], Right & Left
	WT30 1L5AA	1						B7	[L5], Right & Left
	WT30 1T5AA	1						B7	[T5], Right & Left
3									SEAT BACK, Front
	WT19 1DVAA	1						B7	[DV], With Air Bag, Left
	WT19 1L5AA	1						B7	[L5], With Air Bag, Left
	WT19 1T5AA	1						B7	[T5], With Air Bag, Left
	WT32 1DVAA	1						B7	[DV], With Air Bag, Right
	WT32 1L5AA	1						B7	[L5], With Air Bag, Right
	WT32 1T5AA	1						B7	[T5], With Air Bag, Right
	WT36 1DVAA	2						B7	[DV], Right & Left
	WT36 1L5AA	2						B7	[L5], Right & Left
	WT36 1T5AA	2						B7	[T5], Right & Left
4									COVER, Seat Back
	WU18 1DVAA	1						B7	[DV], Without Airbag, Right & Left
	WU18 1L5AA	1						B7	[L5], Without Airbag, Right & Left
	WU18 1T5AA	1						B7	[T5], Without Airbag, Right & Left
5									HEADREST, Front
	WT26 1DVAA	1						B7	[DV], Right & Left
	WT26 1L5AA	2						B7	[L5], Right & Left
	WT26 1T5AA	2						B7	[T5], Right & Left
6									SLEEVE, Headrest
	QX11 1DVAA	1						B7	[DV], With Release Button
	QX11 1L5AA	1						B7	[L5], With Release Button
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						B7	[DV], Right
	QY22 1L5AA	1						B7	[L5], Right
	QY22 1T5AA	1						B7	[T5], Right
	QY23 1DVAA	1						B7	[DV], Left
	QY23 1L5AA	1						B7	[L5], Left
	QY23 1T5AA	1						B7	[T5], Left
	QY25 1DVAA	1						B7	[DV], Left,Power
	QY25 1L5AA	1						B7	[L5], Left,Power
	QY25 1T5AA	1						B7	[T5], Left,Power
-8									AIR BAG, Seat
	4645 946AA-	2						B7	


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code B7
Figure ILH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2						BF	
		2						CL	
		2						ML	
		2						MP	
		2						NL	
		2						Q5	
		2						QF	
		2						SL	
		2						TL	
		2						Z5	
		2						R5	
-9	5019 522AA-	12						B7	RETAINER, Cushion Cover

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code BF
Figure ILH-515




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WT96 1DVAA	1						BF	[DV], Right
	WT96 1L5AA	1						BF	[L5], Right
	WT96 1T5AA	1						BF	[T5], Right
	WT97 1DVAA	1						BF	[DV], Left
	WT97 1L5AA	1						BF	[L5], Left
	WT97 1T5AA	1						BF	[T5], Left
2									COVER, Front Seat Cushion
	WT98 1DVAA	1						BF	[DV], Right
	WT98 1L5AA	1						BF	[L5], Right
	WT98 1T5AA	1						BF	[T5], Right
	WT99 1DVAA	1						BF	[DV], Left
	WT99 1L5AA	1						BF	[L5], Left
	WT99 1T5AA	1						BF	[T5], Left
3									SEAT BACK, Front
	WT36 1DVAA	1						BF	[DV], Right
	WT36 1L5AA	1						BF	[L5], Right
	WT36 1T5AA	1						BF	[T5], Right
	WU19 1DVAA	1						BF	[DV], Left
	WU19 1L5AA	1						BF	[L5], Left
	WU19 1T5AA	1						BF	[T5], Left
	WT94 1DVAA	1						BF	[DV], With Air Bag, Right
	WT94 1L5AA	1						BF	[L5], With Air Bag, Right
	WT94 1T5AA	1						BF	[T5], With Air Bag, Right
	WT95 1DVAA	1						BF	[DV], With Air Bag, Left
	WT95 1L5AA	1						BF	[L5], With Air Bag, Left
	WT95 1T5AA	1						BF	[T5], With Air Bag, Left
4									COVER, Seat Back
	WU18 1DVAA	1						BF	[DV], Without Airbag, Right & Left
	WU18 1L5AA	1						BF	[L5], Without Airbag, Right & Left
	WU18 1T5AA	1						BF	[T5], Without Airbag, Right & Left
5									HEADREST, Front
	WT26 1DVAA	2						BF	[DV], Right & Left
	WT26 1L5AA	2						BF	[L5], Right & Left
	WT26 1T5AA	2						BF	[T5], Right & Left
6									ARMREST, Seat
	WU00 1DVAA	1						BF	[DV]
	WU00 1L5AA	1						BF	[L5]
	WU00 1T5AA	1						BF	[T5]
7									SLEEVE, Headrest
	QX11 1DVAA	1						BF	[DV], With Release Button

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code BF
Figure ILH-515




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1L5AA	1						BF	[L5], With Release Button
		1						BF	[T5], With Release Button
	QX11 2T5AA	1						BF	[T5], Without Release Button
	QX12 1L5AA	1						BF	[L5], Without Release Button
	QX12 2DVAA	1						BF	[DV], Without Release Button
-8									SHIELD, Seat Adjuster
	QY22 1DVAA-	1						BF	[DV], Right
	QY22 1L5AA-	1						BF	[L5], Right
	QY22 1T5AA-	1						BF	[T5], Right
	QY23 1DVAA-	1						BF	[DV], Left
	QY23 1L5AA-	1						BF	[L5], Left
	QY23 1T5AA-	1						BF	[T5], Left
	QY25 1DVAA-	1						BF	[DV], Left,Power
	QY25 1L5AA-	1						BF	[L5], Left,Power
	QY25 1T5AA-	1						BF	[T5], Left,Power
-9	4645 946AA-	2						BF	AIR BAG, Seat
-10	4773 124	2						B7	BOLT, Shoulder, Seat Back
-11	5019 522AA-	12						BF	RETAINER, Cushion Cover
-12	4761 282	2						BF	SCREW, Arm Rest Bracket

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code CL, R5
Figure ILH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UF85 1DVAA	2						CL	[DV], Right & Left
	UF85 1L5AA	2						CL	[L5], Right & Left
	UF85 1T5AA	2						CL	[T5], Right & Left
	UF89 1DVAA	2						R5	[DV], Right & Left
	UF89 1L5AA	2						R5	[L5], Right & Left
	UF89 1T5AA	2						R5	[T5], Right & Left
2									COVER, Front Seat Cushion
	UF88 1DVAA	1						CL	[DV], Right & Left
	UF88 1L5AA	1						CL	[L5], Right & Left
	UF88 1T5AA	1						CL	[T5], Right & Left
	UF94 1DVAA	1						R5	[DV], Right & Left
	UF94 1L5AA	1						R5	[L5], Right & Left
	UF94 1T5AA	1						R5	[T5], Right & Left
3									SEAT BACK, Front
	SS04 1DVAA	1						CL	[DV], Without Airbag, Right
	SS04 1L5AA	1						CL	[L5], Without Airbag, Right
	SS04 1T5AA	1						CL	[T5], Without Airbag, Right
	SS05 1DVAA	1						CL	[DV], Without Airbag, Left
	SS05 1L5AA	1						CL	[L5], Without Airbag, Left
	SS05 1T5AA	1						CL	[T5], Without Airbag, Left
	UF50 1DVAA	1						CL	[DV], With Airbag, Right
	UF50 1L5AA	1						CL	[L5], With Airbag, Right
	UF50 1T5AA	1						CL	[T5], With Airbag, Right
	UF51 1DVAA	1						CL	[DV], With Airbag, Left
	UF51 1L5AA	1						CL	[L5], With Airbag, Left
	UF51 1T5AA	1						CL	[T5], With Airbag, Left
	UF92 1DVAA	1						R5	[DV], With Airbag, Right
	UF92 1L5AA	1						R5	[L5], With Airbag, Right
	UF92 1T5AA	1						R5	[T5], With Airbag, Right
	UF93 1DVAA	1						R5	[DV], With Airbag, Left
	UF93 1L5AA	1						R5	[L5], With Airbag, Left
	UF93 1T5AA	1						R5	[T5], With Airbag, Left
	UF96 1DVAA	1						R5	[DV], Without Airbag (Use Up To 8-29-01), Right
	UF96 1L5AA	1						R5	[L5], Without Airbag, (Use Up To 8-29-01), Right
	UF96 1T5AA	1						R5	[T5], Without Airbag, (Use Up To 8-29-01), Right
	UF97 1DVAA	1						R5	[DV], Without Airbag (Use Up To 8-29-01), Left


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code CL, R5
Figure ILH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UF97 1L5AA	1						R5	[L5], Without Airbag, (Use Up To 8-29-01), Left
	UF97 1T5AA	1						R5	[T5], Without Airbag, (Use Up To 8-29-01), Left
	XX74 1DVAA	1						R5	[DV], Without Airbag (Use After 8-29-01), Right
	XX74 1L5AA	1						R5	[L5], Without Airbag (Use After 8-29-01), Right
	XX74 1T5AA	1						R5	[T5], Without Airbag (Use After 8-29-01), Right
	XX75 1DVAA	1						R5	[DV], Without Airbag (Use After 8-29-01), Left
	XX75 1L5AA	1						R5	[L5], Without Airbag (Use After 8-29-01), Left
	XX75 1T5AA	1						R5	[T5], Without Airbag (Use After 8-29-01), Left
4									COVER, Front Seat Back
	XY32 1DVAA	1						CL	[DV], Without Airbag, Right
	XY32 1L5AA	1						CL	[L5], Without Airbag, Right
	XY32 1T5AA	1						CL	[T5], Without Airbag, Right
	XY33 1DVAA	1						CL	[DV], Without Airbag, Left
	XY33 1L5AA	1						CL	[L5], Without Airbag, Left
	XY33 1T5AA	1						CL	[T5], Without Airbag, Left
	YG25 1DVAA	1						R5	[DV], Left
	YG25 1L5AA	1						R5	[L5], Left
	YG25 1T5AA	1						R5	[T5], Left
	YG27 1DVAA	1						R5	[DV], Right
	YG27 1L5AA	1						R5	[L5], Right
	YG27 1T5AA	1						R5	[T5], Right
5									HEADREST, Front
	UF91 1DVAA	2						R5	[DV]
	UF91 1L5AA	2						R5	[L5]
	UF91 1T5AA	2						R5	[T5]
	WX22 1DVAA	2						CL	[DV], With R/T
	WX22 1L5AA	2						CL	[L5], With R/T
	WX24 1DVAA	2						CL	[DV]
	WX24 1L5AA	2						CL	[L5]
	WX24 1T5AA	2						CL	[T5]
6									SLEEVE, Headrest
	QX11 1DVAA	1						R5	[DV], With Release Button
		1						CL	[DV], With Release Button


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code CL, R5
Figure ILH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1L5AA	1						R5	[L5], With Release Button
		1						CL	[L5], With Release Button
	QX11 2T5AA	1						R5	[T5], With Release Button
		1						CL	[T5], With Release Button
	QX12 1DVAA	1						R5	[DV], Without Release Button
		1						CL	[DV], Without Release Button
	QX12 1L5AA	1						R5	[L5], Without Release Button
		1						CL	[L5], Without Release Button
	QX12 1T5AA	1						R5	[T5], Without Release Button
		1						CL	[T5], Without Release Button
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						R5	[DV], Right,Manual
		1						CL	[DV], Right,Manual
	QY22 1L5AA	1						R5	[L5], Right,Manual
		1						CL	[L5], Right,Manual
	QY22 1T5AA	1						R5	[T5], Right,Manual
		1						CL	[T5], Right,Manual
	QY24 1DVAA	1						R5	[DV], Right,Power
	QY24 1L5AA	1						R5	[L5], Right,Power
	QY24 1T5AA	1						R5	[T5], Right,Power
	QY25 1DVAA	1						R5	[DV], Left,Power
		1						CL	[DV], Left,Power
	QY25 1L5AA	1						R5	[L5], Left,Power
		1						CL	[L5], Left,Power
	QY25 1T5AA	1						R5	[T5], Left,Power
		1						CL	[T5], Left,Power
-8									AIR BAG, Seat
	4645 946AA-	2						CL	
		2						R5	
9									PANEL, Front Seat Back
	UF40 1DVAA	1						R5	[DV], Right
	UF40 1L5AA	1						R5	[L5], Right
	UF40 1T5AA	1						R5	[T5], Right
	UF37 1DVAA	1						R5	[DV], Left
	UF37 1L5AA	1						R5	[L5], Left
	UF37 1T5AA	1						R5	[T5], Left
	UF37 1DVAA	1						CL	[DV], Right & Left
	UF37 1L5AA	1						CL	[L5], Right & Left
	UF37 1T5AA	1						CL	[T5], Right & Left
	UF54 1DVAA	1						CL	[DV] With Map Pocket
		1						R5	[DV] With Map Pocket

CONCORDE-INTREPID-300M (LH)

SERIES
P = Premium
S = Special
H = High Line
M = LXI
X = R/T

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
Y = 300M

BODY
41 = 4 Door Sedan

ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code CL, R5
Figure ILH-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UF54 1L5AA	1						CL	[L5] With Map Pocket
		1						R5	[L5] With Map Pocket
	UF54 1T5AA	1						CL	[T5] With Map Pocket
		1						R5	[T5] With Map Pocket




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code Q5
Figure ILH-525




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WX15 1DVAA	2						Q5	[DV]
	WX15 1L5AA	2						Q5	[L5]
	WX15 1T5AA	2						Q5	[T5]
2									COVER, Front Seat Cushion
	WX16 1DVAA	1						Q5	[DV]
	WX16 1L5AA	1						Q5	[L5]
	WX16 1T5AA	1						Q5	[T5]
3									SEAT BACK, Front
	WX12 1DVAA	1						Q5	[DV], Without Air Bags, Right
	WX12 1L5AA	1						Q5	[L5], Without Air Bags, Right
	WX12 1T5AA	1						Q5	[T5], Without Air Bags, Right
	WX13 1DVAA	1						Q5	[DV], Without Air Bags, Left
	WX13 1L5AA	1						Q5	[L5], Without Air Bags, Left
	WX13 1T5AA	1						Q5	[T5], Without Air Bags, Left
	WX20 1DVAA	1						Q5	[DV], With Air Bags, Right
	WX20 1L5AA	1						Q5	[L5], With Air Bags, Right
	WX20 1T5AA	1						Q5	[T5], With Air Bags, Right
	WX21 1DVAA	1						Q5	[DV], With Air Bags, Left
	WX21 1L5AA	1						Q5	[L5], With Air Bags, Left
	WX21 1T5AA	1						Q5	[T5], With Air Bags, Left
4									COVER, Front Seat Back
	UG26 1DVAA	1						Q5	[DV], Without Air Bags, Right
	UG26 1L5AA	1						Q5	[L5], Without Air Bags, Right
	UG26 1T5AA	1						Q5	[T5], Without Air Bags, Right
	UG27 1DVAA	1						Q5	[DV], Without Air Bags, Left
	UG27 1L5AA	1						Q5	[L5], Without Air Bags, Left
	UG27 1T5AA	1						Q5	[T5], Without Air Bags, Left
5									HEADREST, Front
	WX06 1DVAA	2						Q5	[DV], Right & Left
	WX06 1L5AA	2						Q5	[L5], Right & Left
	WX06 1T5AA	2						Q5	[T5], Right & Left
6									SHIELD, Seat Adjuster
	QY22 1DVAA	1						Q5	[DV], Right,Manual
	QY22 1L5AA	1						Q5	[L5], Right,Manual
	QY22 1T5AA	1						Q5	[T5], Right,Manual
	QY24 1DVAA	1						Q5	[DV], Right,Power
	QY24 1L5AA	1						Q5	[L5], Right,Power
	QY24 1T5AA	1						Q5	[T5], Right,Power
	QY25 1DVAA	1						Q5	[DV], Left,Power
	QY25 1L5AA	1						Q5	[L5], Left,Power

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code Q5
Figure ILH-525




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	QY25 1T5AA	1						Q5	[T5], Left,Power
									SLEEVE, Headrest
	QX11 1DVAA	1						Q5	[DV], With Release Button
	QX11 1L5AA	1						Q5	[L5], With Release Button
	QX11 2T5AA	1						Q5	[T5], With Release Button
	QX12 1DVAA	1						Q5	[DV], Without Release Button
	QX12 1L5AA	1						Q5	[L5], Without Release Button
	QX12 1T5AA	1						Q5	[T5], Without Release Button
-8	4645 946AA-	2						Q5	AIR BAG, Seat

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code NL
Figure ILH-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WX44 1DVAA	1						NL	[DV], Right
	WX44 1L2AA	1						NL	[L2], Right
	WX44 1T5AA	1						NL	[T5], Right
	WX45 1DVAA	1						NL	[DV], Left
	WX45 1L2AA	1						NL	[L2], Left
	WX45 1T5AA	1						NL	[T5], Left
2									COVER, Front Seat Cushion
	WX46 1DVAA	1						NL	[DV], Right
	WX46 1L2AA	1						NL	[L2], Right
	WX46 1T5AA	1						NL	[T5], Right
	WX47 1DVAA	1						NL	[DV], Left
	WX47 1L2AA	1						NL	[L2], Left
	WX47 1T5AA	1						NL	[T5], Left
-3									PAD, Heater, Serviced with Cover, (NOT SERVICED) (Not Serviced)
4									SEAT BACK, Front
	WX50 1DVAA	1						NL	[DV], With Airbag, Right
	WX50 1L2AA	1						NL	[L2], With Airbag, Right
	WX50 1T5AA	1						NL	[T5], With Airbag, Right
	WX51 1DVAA	1						NL	[DV], With Airbag, Left
	WX51 1L2AA	1						NL	[L2], With Airbag, Left
	WX51 1T5AA	1						NL	[T5], With Airbag, Left
	WX41 1DVAA	1						NL	[DV], Without Airbag, Left
	WX41 1L2AA	1						NL	[L2], Without Airbag, Left
	WX41 1T5AA	1						NL	[T5], Without Airbag, Left
	WX40 1DVAA	1						NL	[DV], Without Airbag, Right
	WX40 1L2AA	1						NL	[L2], Without Airbag, Right
	WX40 1T5AA	1						NL	[T5], Without Airbag, Right
5									COVER, Front Seat Back
	WX42 1DVAA	1						NL	[DV], Without Airbag, Right
	WX42 1L2AA	1						NL	[L2], Without Airbag, Right
	WX42 1T5AA	1						NL	[T5], Without Airbag, Right
	WX43 1DVAA	1						NL	[DV], Without Airbag, Left
	WX43 1L2AA	1						NL	[L2], Without Airbag, Left
	WX43 1T5AA	1						NL	[T5], Without Airbag, Left
6									HEADREST, Front
	WX35 1DVAA	2						NL	[DV]
	WX35 1L2AA	2						NL	[L2]
	WX35 1T5AA	2						NL	[T5]
7									SHIELD, Seat Adjuster

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code NL
Figure ILH-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY26 1DVAA	1						NL	[DV], Right
	QY26 1L2AA	1						NL	[L2], Right
	QY26 1T5AA	1						NL	[T5], Right
	QY27 1DVAA	1						NL	[DV], Left
	QY27 1L2AA	1						NL	[L2], Left
	QY27 1T5AA	1						NL	[T5], Left
8									SLEEVE, Headrest
	QX11 1DVAA	1						NL	[DV], With Release Button
	QX11 1L2AA	1						NL	[L2], With Release Button
	QX11 1T5AA	1						NL	[T5], With Release Button
	QX12 1DVAA	1						NL	[DV], Without Release Button
	QX12 1L2AA	1						NL	[L2], Without Release Button
	QX12 1T5AA	1						NL	[T5], Without Release Button
-9	4645 946AA-	2						NL	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						NL	[DV]
	UF37 1L2AA	1						NL	[L2]
	UF37 1T5AA	1						NL	[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code ML Figure ILH-535



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UF77 1DVAA	2						ML	[DV], Right & Left
	UF77 1L5AA	2						ML	[L5], Right & Left
	UF77 1T5AA	2						ML	[T5], Right & Left
2									COVER, Front Seat Cushion
	UF78 1DVAA	1						ML	[DV]
	UF78 1L5AA	1						ML	[L5]
	UF78 1T5AA	1						ML	[T5]
3									SEAT BACK, Front
	SS10 1DVAA	1						ML	[DV], Without Airbag, Right
	SS10 1L5AA	1						ML	[L5], Without Airbag, Right
	SS10 1T5AA	1						ML	[T5], Without Airbag, Right
	SS11 1DVAA	1						ML	[DV], Without Airbag, Left
	SS11 1L5AA	1						ML	[L5], Without Airbag, Left
	SS11 1T5AA	1						ML	[T5], Without Airbag, Left
	UF52 1DVBA	1						ML	[DV], With Airbag, Right
	UF52 1L5BA	1						ML	[L5], With Airbag, Right
	UF52 1T5BA	1						ML	[T5], With Airbag, Right
	UF53 1DVBA	1						ML	[DV], With Airbag, Left
	UF53 1L5BA	1						ML	[L5], With Airbag, Left
	UF53 1T5BA	1						ML	[T5], With Airbag, Left
4									COVER, Front Seat Back
	SS14 1DVAA	1						ML	[DV], Without Airbag, Right & Left
	SS14 1L5AA	1						ML	[L5], Without Airbag, Right & Left
	SS14 1T5AA	1						ML	[T5], Without Airbag, Right & Left
5									HEADREST, Front
	WX24 1DVAA	2						ML	[DV]
	WX24 1L5AA	2						ML	[L5]
	WX24 1T5AA	2						ML	[T5]
6									SHIELD, Seat Adjuster
	QY24 1DVAA	1						ML	[DV], Right
	QY24 1L5AA	1						ML	[L5], Right
	QY24 1T5AA	1						ML	[T5], Right
	QY25 1DVAA	1						ML	[DV], Left
	QY25 1L5AA	1						ML	[L5], Left
	QY25 1T5AA	1						ML	[T5], Left
7									SLEEVE, Headrest
	QX11 1DVAA	1						ML	[DV], With Release Button
	QX11 1L5AA	1						ML	[L5], With Release Button
	QX11 2T5AA	1						ML	[T5], With Release Button
	QX12 1DVAA	1						ML	[DV], Without Release Button


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code ML
Figure ILH-535




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX12 1L5AA	1						ML	[L5], Without Release Button
	QX12 1T5AA	1						ML	[T5], Without Release Button
-8	4645 946AA-	2						ML	AIR BAG, Seat
9									PANEL, Front Seat Back
	UF37 1DVAA	1						ML	[DV]
	UF37 1L5AA	1						ML	[L5]
	UF37 1T5AA	1						ML	[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code MP Figure ILH-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Cupholder Serviced In Armrest Only									
1									CUSHION, Front Seat
	UF80 1DVAA	1						MP	[DV], Right
	UF80 1L5AA	1						MP	[L5], Right
	UF80 1T5AA	1						MP	[T5], Right
	UF81 1DVAA	1						MP	[DV], Left
	UF81 1L5AA	1						MP	[L5], Left
	UF81 1T5AA	1						MP	[T5], Left
2									COVER, Front Seat Cushion
	UF82 1DVAA	1						MP	[DV], Right
	UF82 1L5AA	1						MP	[L5], Right
	UF82 1T5AA	1						MP	[T5], Right
	UF83 1DVAA	1						MP	[DV], Left
	UF83 1L5AA	1						MP	[L5], Left
	UF83 1T5AA	1						MP	[T5], Left
3									SEAT BACK, Front
	SR84 1DVAA	1						MP	[DV], Without Airbag, Right
	SR84 1L5AA	1						MP	[L5], Without Airbag, Right
	SR84 1T5AA	1						MP	[T5], Without Airbag, Right
	SR85 1DVAA	1						MP	[DV], Without Airbag, Left
	SR85 1L5AA	1						MP	[L5], Without Airbag, Left
	SR85 1T5AA	1						MP	[T5], Without Airbag, Left
	UF58 1DVAA	1						MP	[DV], With Airbag, Right
	UF58 1L5AA	1						MP	[L5], With Airbag, Right
	UF58 1T5AA	1						MP	[T5], With Airbag, Right
	UF59 1DVAA	1						MP	[DV], With Airbag, Left
	UF59 1L5AA	1						MP	[L5], With Airbag, Left
	UF59 1T5AA	1						MP	[T5], With Airbag, Left
4									COVER, Front Seat Back
	SR88 1DVAA	1						MP	[DV], Without Airbag
	SR88 1L5AA	1						MP	[L5], Without Airbag
	SR88 1T5AA	1						MP	[T5], Without Airbag
5									HEADREST, Front
	WX24 1DVAA	2						MP	[DV]
	WX24 1L5AA	2						MP	[L5]
	WX24 1T5AA	2						MP	[T5]
6									ARMREST, Seat
	RA31 1DVAA	1						MP	[DV]
	RA31 1L5AA	1						MP	[L5]
	RA31 1T5AA	1						MP	[T5]
7									SHIELD, Seat Adjuster


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code MP
Figure ILH-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY24 1DVAA	1						MP	[DV], Right
	QY24 1L5AA	1						MP	[L5], Right
	QY24 1T5AA	1						MP	[T5], Right
	QY25 1DVAA	1						MP	[DV], Left
	QY25 1L5AA	1						MP	[L5], Left
	QY25 1T5AA	1						MP	[T5], Left
8									SLEEVE, Headrest
	QX11 1DVAA	1						MP	[DV], With Release Button
	QX11 1L5AA	1						MP	[L5], With Release Button
	QX11 2T5AA	1						MP	[T5], With Release Button
	QX12 1DVAA	1						MP	[DV], Without Release Button
	QX12 1L5AA	1						MP	[L5], Without Release Button
	QX12 1T5AA	1						MP	[T5], Without Release Button
-9	4645 946AA-	2						MP	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						MP	[DV]
	UF37 1L5AA	1						MP	[L5]
	UF37 1T5AA	1						MP	[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code QF Figure ILH-545



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WX10 1DVAA	1						QF	[DV], Right
	WX10 1L5AA	1						QF	[L5], Right
	WX10 1T5AA	1						QF	[T5], Right
	WX11 1DVAA	1						QF	[DV], Left
	WX11 1L5AA	1						QF	[L5], Left
	WX11 1T5AA	1						QF	[T5], Left
2									COVER, Front Seat Cushion
	UG12 1DVAA	1						QF	[DV], Right
	UG12 1L5AA	1						QF	[L5], Right
	UG12 1T5AA	1						QF	[T5], Right
	UG13 1DVAA	1						QF	[DV], Left
	UG13 1L5AA	1						QF	[L5], Left
	UG13 1T5AA	1						QF	[T5], Left
3									SEAT BACK, Front
	WX08 1DVAA	1						QF	[DV], Without Airbag, Right
	WX08 1L5AA	1						QF	[L5], Without Airbag, Right
	WX08 1T5AA	1						QF	[T5], Without Airbag, Right
	WX09 1DVAA	1						QF	[DV], Without Airbag, Left
	WX09 1L5AA	1						QF	[L5], Without Airbag, Left
	WX09 1T5AA	1						QF	[T5], Without Airbag, Left
	WX18 1DVAA	1						QF	[DV], With Airbag, Right
	WX18 1L5AA	1						QF	[L5], With Airbag, Right
	WX18 1T5AA	1						QF	[T5], With Airbag, Right
	WX19 1DVAA	1						QF	[DV], With Airbag, Left
	WX19 1L5AA	1						QF	[L5], With Airbag, Left
	WX19 1T5AA	1						QF	[T5], With Airbag, Left
4									COVER, Front Seat Back
	UG40 1DVAA	1						QF	[DV], Without Airbag, Right
	UG40 1L5AA	1						QF	[L5], Without Airbag, Right
	UG40 1T5AA	1						QF	[T5], Without Airbag, Right
	UG41 1DVAA	1						QF	[DV], Without Airbag, Left
	UG41 1L5AA	1						QF	[L5], Without Airbag, Left
	UG41 1T5AA	1						QF	[T5], Without Airbag, Left
5									HEADREST, Front
	WX06 1DVAA	2						QF	[DV]
	WX06 1L5AA	2						QF	[L5]
	WX06 1T5AA	2						QF	[T5]
6									ARMREST, Seat
	UG10 1DVAA	1						QF	[DV]
	UG10 1L5AA	1						QF	[L5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code QF
Figure ILH-545




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UG10 1T5AA	1						QF	[T5]
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						QF	[DV], Right,Manual
	QY22 1L5AA	1						QF	[L5], Right,Manual
	QY22 1T5AA	1						QF	[T5], Right,Manual
	QY24 1DVAA	1						QF	[DV], Right,Power
	QY24 1L5AA	1						QF	[L5], Right,Power
	QY24 1T5AA	1						QF	[T5], Right,Power
	QY25 1DVAA	1						QF	[DV], Left,Power
	QY25 1L5AA	1						QF	[L5], Left,Power
	QY25 1T5AA	1						QF	[T5], Left,Power
8									SLEEVE, Headrest
	QX11 1DVAA	1						QF	[DV], With Release Botton
	QX11 1L5AA	1						QF	[L5], With Release Botton
	QX11 2T5AA	1						QF	[T5], With Release Botton
	QX12 1DVAA	1						QF	[DV], Without Release Botton
	QX12 1L5AA	1						QF	[L5], Without Release Botton
	QX12 1T5AA	1						QF	[T5], Without Release Botton
-9	4645 946AA-	2						Q5	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						QF	[DV]
	UF37 1L5AA	1						QF	[L5]
	UF37 1T5AA	1						QF	[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code TL
Figure ILH-550




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WX44 1DVAA	1						TL	[DV], Right
	WX44 1L2AA	1						TL	[L2], Right
	WX44 1T5AA	1						TL	[T5], Right
	WX45 1DVAA	1						TL	[DV], Left
	WX45 1L2AA	1						TL	[L2], Left
	WX45 1T5AA	1						TL	[T5], Left
2									COVER, Front Seat Cushion
	WX46 1DVAA	1						TL	[DV], Right
	WX46 1L2AA	1						TL	[L2], Right
	WX46 1T5AA	1						TL	[T5], Right
	WX47 1DVAA	1						TL	[DV], Left
	WX47 1L2AA	1						TL	[L2], Left
	WX47 1T5AA	1						TL	[T5], Left
-3									PAD, Heater, Service with Cover, (NOT SERVICED) (Not Serviced)
4									SEAT BACK, Front
	WX40 1DVAA	1						TL	[DV], Without Airbag, Right
	WX40 1T5AA	1						TL	[L2], Without Airbag, Right
		1						TL	[T5], Without Airbag, Right
	WX41 1DVAA	1						TL	[DV], Without Airbag, Left
	WX41 1L2AA	1						TL	[L2], Without Airbag, Left
	WX41 1T5AA	1						TL	[T5], Without Airbag, Left
	WX50 1DVAA	1						TL	[DV], With Airbag, Right
	WX50 1L2AA	1						TL	[L2], With Airbag, Right
	WX50 1T5AA	1						TL	[T5], With Airbag, Right
	WX51 1DVAA	1						TL	[DV], With Airbag, Left
	WX51 1L2AA	1						TL	[L2], With Airbag, Left
	WX51 1T5AA	1						TL	[T5], With Airbag, Left
5									COVER, Front Seat Back
	WX42 1DVAA	1						TL	[DV], Without Airbag, Right
	WX42 1L2AA	1						TL	[L2], Without Airbag, Right
	WX42 1T5AA	1						TL	[T5], Without Airbag, Right
	WX43 1DVAA	1						TL	[DV], Without Airbag, Left
	WX43 1L2AA	1						TL	[L2], Without Airbag, Left
	WX43 1T5AA	1						TL	[T5], Without Airbag, Left
6									HEADREST, Front
	WX35 1DVAA	2						TL	[DV]
	WX35 1L2AA	2						TL	[L2]
	WX35 1T5AA	2						TL	[T5]
7									SHIELD, Seat Adjuster

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code TL
Figure ILH-550




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY26 1DVAA	1						TL	[DV], Right
	QY26 1L2AA	1						TL	[L2], Right
	QY26 1T5AA	1						TL	[T5], Right
	QY27 1DVAA	1						TL	[DV], Left
	QY27 1L2AA	1						TL	[L2], Left
	QY27 1T5AA	1						TL	[T5], Left
8									SLEEVE, Headrest
	QX11 1DVAA	1						TL	[DV], With Release Button
	QX11 2L2AA	1						TL	[L2], With Release Button
	QX11 2T5AA	1						TL	[T5], With Release Button
	QX12 1DVAA	1						TL	[DV], Without Release Button
	QX12 1T5AA	1						TL	[L2], Without Release Button
	QX12 2L2AA	1						TL	[T5], Without Release Button
-9	4645 946AA-	2						TL	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						TL	[DV]
	UF37 1L2AA	1						TL	[L2]
	UF37 1T5AA	1						TL	[T5]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code Z5
Figure ILH-555




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UF89 1DVAA	2						Z5	[DV], Right & Left
	UF89 1T5AA	2						Z5	[T5], Right & Left
2									COVER, Front Seat Cushion
	UF94 1DVAA	1						Z5	[DV], Right & Left
	UF94 1T5AA	1						Z5	[T5], Right & Left
3									SEAT BACK, Front
	UG36 1DVAA	1						Z5	[DV], Right
	UG36 1T5AA	1						Z5	[T5], Right
	UG37 1DVAA	1						Z5	[DV], Left
	UG37 1T5AA	1						Z5	[T5], Left
4									COVER, Front Seat Back, (NOT SERVICED) (Not Serviced)
5									HEADREST, Front
	WX88 1DVAA	2						Z5	[DV]
	WX88 1T5AA	2						Z5	[T5]
6									SHIELD, Seat Adjuster
	QY24 1DVAA	1						Z5	[DV], Right
	QY24 1T5AA	1						Z5	[T5], Right
	QY25 1DVAA	1						Z5	[DV], Left
	QY25 1T5AA	1						Z5	[T5], Left
7									SLEEVE, Headrest
	QX11 1DVAA	1						Z5	[DV], With Release Button
	QX11 1T5AA	1						Z5	[T5], With Release Button
	QX12 1DVAA	1						Z5	[DV], Without Release Button
	QX12 1T5AA	1						Z5	[T5], Without Release Button
-8	4645 946AA-	2						Z5	AIR BAG, Seat

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code SL
Figure ILH-560



98Q095 555

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	WX44 1DVAA	1						SL	[DV], Right
	WX44 1T5AA	1						SL	[T5], Right
	WX45 1DVAA	1						SL	[DV], Left
	WX45 1T5AA	1						SL	[T5], Left
2									COVER, Front Seat Cushion
	WX46 1DVAA	1						SL	[DV], Right
	WX46 1T5AA	1						SL	[T5], Right
	WX47 1DVAA	1						SL	[DV], Left
	WX47 1T5AA	1						SL	[T5], Left
-3									PAD, Heater, Service with Cover, (NOT SERVICED) (Not Serviced)
4									SEAT BACK, Front
	WX90 1DVAA	1						SL	[DV], Right
	WX90 1T5AA	1						SL	[T5], Right
	WX91 1DVAA	1						SL	[DV], Left
	WX91 1T5AA	1						SL	[T5], Left
5									COVER, Front Seat Back, (NOT SERVICED) (Not Serviced)
6									HEADREST, Front
	WX35 1DVAA	2						SL	[DV]
	WX35 1T5AA	2						SL	[T5]
7									SHIELD, Seat Adjuster
	QY26 1DVAA	1						SL	[DV], Right
	QY26 1T5AA	1						SL	[T5], Right
	QY27 1DVAA	1						SL	[DV], Left
	QY27 1T5AA	1						SL	[T5], Left
8									SLEEVE, Headrest
	QX11 1DVAA	1						SL	[DV], With Release Button
	QX11 1T5AA	1						SL	[T5], With Release Button
	QX12 1DVAA	1						SL	[DV], Without Release Button
	QX12 1T5AA	1						SL	[T5], Without Release Button
-9	4645 946AA-	2						SL	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						SL	[DV]
	UF37 1T5AA	1						SL	[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code UL
Figure ILH-565



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	XF22 1D2AA	1						UL	[D2], Right
	XF22 1DVAA	1						UL	[DV], Right
	XF23 1D2AA	1						UL	[D2], Left
	XF23 1DVAA	1						UL	[DV], Left
2									COVER, Front Seat Cushion
	XF24 1D2AA	1						UL	[D2], Right
	XF24 1DVAA	1						UL	[DV], Right
	XF25 1D2AA	1						UL	[D2], Left
	XF25 1DVAA	1						UL	[DV], Left
-3	5114 187AA-	1						UL	PAD, Heater
4									SEAT BACK, Front
	XF18 1D2AA	1						UL	[D2], Without Airbag, Right
	XF18 1DVAA	1						UL	[DV], Without Airbag, Right
	XF19 1D2AA	1						UL	[D2], Without Airbag, Left
	XF19 1DVAA	1						UL	[DV], Without Airbag, Left
	XF30 1D2AA	1						UL	[D2], With Airbag, Right
	XF30 1DVAA	1						UL	[DV], With Airbag, Right
	XF31 1D2AA	1						UL	[D2], With Airbag, Left
	XF31 1DVAA	1						UL	[DV], With Airbag, Left
5									COVER, Seat Back
	XF20 1D2AA	1						UL	[D2], Right
	XF20 1DVAA	1						UL	[DV], Right
	XF21 1D2AA	1						UL	[D2], Left
	XF21 1DVAA	1						UL	[DV], Left
6									HEADREST, Front
	WX35 1DVAA	2						UL	[DV]
	WX35 1L2AA	2						UL	[D2]
7									SHIELD, Seat Adjuster
	QY26 1D2AA	1						UL	[D2], Right
	QY26 1DVAA	1						UL	[DV], Right
	QY27 1D2AA	1						UL	[D2], Left
	QY27 1DVAA	1						UL	[DV], Left
8									SLEEVE, Headrest
	QX11 1D2AA	1						UL	[D2], With Release Button
	QX11 1DVAA	1						UL	[DV], With Release Button
	QX12 1D2AA	1						UL	[D2], Without Release Button
	QX12 1DVAA	1						UL	[DV], Without Release Button
-9	4645 946AA-	2						UL	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1D2AA	1						UL	[D2]


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code UL
Figure ILH-565

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UF37 1DVAA	1						UL	[DV]




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code C8 ,X5 Police Car
Figure ILH-570




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	XF02 1DVAA	2						X5	[DV]
		2						C8	[DV]
2									COVER, Front Seat Cushion
	XF03 1DVAA	1						X5	[DV]
		1						C8	[DV]
3									SEAT BACK, Front
	XF00 1DVAA	1						X5	[DV], Right
		1						C8	[DV], Right
	XF01 1DVAA	1						X5	[DV], Left
		1						C8	[DV], Left
4	XE98 1DVAA	1						X5	COVER, Seat Back, [DV]
5									HEADREST, Front
	XF04 1DVAA	2						X5	[DV]
		2						C8	[DV]
6									SHIELD, Seat Adjuster
	QY22 1DVAA	1						X5	[DV], Right
		1						C8	[DV], Right
	QY23 1DVAA	1						X5	[DV], Left,Manual
		1						C8	[DV], Left,Manual
	QY25 1DVAA	1						X5	[DV], Left,Power
		1						C8	[DV], Left,Power
7									SLEEVE, Headrest
	QX11 1DVAA	1						X5	[DV], With Release Button
		1						C8	[DV], With Release Button
	QX12 1DVAA	1						X5	[DV], Without Release Button
		1						C8	[DV], Without Release Button
-8									AIR BAG, Seat
	4645 946AA-	1						X5	
		1						C8	
9									PANEL, Front Seat Back
	UF37 1DVAA	1						X5	[DV]
		1						C8	[DV]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code AL, DL
Figure ILH-575



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME, Seat cushion
	5093 532AA	2						DL	
		2						AL	
2									FOAM, Seat Cushion
	5093 618AA	2						AL	
		2						DL	
3									COVER, Front Seat Cushion
	XW62 1DVAA	1						DL	[DV], Right
		1						AL	[DV], Right
	XW63 1DVAA	1						DL	[DV], Left
		1						AL	[DV], Left
-4									PAD, Heater, Service with Cover, (NOT SERVICED) (Not Serviced)
5									SEAT BACK, Front
	XW60 1DVAA	2						DL	[DV], Without Air Bag, Right & Left
		2						AL	[DV], Without Air Bag, Right & Left
	XW78 1DVAA	1						DL	[DV], With Air Bag, Right
		1						AL	[DV], With Air Bag, Right
	XW79 1DVAA	1						DL	[DV], With Air Bag, Left
		1						AL	[DV], With Air Bag, Left
6									COVER, Seat Back
	XW61 1DVAA	1						DL	[DV], Without Air Bag, Right & Left
		1						AL	[DV], Without Air Bag, Right & Left
7									HEADREST, Front
	WX35 1DVAA	2						DL	[DV]
		2						AL	[DV]
8									SHIELD, Seat Adjuster
	QY27 1DVAA	1						DL	[DV], Left
		1						AL	[DV], Left
	XU84 1DVAA	1						DL	Right
		1						AL	Right
9									SLEEVE, Headrest
	QX11 1DVAA	1						DL	With Release Button
		1						AL	With Release Button
	QX12 1DVAA	1						DL	Without Release Button
		1						AL	Without Release Button
-10									AIR BAG, Seat
	4645 946AA-	2						DL	
		2						AL	
11									PANEL, Front Seat Back
	UF54 1DVAA	1						DL	[DV]


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Front - Trim Code AL, DL Figure ILH-575

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						AL	[DV]




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code B7
Figure ILH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	WJ27 1DVAA	1						B7	[DV]
	WJ27 1L5AA	1						B7	[L5]
	WJ27 1T5AA	1						B7	[T5]
2									SEAT BACK, Rear, w/Center Armrest
	WJ28 1DVAA	1						B7	[DV]
	WJ28 1L5AA	1						B7	[L5]
	WJ28 1T5AA	1						B7	[T5]
3									COVER, Rear Seat Back
	WJ31 1DVAA	1						B7	[DV]
	WJ31 1L5AA	1						B7	[L5]
	WJ31 1T5AA	1						B7	[T5]
4									CUSHION, Rear Seat
	WJ32 1DVAA	1						B7	[DV], With Fixed Back Seat
	WJ32 1L5AA	1						B7	[L5], With Fixed Back Seat
	WJ32 1T5AA	1						B7	[T5], With Fixed Back Seat
	WJ33 1DVAA	1						B7	[DV], With Folding Rear Seat
	WJ33 1L5AA	1						B7	[L5], With Folding Rear Seat
	WJ33 1T5AA	1						B7	[T5], With Folding Rear Seat
5									COVER, Rear Seat Cushion
	WJ34 1DVAA	1						B7	[DV], With Fixed Back Seat
	WJ34 1L5AA	1						B7	[L5], With Fixed Back Seat
	WJ34 1T5AA	1						B7	[T5], With Fixed Back Seat
	WJ35 1DVAA	1						B7	[DV], With Folding Back Rear Seat
	WJ35 1L5AA	1						B7	[L5], With Folding Back Rear Seat
	WJ35 1T5AA	1						B7	[T5], With Folding Back Rear Seat
6									ARMREST, Rear Seat Center
	WT39 1DVAA	1						B7	[DV]
	WT39 1L5AA	1						B7	[L5]
	WT39 1T5AA	1						B7	[T5]
7	5016 143AA	1						B7	BOLT, Armrest Pivot
8									CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
9									COLLAR, Rear Seat Back
	WU08 1DVAA	1						B7	[DV]
	WU08 1L5AA	1						B7	[L5]
	WU08 1T5AA	1						B7	[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code BF
Figure ILH-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	WJ27 1DVAA	1						BF	[DV], Fixed Back Seat
	WJ27 1L5AA	1						BF	[L5], Fixed Back Seat
	WJ27 1T5AA	1						BF	[T5], Fixed Back Seat
2									SEAT BACK, Rear, w/Center Armrest
	WJ28 1DVAA	1						BF	[DV]
	WJ28 1L5AA	1						BF	[L5]
	WJ28 1T5AA	1						BF	[T5]
3									SEAT BACK, Rear, 40%
	WJ29 1DVAA	1						BF	[DV]
	WJ29 1L5AA	1						BF	[L5]
	WJ29 1T5AA	1						BF	[T5]
4									SEAT BACK, Rear, 60%
	WJ30 1DVAA	1						BF	[DV]
	WJ30 1L5AA	1						BF	[L5]
	WJ30 1T5AA	1						BF	[T5]
5									COVER, Rear Seat Back
	WJ31 1DVAA	1						BF	[DV], With Full Seat Back
	WJ31 1L5AA	1						BF	[L5], With Full Seat Back
	WJ31 1T5AA	1						BF	[T5], With Full Seat Back
6									CUSHION, Rear Seat
	WJ32 1DVAA	1						BF	[DV], With Fixed Back Rear Seat
	WJ32 1L5AA	1						BF	[L5], With Fixed Back Rear Seat
	WJ32 1T5AA	1						BF	[T5], With Fixed Back Rear Seat
	WJ33 1DVAA	1						BF	[DV], With Folding Rear Seat
	WJ33 1L5AA	1						BF	[L5], With Folding Rear Seat
	WJ33 1T5AA	1						BF	[T5], With Folding Rear Seat
7									COVER, Rear Seat Cushion
	WJ34 1DVAA	1						BF	[DV], With Fixed Back Seat
	WJ34 1L5AA	1						BF	[L5], With Fixed Back Seat
	WJ34 1T5AA	1						BF	[T5], With Fixed Back Seat
	WJ35 1DVAA	1						BF	[DV], With Folding Rear Seat Back
	WJ35 1L5AA	1						BF	[L5], With Folding Rear Seat Back
	WJ35 1T5AA	1						BF	[T5], With Folding Rear Seat Back
8									ARMREST, Rear Seat Center
	WT39 1DVAA	1						BF	[DV]
	WT39 1L5AA	1						BF	[L5]
	WT39 1T5AA	1						BF	[T5]
9	5016 143AA	1						BF	BOLT, Armrest Pivot

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code BF

Figure ILH-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (Not Serviced)
11									COLLAR, Rear Seat Back
	WU08 1DVAA	1						BF	[DV]
	WU08 1L5AA	1						BF	[L5]
	WU08 1T5AA	1						BF	[T5]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code CL, R5 Figure ILH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, w/Center Armrest
	WJ36 1DVAA	1						R5	[DV]
	WJ36 1L5AA	1						R5	[L5]
	WJ36 1T5AA	1						R5	[T5]
	WJ37 1DVAA	1						CL	[DV]
	WJ37 1L5AA	1						CL	[L5]
	WJ37 1T5AA	1						CL	[T5]
2									SEAT BACK, Rear, 40%
	WJ39 1DVAA	1						R5	[DV]
	WJ39 1L5AA	1						R5	[L5]
	WJ39 1T5AA	1						R5	[T5]
	WJ38 1DVAA	1						CL	[DV]
	WJ38 1L5AA	1						CL	[L5]
	WJ38 1T5AA	1						CL	[T5]
3									SEAT BACK, Rear, 60%
	WJ40 1DVAA	1						R5	[DV], Left
	WJ40 1L5AA	1						R5	[L5], Left
	WJ40 1T5AA	1						R5	[T5], Left
	WX23 1DVAA	1						CL	[DV], Left
	WX23 1L5AA	1						CL	[L5], Left
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	UF98 1DVAA	1						R5	[DV]
	UF98 1L5AA	1						R5	[L5]
	UF98 1T5AA	1						R5	[T5]
	WJ42 1DVAA	1						CL	[DV]
	WJ42 1L5AA	1						CL	[L5]
	WJ42 1T5AA	1						CL	[T5]
6									COVER, Rear Seat Cushion
	WJ45 1DVAA	1						R5	[DV]
	WJ45 1L5AA	1						R5	[L5]
	WJ45 1T5AA	1						R5	[T5]
	WJ44 1DVAA	1						CL	[DV]
	WJ44 1L5AA	1						CL	[L5]
	WJ44 1T5AA	1						CL	[T5]
7									ARMREST, Rear Seat Center
	TB87 1DVAA	1						CL	[DV]
	TB87 1L5AA	1						CL	[L5]
	TB87 1T5AA	1						CL	


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code CL, R5 Figure ILH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UG04 1DVAA	1						R5	[DV]
	UG04 1L5AA	1						R5	[L5]
8	UG04 1T5AA	1						R5	[T5]
	5016 143AA	1						R5	BOLT, Armrest Pivot
9		1						CL	CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
10									COLLAR, Rear Seat Back
	UG02 1DVAA	1						R5	[DV]
	UG02 1L5AA	1						R5	[L5]
	UG02 1T5AA	1						R5	[T5]
	UG46 1DVAA	1						CL	[DV]
	UG46 1L5AA	1						CL	[L5]
	UG46 1T5AA	1						CL	[T5]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code Q5
Figure ILH-625




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	WJ46 1DVAA	1						Q5	[DV]
	WJ46 1L5AA	1						Q5	[L5]
	WJ46 1T5AA	1						Q5	[T5]
2									COVER, Rear Seat Cushion
	WJ47 1DVAA	1						Q5	[DV]
	WJ47 1L5AA	1						Q5	[L5]
	WJ47 1T5AA	1						Q5	[T5]
3									SEAT BACK, Rear, w/Center Armrest
	WJ48 1DVAA	1						Q5	[DV]
	WJ48 1L5AA	1						Q5	[L5]
	WJ48 1T5AA	1						Q5	[T5]
4									COVER, Rear Seat Back
	WJ49 1DVAA	1						Q5	[DV]
	WJ49 1L5AA	1						Q5	[L5]
	WJ49 1T5AA	1						Q5	[T5]
5									ARMREST, Rear Seat Center
	UG20 1DVAA	1						Q5	[DV]
	UG20 1L5AA	1						Q5	[L5]
	UG20 1T5AA	1						Q5	[T5]
6									COVER, Armrest, (NOT SERVICED) (Not Serviced)
-7	5014 828AA-	1						Q5	DOOR, Rear Seat Armrest

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code NL
Figure ILH-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, w/Center Armrest
	WJ50 1DVAA	1						NL	[DV]
	WJ50 1L2AA	1						NL	[L2]
	WJ50 1T5AA	1						NL	[T5]
2									SEAT BACK, Rear, 40%
	WJ51 1DVAA	1						NL	[DV]
	WJ51 1L2AA	1						NL	[L2]
	WJ51 1T5AA	1						NL	[T5]
3									SEAT BACK, Rear, 60%
	WJ52 1DVAA	1						NL	[DV]
	WJ52 1L2AA	1						NL	[L2]
	WJ52 1T5AA	1						NL	[T5]
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	WJ53 1DVAA	1						NL	[DV]
	WJ53 1L2AA	1						NL	[L2]
	WJ53 1T5AA	1						NL	[T5]
6									COVER, Rear Seat Cushion
	WJ54 1DVAA	1						NL	[DV]
	WJ54 1L2AA	1						NL	[L2]
	WJ54 1T5AA	1						NL	[T5]
7									ARMREST, Rear Seat Center
	TB87 1DVAA	1						NL	[DV]
	TB87 1L2AA	1						NL	[L2]
	TB87 1T5AA	1						NL	[T5]
8									BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
10									COLLAR, Rear Seat Back
	WU06 1DVAA	1						NL	[DV]
	WU06 1L2AA	1						NL	[L2]
	WU06 1T5AA	1						NL	[T5]

CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

September 16, 2005

A line drawing of a car seat with five numbered labels: 1 points to the seat base, 2 points to the seat back, 3 points to the seat backrest, 4 points to the seat backrest, and 5 points to the seat base.

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

September 16, 2005

A line drawing of a car seat with a central armrest. The seat is shown from a three-quarter perspective. Five numbered circles with leader lines point to specific parts: 1 points to the front edge of the seat base, 2 points to the side of the seat base, 3 points to the upper backrest, 4 points to the side of the backrest, and 5 points to the seat cushion.

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	


September 16, 2005

A line drawing of a car seat with five numbered labels. Label 1 points to the front edge of the seat base. Label 2 points to the bottom edge of the seat base. Label 3 points to the upper part of the backrest. Label 4 points to the top edge of the backrest. Label 5 points to the seat cushion.

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

September 16, 2005

Seat Rear - Trim Code Z5 Figure ILH-655



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, w/Center Armrest
	WJ69 1DVAA	1						Z5	[DV]
	WJ69 1T5AA	1						Z5	[T5]
2									SEAT BACK, Rear, 40%
	WJ70 1DVAA	1						Z5	[DV]
	WJ70 1T5AA	1						Z5	[T5]
3									SEAT BACK, Rear, 60%
	WJ71 1DVAA	1						Z5	[DV]
	WJ71 1T5AA	1						Z5	[T5]
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	WJ43 1DVAA	1						Z5	[DV]
	WJ43 1T5AA	1						Z5	[T5]
6									COVER, Rear Seat Cushion
	WJ45 1DVAA	1						Z5	[DV]
	WJ45 1T5AA	1						Z5	[T5]
7									ARMREST, Rear Seat Center
	UG04 1DVAA	1						Z5	[DV]
	UG04 1T5AA	1						Z5	[T5]
8	5016 143AA	1						Z5	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
10									COLLAR, Rear Seat Back
	UG02 1DVAA	1						Z5	[DV]
	UG02 1T5AA	1						Z5	[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code SL
Figure ILH-660




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	WJ53 1DVAA	1						SL	[DV]
	WJ53 1T5AA	1						SL	[T5]
2									COVER, Rear Seat Cushion
	WJ54 1DVAA	1						SL	[DV]
	WJ54 1T5AA	1						SL	[T5]
3									SEAT BACK, Rear, w/Center Armrest
	WJ50 1DVAA	1						SL	[DV]
	WJ50 1T5AA	1						SL	[T5]
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5									ARMREST, Rear Seat Center
	TB87 1DVAA	1						SL	[DV]
	TB87 1T5AA	1						SL	[T5]
6									SEAT BACK, Rear, 60%
	WJ52 1DVAA	1						SL	[DV]
	WJ52 1T5AA	1						SL	[T5]
7									SEAT BACK, Rear, 40%
	WJ51 1DVAA	1						SL	[DV]
	WJ51 1T5AA	1						SL	[T5]
8									COLLAR, Rear Seat Back
	UG46 1DVAA	1						SL	[DV]
	UG46 1T5AA	1						SL	[T5]
-9	5016 143AA-	1						SL	BOLT, Armrest Pivot

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Seat Rear - Trim Code UL
Figure ILH-665



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	XF15 1D2AA	1						UL	[D2]
	XF15 1DVAA	1						UL	[DV]
2									SEAT BACK, Rear, 40%
	XF26 1D2AA	1						UL	[D2]
	XF26 1DVAA	1						UL	[DV]
3									SEAT BACK, Rear, 60%
	XF27 1D2AA	1						UL	[D2]
	XF27 1DVAA	1						UL	[DV]
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	XF28 1D2AA	1						UL	[D2]
	XF28 1DVAA	1						UL	[DV]
6									COVER, Rear Seat Cushion
	XF29 1D2AA	1						UL	[D2]
	XF29 1DVAA	1						UL	[DV]
7									ARMREST, Rear Seat Center
	TB87 1D2AA	1						UL	[D2]
	TB87 1DVAA	1						UL	[DV]
8	5016 143AA	1						UL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
10									COLLAR, Rear Seat Back
	UG46 1D2AA	1						UL	[D2]
	UG46 1DVAA	1						UL	[DV]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

Seat Rear - Trim Code C8, X5 Figure ILH-670

[illegible]


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code AL
Figure ILH-675

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	XW81 1DVAA	1						AL	CUSHION, Rear Seat, [DV]
2	XW82 1DVAA	1						AL	COVER, Rear Seat Cushion, [DV]
3	XW75 1DVAA	1						AL	SEAT BACK, Rear, [DV]
4	XW80 1DVAA	1						AL	COVER, Rear Seat Back, [DV]
5	QZ38 1DVAA	1						AL	ARMREST, Rear Seat Center, [DV]
-6	5014 828AA-	1						TL	DOOR, Rear Seat Armrest, [AL] Trim Code, [AL] Trim Code




CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Rear - Trim Code DL
Figure ILH-680




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	XW64 1DVAA	1						DL	SEAT BACK, Rear, [DV]
2	XW65 1DVAA	1						DL	SEAT BACK, Rear, 40%, [DV]
3	XW66 1DVAA	1						DL	SEAT BACK, Rear, 60%, [DV]
4									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
5	XW67 1DVAA	1						DL	CUSHION, Rear Seat, [DV]
6	XW68 1DVAA	1						DL	COVER, Rear Seat Cushion, [DV]
7	XQ33 1DVAA	1						DL	ARMREST, Rear Seat Center, [DV]
8	5016 143AA	1						NL	BOLT, Armrest Pivot, [DL] Trim Code
9									CUPHOLDER, Serviced With Armrest, (NOT SERVICED) (Not Serviced)
10	XW13 1DVAA	1						DL	COLLAR, Rear Seat Back

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Belts - Front Figure ILH-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BELT, Front Outer								
	LM46 XDVAH	1						O0	European, Right
	LM47 XDVAK	1						O0	European, Left
	SG62 1L2AI	1	C, D					O0	[L2], Right
		1	Y	S				O0	[L2], Right
	SG62 1L5AI	1	C, D					O0	[L5], Right
	SG62 1T5AI	1	C, D					O0	[T5], Right
		1	Y	S				O0	[T5], Right
	SG62 XDVAI	1	C, D					O0	[DV], Right
		1	Y	S				O0	[DV], Right
		1	Y	X				O0	[DV], Right
	SG62 1D2AJ	1	Y	X				O0	[D2], Right
	SG63 1L2AL	1	C, D					O0	[L2], Left
		1	Y	S				O0	[L2], Left
	SG63 1L5AL	1	C, D					O0	[L5], Left
	SG63 1T5AL	1	C, D					O0	[T5], Left
		1	Y	S				O0	[T5], Left
	SG63 XDVAL	1	C, D					O0	[DV], Left
		1	Y	S				O0	[DV], Left
		1	Y	X				O0	[DV], Left
	SG63 1D2AM	1	Y	X				O0	[D2], Left
2	6504 538	2							SCREW, Shoulder, Front Seat Belt Attaching Outboard
3									WIRE, Front Seat, Serviced With Seat Belt, (NOT SERVICED) (Not Serviced)
4	4698 544AH	2							ADJUSTER, Seat Belt Turning Loop
5	6504 542	2							SCREW, 6 Lobed, Adjuster to B-Pillar Attaching
6	4680 385	2							BUTTON, Adjuster
7									SEAT BELT, Front Center
	JX77 1DVAD	2						B7	[DV]
	JX77 1L5AD	2						B7	[L5]
	JX77 1T5AD	2						B7	[T5]
	JX77 1DVAD	2						BF	[DV]
	JX77 1L5AD	2						BF	[L5]
	JX77 1T5AD	2						BF	[T5]
	WR12 1DVAC	1						BF	[DV], Center Position (Buckle), Right
	WR12 1L5AC	1						BF	[L5], Center Position (Buckle), Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Belts - Front Figure ILH-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WR12 1T5AC	1						BF	[T5], Center Position (Buckle), Right
	WR13 XDVAB	1						BF	[DV], Center Position (Tip), Left
	WR13 1L5AB	1						BF	[L5], Center Position (Tip), Left
	WR13 XT5AB	1						BF	[T5], Center Position (Tip), Left
	JX77 1DVAD	2						CL	[DV]
	JX77 1L5AD	2						CL	[L5]
	JX77 1T5AD	2						CL	[T5]
	JX77 1DVAD	1						ML	[DV]
	JX77 1L5AD	1						ML	[L5]
	JX77 1T5AD	1						ML	[T5]
	WR12 1DVAC	1						MP	[DV], Center Position (Buckle), Right
	JX77 1T5AD	2						MP	[T5]
	WR13 XT5AB	1						MP	[T5], Center Position (Tip), Left
	WR13 1L5AB	1						MP	[L5], Center Position (Tip), Left
	WR13 XDVAB	1						MP	[DV], Center Position (Tip), Left
	JX77 1L5AD	2						MP	[L5]
	WR12 1T5AC	1						MP	[T5], Center Position (Buckle), Right
	JX77 1DVAD	2						MP	[DV]
	JX77 1T5AD	2						NL	[T5]
	JX77 1L2AD	2						NL	[L2]
	JX77 1DVAD	2						NL	[DV]
		2						Q5	[DV]
	JX77 1T5AD	2						Q5	[T5]
	JX77 1L5AD	2						Q5	[L5]
	WR12 1L5AC	1						QF	[L5], Center Position (Buckle), Right
	WR12 1DVAC	1						QF	[DV], Center Position (Buckle), Right
	JX77 1DVAD	2						QF	[DV]
	JX77 1L5AD	2						QF	[L5]
	JX77 1T5AD	2						QF	[T5]
	JX77 1DVAD	2						R5	[DV]
	JX77 1L5AD	2						R5	[L5]
	JX77 1T5AD	2						R5	[T5]
	JX77 1DVAD	2						SL	[DV]
		2						TL	[DV]
	JX77 1L2AD	2						TL	[L2]
	JX77 1T5AD	2						TL	[T5]


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat Belts - Front
Figure ILH-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JX77 1L2AC	2						UL	[D2]
	JX77 1DVAC	2						UL	[DV]
	JX77 1DVAD	2						Z5	[DV]
8	5018 505AA	1							EXTENDER, Seat Belt, Front and Rear
9									BOLT, Seat Belt
	4761 234	2						BF	
		2						B7	
		2						R5	
		2						QF	
		2						Q5	
		2						CL	
		2						ML	
		2						MP	
		2						TL	
		2						NL	
		2						SL	
		2						Z5	
10	6506 164AA	8							SCREW AND WASHER, Hex Head, Seat Belt Attaching, w/Bench Seating
11									COVER, Turning Loop
	UY50 1L2AA	1	C, D					O0	[L2]
		1	Y	S				O0	[L2]
	UY50 1L5AA	1	C, D					O0	[L5]
	UY50 1T5AA	1	C, D					O0	[T5]
		1	Y	S				O0	[T5]
	UY50 XDVAA	1	C, D					O0	[DV]
		1	Y	X				O0	[DV]
	UY50 YBPAA	1	C, D					O0	[BP]
		1	Y	S				O0	[BP]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Seat Belts - Rear
 Figure ILH-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Teather Child Seat = Serviced With Rear Shelf Panel									
1	SH30 1DVAC	1						O0	SEAT BELT, Rear Inner [DV] European, Right
	PH76 1DVAD	1						O0	[DV]
	PH76 1L2AD	1						O0	[D2]
		1						O0	[L2]
	PH76 1L5AD	1						O0	[L5]
	PH76 1T5AD	1						O0	[T5]
2									NUT, Seat Belt Attaching (M12x1.75), (NOT SERVICED) (Not Serviced)
3	PH72 1DVAG	1						O0	SEAT BELT, Rear Outer [DV], Right
	PH72 1L2AG	1						O0	[L2], Right
	PH72 1L5AG	1						O0	[L5], Right
	PH72 1T5AG	1						O0	[T5], Right
	PH73 1DVAG	1						O0	[DV], Left
	PH73 1L2AG	1						O0	[L2], Left
	PH73 1L5AG	1						O0	[L5], Left
	PH73 1T5AG	1						O0	[T5], Left
	PH74 1DVAH	1						O0	[DV], European, Right
	PH75 1DVAH	1						O0	[DV], European, Left
4	6504 542	2							SCREW, 6 Lobed, Seat Belt Attaching
5									SCREW, (NOT SERVICED) (Not Serviced)
6									PANEL, Rear Shelf, Reference Only, (NOT REQUIRED)
7									SEAT BELT, Rear
	ST60 1T5AG	1						O0	[T5], Retractor (Export), Center
	ST60 XDVAG	1						O0	[DV], Retractor (Export), Center
	TV07 1D2AG	1						O0	[D2], Center
	TV07 1DVAG	1						O0	[DV], Center
	TV07 1L2AG	1						O0	[L2], Center
	TV07 1L5AG	1						O0	[L5], Center
	TV07 1T5AG	1						O0	[T5], Center
8									SCREW, Tapping, [M12x1.75x29.30], (NOT SERVICED) (Not Serviced)
-9									TETHER, Child Seat, Everything Serviced In Rear Shelf Panel, (NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Seat Belts - Rear Figure ILH-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10	4628 907AA-	AR						O0	BUMPER, Rubber, Child Tether
-11	6506 967AA-	1							SCREW, Center Seat Belt Retractor mounting



CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan


ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Manual Seat
Figure ILH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADREST, Front, See Seat Illustrations, (NOT REQUIRED)
2									SLEEVE, Headrest, See Seat Illustrations For Part Numbers, (NOT REQUIRED)
-3	5010 905AA-	1						BF	COVER, Stanchion 50/50 A/R
		1						QF	
		1						MP	
4									PLUG, Armrest, (NOT SERVICED) (Not Serviced)
5									NUT, Arm Rest, (NOT SERVICED) (Not Serviced)
6									ARMREST, Seat, See Seat Illustration For Part Numbers, (NOT REQUIRED)
7									SCREW, Armrest Attaching (M6-1.00x20.00), (NOT SERVICED) (Not Serviced)
8									BRACKET, Arm Rest, Pivot (Serviced With Seat BackBack), (NOT SERVICED) (Not Serviced)
9	4420 701	1						B7	HANDLE, Lumbar
		1						BF	
		1						R5	
		1						QF	
		1						Q5	
		1						CL	
		1						ML	
		1						MP	
		1						NL	
10	4761 235	1						C8	SCREW, Lumbar Handle
		1						CL	
		1						ML	
		1						MP	
		1						NL	
		1						Q5	
		1						QF	
		1						R5	

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Manual Seat
Figure ILH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						SL	
		1						TL	
		1						UL	
		1						X5	
		1						Z5	
11									SHIELD, Seat Adjuster
	QY22 1DVAA	1						B7	[DV], Right
		1						BF	[DV], Right
		1						R5	[DV], Right
	QY22 1L5AA	1						B7	[L5], Right
		1						BF	[L5], Right
		1						R5	[L5], Right
	QY22 1T5AA	1						B7	[T5], Right
		1						BF	[T5], Right
		1						R5	[T5], Right
	XU84 1DVAA	1						DL	[DV], Right
		1						AL	[DV], Right
	QY23 1DVAA	1						B7	[DV], Left
		1						BF	[DV], Left
	QY23 1L5AA	1						B7	[L5], Left
		1						BF	[L5], Left
	QY23 1T5AA	1						B7	[T5], Left
		1						BF	[T5], Left
	QY27 1DVAA	1						DL	[DV], Left
		1						AL	[DV], Left
12									SCREW, Manual Recliner Handle Attching (8-18x.75), (NOT SERVICED) (Not Serviced)
13									HANDLE, Seat Recliner
	4761 004	1						B7	Right
		1						BF	Right
		1						R5	Right
		1						QF	Right
		1						CL	Right
		1						ML	Right
		1						MP	Right
		1						NL	Right
	4761 005	1						B7	Left
		1						BF	Left
		1						R5	Left
		1						QF	Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Manual Seat
Figure ILH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						Q5	Left
		1						CL	Left
		1						ML	
		1						MP	
		1						NL	
14									SCREW, Shield To Cushion Attaching (8-18x.75), (NOT SERVICED) (Not Serviced)
15									SCREW, Hex Head
	5018 025AA	4						BF	To Recliner
		4						R5	To Recliner
		4						QF	To Recliner
		4						CL	To Recliner
		4						ML	To Recliner
		4						MP	To Recliner
		4						TL	To Recliner
		4						NL	To Recliner
		4						SL	To Recliner
		4						Z5	To Recliner
		4						B7	
		4						DL	
16		4						AL	RECLINER, Front Seat Back
	4882 676	1						BF	Right
		1						R5	Right
		1						QF	Right
		1						Q5	Right
	4897 288AA	1						BF	Left
	4882 676	1						B7	
	4882 677	1						B7	Left
		1						X5	Left
		1						C8	Left
		1						Y5	Left
-17									HANDLE, Seat Recliner
	5083 012AA-	1						B7	Right
	5083 013AA-	1						B7	Left
18									BOLT, Front Seat Recliner, Manual Recliner To Adjuster Attaching (M6-1.00)
	5019 619AA	4						BF	
		2						B7	

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Manual Seat
Figure ILH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4882 224	2						R5	ADJUSTER, Manual Seat
		1						QF	
		2						Q5	
		1						B7	
		1						BF	
		1						R5	
		1						QF	
		1						Q5	
		1						B7	
		1						BF	
20	4882 225	1						B7	TOWEL BAR, Seat Adjuster Handle
		1						BF	
		1						B7	
		1						BF	
		1						QF	
		1						Q5	
		1						B7	
		1						BF	
		1						QF	
		1						Q5	
21	6506 164AA	8						QF	SCREW AND WASHER, Hex Head, Front and Rear Seat Attaching To Floor
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
22	6503 679	4						QF	RIVET, Towel Bar Attaching, (NOT SERVICED) (Not Serviced) NUT, M10x1.50, Front Seat Mounting, Front RIVET, .25x.110/.189, Front Sear Rear T-Plate Repair
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
-23	6033 688	AR						QF	RIVET, .25x.110/.189, Front Sear Rear T-Plate Repair
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	
		1						QF	
		1						Q5	

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADREST, Front, For Part NumbersSee Seat Ill., (NOT REQUIRED)
2									SLEEVE, Headrest, For Part Numbers See Seat Ill., (NOT REQUIRED)
3									COVER, Bracket, Lumbar, (NOT SERVICED) (Not Serviced)
4									SCREW, Cover Attaching, (NOT SERVICED) (Not Serviced)
5									SCREW, Lumbar Handle Attaching (M5-0.8x12.5), (NOT SERVICED) (Not Serviced)
6	4420 701	1						B7	HANDLE, Lumbar
		1						BF	
		1						R5	
		1						QF	
		1						Q5	
		1						CL	
		1						ML	
		1						MP	
		1						NL	
7	QY24 1DVAA	1						R5	SHIELD, Seat Adjuster, With Power [DV], Right
		1						QF	[DV], Right
		1						Q5	[DV], Right
		1						ML	[DV], Right
		1						MP	[DV], Right
		1						Z5	[DV], Right
	QY24 1L5AA	1						R5	[L5], Right
		1						QF	[L5], Right
		1						Q5	[L5], Right
		1						ML	[L5], Right
		1						MP	[L5], Right
	QY24 1T5AA	1						R5	[T5], Right
		1						QF	[T5], Right
		1						Q5	[T5], Right
		1						ML	[T5], Right
		1						MP	[T5], Right
		1						Z5	[T5], Right

CONCORDE-INTREPID-300M (LH)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
P = Premium	H = Chrysler		41 = 4 Door Sedan		EER, EE0 = 2.7L V6 DOHC		DGX = 4 Speed Automatic		
S = Special	Intrepid				EGG = 3.5L HO V6 MPI 24V		DG0 = All Automatic Transm		
H = High Line	D = Dodge Intrepid				EGJ = 3.5L V6 SOHC 24V				
M = LXI	C = Concorde				EGK = 3.5L HO V6 MPI 24V				
X = R/T	Y = 300M				EGC = ÎMAGNUMÖ 3.5L V6				

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY25 1DVAA	1						B7	[DV], Left
		1						BF	[DV], Left
		1						R5	[DV], Left
		1						QF	[DV], Left
		1						Q5	[DV], Left
	QY25 1L5AA	1						CL	[DV], Left
		1						ML	[DV], Left
		1						MP	[DV], Left
		1						Z5	[DV], Left
		1						BF	[L5], Left
	QY25 1T5AA	1						R5	[L5], Left
		1						B7	[L5], Left
		1						QF	[L5], Left
		1						Q5	[L5], Left
		1						CL	[L5], Left
	QY27 1DVAA	1						ML	[L5], Left
		1						MP	[L5], Left
		1						B7	[T5], Left
		1						BF	[T5], Left
		1						R5	[T5], Left
	XU84 1DVAA	1						QF	[T5], Left
		1						Q5	[T5], Left
		1						CL	[T5], Left
		1						ML	[T5], Left
		1						MP	[T5], Left
	QP36 TL2AD	2						Z5	[T5], Left
		2						DL	[DV], Left
		2						AL	[DV], Left
		2						DL	[DV], Right
		2						AL	[DV], Right
	QP36 XDVAD	2						SWITCH, Heated Seat	
		2						NL	[L2]
		2						TL	[L2]
		2						NL	[DV]
		2						SL	[DV]
	QP36 XT5AD	2						TL	[DV]
		2						NL	[T5]
		2						SL	[T5]
		2						TL	[T5]
		2						DL	[DV]
	QP36 DX9AD	2						AL	[DV]
		2						AL	[DV]
		2						SWITCH, Memory Selector	
		2							
		2							

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RF29 TL2AB	1						NL	[L2]
		1						TL	[L2]
	RF29 XDVAB	1						NL	[DV]
		1						SL	[DV]
		1						TL	[DV]
	RF29 XT5AB	1						NL	[T5]
		1						SL	[T5]
		1						TL	[T5]
	RF29 DX9AB	1						DL	[DV]
		1						AL	[DV]
10									SCREW, Cushion To Adjuster Attaching (M6-1.00x12.5), (NOT SERVICED) (Not Serviced)
11									MODULE, Seat Memory, Seat Memory (See Group 8 III 405 Modules)
	4602 304AC	1						NL	
		1						SL	
		1						TL	
		1						DL	
		1						AL	
12									SCREW, Module Attaching (.164-18x.500), (NOT SERVICED) (Not Serviced)
13	6506 164AA	8							SCREW AND WASHER, Hex Head, Front and Rear Seat Attaching
-14	6503 679	4							NUT, M10x1.50, Front Seat Mounting, Front
15									ADJUSTER, Power Seat
	5017 858AB	1						B7	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						BF	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						R5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						Z5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						CL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						Q5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						QF	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						ML	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						MP	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						NL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						SL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						UL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						TL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
	5017 859AB	1						B7	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						BF	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						R5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						Z5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						CL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						Q5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						QF	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Seats Attaching Parts Power Seat
Figure ILH-815

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						MP	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						X5	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						C8	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						TL	8-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Left
	5096 095AA	1						TL	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						BF	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						B7	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						Y5	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						QF	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						Q5	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						Z5	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						R5	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						X5	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						C8	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						CL	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						ML	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
		1						MP	8-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Left
	5017 860AB	1						SL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						TL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						NL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						UL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						DL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left
		1						AL	8-Way With Memory, (Use Up To 5-1-02) Used With 6mm Bolt (5018025AA), Left
	5096 056AA	1						NL	8-Way With Memory, (Use After 5-1-02) Used With 8 mm Bolt (5101978AA), Left
		1						SL	8-Way With Memory, (Use After 5-1-02) Used With 8 mm Bolt (5101978AA), Left
		1						DL	8-Way With Memory, (Use After 5-1-02) Used With 8 mm Bolt (5101978AA), Left
		1						AL	8-Way With Memory, (Use After 5-1-02) Used With 8 mm Bolt (5101978AA), Left
		1						UL	8-Way With Memory, (Use After 5-1-02) Used With 8 mm Bolt (5101978AA), Left
	5096 013AA	1						DL	6-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						NL	6-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						TL	6-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						SL	6-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right
		1						UL	6-Way, (Use Up To (5-1-02) Used With 6mm Bolt (5018025AA), Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5096 055AA	1						NL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						TL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						SL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						DL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						AL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						Z5	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						UL	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						QF	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						Q5	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						ML	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
		1						MP	6-Way, (Use After 5-1-02) Used With 8mm Bolt (5101978AA), Right
16									SCREW, Power Switch To Shield (8- 18x.50), (NOT SERVICED) (Not Serviced)
17									KNOB, Power Seat Switch, Power Adjuster
	4607 042	1						R5	Right
		1						QF	Right
		1						CL	Right

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						ML	Right
		1						MP	Right
		1						TL	Right
		1						NL	Right
		1						SL	Right
	4607 043AB	1						Z5	Right
		1						B7	Left
		1						BF	Left
		1						CL	Left
		1						ML	Left
		1						MP	Left
		1						NL	Left
		1						Q5	Left
		1						QF	Left
		1						R5	Left
		1						SL	Left
		1						TL	Left
	4607 042	1						Z5	Left
		1						DL	
		1						AL	
18									KNOB, Power Seat Switch, Power Recliner
	4607 044AB	1						CL	Power Recliner, Right
		1						ML	Power Recliner, Right
		1						MP	Power Recliner, Right
		1						NL	Power Recliner, Right
		1						Q5	Power Recliner, Right
		1						QF	Power Recliner, Right
		1						R5	Power Recliner, Right
	4607 045AB	1						SL	Power Recliner, Right
		1						TL	Power Recliner, Right
		1						B7	Power Recliner, Left
		1						BF	Power Recliner, Left
		1						CL	Power Recliner, Left
		1						ML	Power Recliner, Left
		1						MP	Power Recliner, Left
		1						NL	Power Recliner, Left
		1						Q5	Power Recliner, Left
		1						QF	Power Recliner, Left
		1						R5	Power Recliner, Left
		1						SL	Power Recliner, Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat Figure ILH-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						TL	Power Recliner, Left
	4607 044AB	1						DL	Power Recliner, Right
		1						AL	Power Recliner, Right
	4607 045AB	1						DL	Power Recliner, Left
		1						AL	Power Recliner, Left
19									SCREW, Shield Attaching (8-18x.75), (NOT SERVICED) (Not Serviced)
20									SHIELD, Seat Adjuster, With Manual [DV], Right
	QY22 1DVAA	1						B7	[DV], Right
		1						BF	[DV], Right
	QY22 1L5AA	1						B7	[L5], Right
		1						BF	[L5], Right
	QY22 1T5AA	1						B7	[T5], Right
		1						BF	[T5], Right
	QY23 1DVAA	1						B7	[DV], Left
		1						BF	[DV], Left
	QY23 1L5AA	1						B7	[L5], Left
		1						BF	[L5], Left
	QY23 1T5AA	1						B7	[T5], Left
		1						BF	[T5], Left
21									BOLT, Hex Head
	5018 026AA	4						B7	Seat Back Pivot
		4						BF	Seat Back Pivot
		4						R5	Seat Back Pivot
		4						QF	Seat Back Pivot
		4						Q5	Seat Back Pivot
		4						CL	Seat Back Pivot
		4						ML	Seat Back Pivot
		4						MP	Seat Back Pivot
		4						TL	Seat Back Pivot
		4						SL	Seat Back Pivot
		4						Z5	Seat Back Pivot
22									SCREW, Hex Head, Use Up To 5-1-02
	5018 025AA	4						B7	Screw to Recliner, (Use Up To 5-1-02)
		4						BF	Screw to Recliner, (Use Up To 5-1-02)
		4						R5	Screw to Recliner, (Use Up To 5-1-02)
		4						QF	Screw to Recliner, (Use Up To 5-1-02)


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4						Q5	Screw to Recliner, (Use Up To 5-1-02)
		4						CL	Screw to Recliner, (Use Up To 5-1-02)
		4						ML	Screw to Recliner, (Use Up To 5-1-02)
		4						MP	Screw to Recliner, (Use Up To 5-1-02)
		4						TL	Screw to Recliner, (Use Up To 5-1-02)
		4						NL	Screw to Recliner, (Use Up To 5-1-02)
		4						SL	Screw to Recliner, (Use Up To 5-1-02)
		4						Z5	Screw to Recliner, (Use Up To 5-1-02)
		4						DL	Screw to Recliner, (Use Up To 5-1-02)
		4						AL	Screw to Recliner, (Use Up To 5-1-02)
23									BOLT, M8, Use After 5-1-02
	5101 978AA	1						AL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						B7	Recliner Rod To Seat Back (Use After 5-1-02)
		1						BF	Recliner Rod To Seat Back (Use After 5-1-02)
		1						C8	Recliner Rod To Seat Back (Use After 5-1-02)
		1						CL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						DL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						ML	Recliner Rod To Seat Back (Use After 5-1-02)
		1						MP	Recliner Rod To Seat Back (Use After 5-1-02)
		1						NL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						Q5	Recliner Rod To Seat Back (Use After 5-1-02)

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts Power Seat
Figure ILH-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						QF	Recliner Rod To Seat Back (Use After 5-1-02)
		1						R5	Recliner Rod To Seat Back (Use After 5-1-02)
		1						SL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						TL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						UL	Recliner Rod To Seat Back (Use After 5-1-02)
		1						X5	Recliner Rod To Seat Back (Use After 5-1-02)
		1						Z5	Recliner Rod To Seat Back (Use After 5-1-02)
-24	4761 224	8						AL	BOLT, Hex Head, M6x1.0x12.5 Seat Adjuster - Front Back Pivot
		1						B7	Seat Adjuster - Front Back Pivot
		1						BF	Seat Adjuster - Front Back Pivot
		1						C8	Seat Adjuster - Front Back Pivot
		8						CL	Seat Adjuster - Front Back Pivot
		1						DL	Seat Adjuster - Front Back Pivot
		1						ML	Seat Adjuster - Front Back Pivot
		1						MP	Seat Adjuster - Front Back Pivot
		8						NL	Seat Adjuster - Front Back Pivot
		8						Q5	Seat Adjuster - Front Back Pivot
		1						QF	Seat Adjuster - Front Back Pivot
		8						R5	Seat Adjuster - Front Back Pivot
		8						SL	Seat Adjuster - Front Back Pivot
		8						TL	Seat Adjuster - Front Back Pivot
		8						UL	Seat Adjuster - Front Back Pivot
		8						X5	Seat Adjuster - Front Back Pivot
		1						Y5	Seat Adjuster - Front Back Pivot
		1						Z5	Seat Adjuster - Front Back Pivot
-25	5080 982AA-	1						SL	BOLT, Power Seat Adjuster

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats Attaching Parts
Figure ILH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 164AA	8							SCREW AND WASHER, Hex Head, Seat Attaching
2	6503 679	4							NUT, M10x1.50, Front Seat Mounting, Front
3	4645 939AA	2							RETAINER, Seat Cushion
4									NUT, M12-1.75, Rear Seat Back and Seat Belts Attaching, (NOT SERVICED) (Not Serviced)


CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Group – SLH









Body Sheet Metal Except Doors



Group – SLH

Body Sheet Metal Except Doors

SLH-1100 Roof Panels 	SLH-1200 Sunroof 	SLH-1300 Liftgate Panel 	SLH-1400 Rear Shelf Panel 
--	--	---	---


SLH-200 Floor Pans 	SLH-300 Plugs 	SLH-400 Front Fenders 	SLH-500 Hood & Hood Release 
SLH-600 Cowl and Dash Panel 	SLH-700 Glass and Rear View Mirror 	SLH-800 Aperture Panel 	SLH-900 Quarter Panel and Pillar 

GROUP SLH - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Front And Center Floor Pan	Fig. SLH-210
Rear Floor Pan	Fig. SLH-220
Plugs	
Plugs, Floor Pan	Fig. SLH-310
Plugs, Hood And Deck Lid	Fig. SLH-320
Plugs, Body	Fig. SLH-330
Front Fenders	
Front Fender	Fig. SLH-410
Hood & Hood Release	
Hood	Fig. SLH-510
Hood Release And Latch	Fig. SLH-520
Cowl and Dash Panel	
Cowl Screens And Support Beam	Fig. SLH-610
Cowl And Dash	Fig. SLH-620
Glass and Rear View Mirror	
Glass Windshield And Mirror	Fig. SLH-710
Glass Rear Window	Fig. SLH-720
Aperture Panel	
Aperture, Body Side	Fig. SLH-810
Aperture, Body Side	Fig. SLH-815
Quarter Panel and Pillar	
Quarter Panel	Fig. SLH-910
Roof Panels	
Roof Panel	Fig. SLH-1110
Sunroof	
Sunroof	Fig. SLH-1210
Liftgate Panel	
Deck Lid	Fig. SLH-1310
Spoiler - Deck Lid	Fig. SLH-1315
Rear Shelf Panel	
Rear Shelf Panel	Fig. SLH-1410



Front And Center Floor Pan Figure SLH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 010AN	1							PAN, Front Floor
-2	4740 136	1							SILENCER, Floor Pan
3	4580 002	2							CROSSMEMBER, Floor Pan Right
	5016 302AA	2							Left
4	4580 352	1							CROSSMEMBER, Front Floor Front Seat Mounting, Right,Rear
	4580 353	1							Front Seat Mounting, Rear
5	4580 064AC	1							CROSSMEMBER, Steering Gear
6	4580 322AB	1							CROSSMEMBER, Floor Pan
7	4580 640AB	1							BRACKET, Parking Brake Cable
8	4580 414	1							REINFORCEMENT, Floor Pan Center, Center Floor Sill to Sill
9	4580 346AE	1							CAP, Side Rail Right
	4580 347AE	1							Left
10	4580 034AF	1							PAN, Center Floor
11	4580 298AF	1	D, Y						RAIL, Frame Side Right
	4580 299AF	1	D, Y						Left
	4580 434AF	1	C						Right
	4580 435AF	1	C						Left
12	4580 336AB	1							REINFORCEMENT, Floor Pan Outer Reinforcement Tie Down, Front,Right
	4580 337AD	1							Outer Reinforcement Tie Down, Front,Left
13	4580 042AC	1							CAP, Side Rail Right
	4580 043AC	1							Left
14	4580 028AB	1							BRACKET, Tension Strut Right
	4580 029AB	1							Left
15	4580 446AF	1							EXTENSION, Body Side Sill Right
	4580 447AF	1							Left
16	4580 062AC	2							EXTENSION, Rail Flange
17	4580 752AD	1							REINFORCEMENT, Front Side Rail
18	4580 090AB	1							CAP, Floor Pan Rail Right
	4580 091AB	1							Left

CONCORDE-INTREPID-300M (LH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Floor Pan Figure SLH-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PAN, Rear Floor
	4580 490AF	1	D, Y						Short
	4580 491AF	1	C						Long
2									PANEL, Rear Floor Pan
	4580 514	1	D, Y						
		1	C						
3	4580 026AD	1							CROSSMEMBER, Floor Pan
4	5003 165AD	1							REINFORCEMENT, Seat Belt Anchor
5	4580 609AB	1							BRACKET, Fuel Tank
6	4575 238AH	1							CROSSMEMBER, Rear Suspension
7	4580 738AB	1							BRACKET, Disabled Vehicle Tow, Tow
8	4580 058AD	1							REINFORCEMENT, Disabled Vehicle Tow
-9	6101 108	3							SCREW AND WASHER, Hex Head, M12x1.75x35
-10	6101 920	3							NUT, Hex Flange, M12x1.75
-11									REINFORCEMENT, Belt Retainer
	4575 274	1	C						Right,Rear
		1	D						Right,Rear
		1	Y						Right,Rear
	4575 275	1	C						Left,Rear
		1	D						Left,Rear
		1	Y						Left,Rear




CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	4							PLUG, Floor Pan
2	4780 520AA	5							PLUG, Top Seal
3									TAPE, Butyl, (NOT SERVICED) (Not Serviced)
4	4780 520AA	5							PLUG, Top Seal
5	4780 194	2							PLUG, Side Sill Inner
-6									GROMMET
	4759 514AB-	2							Trunk Carpet Attaching
	4780 550AB-	2							ABS Hole



SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM 3.5L V6	

September 16, 2005

Plugs, Hood And Deck Lid Figure SLH-320


[illegible]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plugs, Body Figure SLH-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4696 466AB	2							PLUG, Door, Rubber
2	4780 615AB	1							PLUG, Body, .75 Diameter, Pillar
3									PLUG, Cowl Side, (NOT REQUIRED)
4	4780 194	2							PLUG
5									TAPE, Butyl, (NOT SERVICED) (Not Serviced)
-6	4440 294	2	D, Y						PLUG, 1/4 Panel Extension
-7	4780 521AB-	2							PLUG, Top Seal, 30MM
-8	4696 466AB-	2							PLUG, Door, Rubber, Splash Shi, Front,Splash Shield

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Fender Figure SLH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	5003 064AC	1	D						Right
	5003 065AC	1	D						Left
	5003 060AD	1	C						Right
	5003 061AD	1	C						Left
	5003 066AF	1	Y						Right
	5003 067AF	1	Y						Left
-2									BRACKET PACKAGE, Fender to Body Side Aperture
	5013 082AA-	1	D						
		1	C						
		1	Y						
3	6504 971AA	2							SCREW, M8x1.25x20
4	6101 801	4							SCREW, Tapping Annular, M8x1. 25x15, Tapping, M8X1.25X15
5	6502 064	AR							SCREW, Tapping, M6x1x20
6	6101 712	2							NUT, U, M6x1, Upper Radiator
									Crossmember Attaching to Load Beam Inner
7									BEAM PACKAGE, Upper Load Path
	5003 848AB	1							Right
	5003 849AB	1							Left
8	6102 088AA	4							SCREW, Hex Head, M8x1.25x45
9									TOWER, Front Suspension
	4580 442AI	1							Right
	4580 443AJ	1							Left
-10	6101 916	2							NUT, Hex Weld, M8x1.25, Tower attaching
11									SUPPORT, Headlamp Panel
	4580 546	1							Right
	4580 547	1							Left
12									BEAM, Upper Load Path
	4580 216AF	1							Right
	4580 217AF	1							Left
13	4580 776AB	1							TAPPING PLATE, Hood Hinge Body to Load Beam
14	4580 777AA	1							TAPPING PLATE, Hood Hinge
15									SHIELD, Wheelhouse
	4580 194AE	1	D						Right
	4580 195AE	1	D						Left
	4580 486AE	1	C, Y						Right


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Fender
Figure SLH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4580 487AE	1	C, Y						Left
-16	6504 870AA-	5	D						NUT
		5	C, Y						Shield Attaching
-17	6504 521	4							Shield Attaching
18									PIN, Push, Splash Shield Attaching
	4580 774AH	1							SEAL, Fender To Cowl
	4580 775AH	1							Right
19									Left
									REINFORCEMENT, Suspension
									Strut Mounting
	4580 722AK	1							Right
	4580 723AE	1							Left
20	4580 192	2							PLATE, Suspension, Front
									Suspension Strut Mounting
21									PANEL, Fender Side Shield
	4580 186AD	1							Right
	4580 187AE	1							Left
-22	4580 795AA-	AR							SHIM, Fender, Load Beam to Front
									Fender
-23	4783 805	AR							SHIM, Fender
-24									BRACKET, Fender Nose
	4580 258AB-	1	Y						Right
	4580 259AB-	1	Y						Left
-25	6505 638AA-	8							SCREW, Fender attaching
-26	4696 466AB-	2							PLUG, Door, Rubber, Wheelhouse
									Splash Access Hole

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood
Figure SLH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	5003 088AD	1	C						
	5003 098AC	1	D						
	5003 100AD	1	Y						
-2									CLIP, Hood
	4580 778AA-	1	D, Y						Hinge Body Half To Wiper Bracket, Spring,Clip
		1	C						
3									SILENCER, Hood
	4580 565AC	1	C, Y						
	4580 566AC	1	D						
4									PIN, Push, M6.35x12.60
	6502 842	13	D						Hood Inner Panel Silencer
		10	C, Y						Attaching Hood Inner Panel Silencer Attaching
5									HINGE, Hood
	4580 136AF	1	D, Y						Right
	4580 137AF	1	D, Y						Left
	4580 138AG	1	C						Right
	4580 139AG	1	C						Left
-6									PUSH NUT, M8
	6100 841	1	D, Y						Hood Hinge
		1	C						Hood Hinge
7	6100 592	2							SCREW, M8x1.25x30, Attaching, Hood Hinge
8	4780 090	1							WEATHERSTRIP, Hood to Radiator
9									PROP, Gas
	4580 770AE	1	D, Y						Right
	4580 771AE	1	D, Y						Left
10									PROP, Hood
	4580 772AD	1	C						Right
	4580 773AD	1	C						Left
	4580 770AD	1	D, Y						Right
	4580 771AD	1	D, Y						Left
11	6504 971AA	2							SCREW, M8x1.25x20
12	5253 192	2							BUMPER, Hood, Stop Bumper
13	4696 592	2							BUMPER, Hood, Hood Adjust
14	4780 549AA	1							DEADENER, Hood To Cowl Seal Extension
15	4580 349AH	1							BRACE, Front Strut Tower to Tower


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood
Figure SLH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6101 446	2							NUT AND WASHER, To Body Attaching, Hood Hinge
17	6100 592	2							SCREW, M8x1.25x30

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood Release And Latch
Figure SLH-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 280AB	1							RELEASE, Hood Latch
2	6504 476	2							SCREW, Hex Flange Head Tapping, M4.8 x 1.59 x 38.00
3	4646 042	1							CLIP, Hood Latch Release, Cable
4									LATCH, Hood
	4580 180AB	1	D						(Series) [Y]
	4580 282AD	1	C						(Series) [X]
	4580 730AD	1	Y						
		1	Y						
5	6101 446	2							NUT AND WASHER
6	6504 905AA	2							CLIP, M5 x 21.80
7	4658 887	4	C, Y						PUSH PIN, Front Door Glass Run With Weatherstrip
8									SEAL
	4780 532AB	1	D						
	4780 533AC	1	C, Y						
9	4696 592	2							BUMPER, Hood

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl Screens And Support Beam
Figure SLH-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 638AB	1							SCREEN, Cowl, Plenum
2	4805 119AB	7							GROMMET, Cowl Upper,Plenum
		2							Cowl To Fender
3									SCREEN, Cowl Top
	4805 014AC	1	D, Y						Right
	4805 015AC	1	D, Y						Left
	4805 016AF	1	C						Right
	4805 017AF	1	C						Left
4	6034 912	4							SCREW, Pan Head, .19-16x.75, Cowl Screen attaching
5	6502 964	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
6	4580 409AD	1							BEAM, Steering Column Support
7									NUT, (NOT SERVICED) (Not Serviced)
8	4580 685AC	1							STRUT, Beam Bracket to Airbag Bracket
9									NUT, (NOT SERVICED) (Not Serviced)
10									SCREW, (NOT SERVICED) (Not Serviced)
11	4574 395	1							WEATHERSTRIP, Hood to Cowl
12	4580 774AH	1							SEAL, Fender To Cowl Right
	4580 775AH	1							Left
-13	5065 016AA-	1							WATERSHIELD, Cowl Plenum

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Dash Figure SLH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	4580 420AC	1							Right
	4580 421AC	1							Left
2	5010 290AC	1							PANEL PACKAGE, Cowl Plenum Upper
3	4580 363AH	1							PANEL, Cowl Plenum Lower
4	5003 292AB	1							PANEL, Dash
5	4583 417	1							REINFORCEMENT, Brake Booster
6									BRACKET, Wiper
	4580 727AB	1	D, Y						
		1	C						
7	4780 543AA	1							WASHER, Plenum Sealing
-8	6035 454	3							SCREW, Tapping Pan Head, .19- 16x1.322, Crossmember to Plenum


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Glass Windshield And Mirror
Figure SLH-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4575 377AC	1							WINDSHIELD, Solar
2	4575 707AA	3							SPACER, Windshield Bottom Stop
3	4278 662	AR							SPACER
4	4805 332AB	1							MIRROR, Inside Rear View Prismatic - Trapezoidal
	4805 572AA	1							Electrochromic
5	5507 6401	1							BUTTON, Rear View Mirror
-6	5073 472AA-	1							SCREW, Inside Rear View Mirror attaching

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Glass Rear Window
Figure SLH-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPACER, With Backlite, (NOT REQUIRED)
2	4575 371	1	Y						BACKLITE
3	4575 373	1	D						BACKLITE, Tinted, Solar Control
	4575 375	1	C						
4	4759 137AB	1	Y						WIRING, Electric Backlight Ground
		1	C						
	4759 523AA	1	D						
5	4759 138AB	1	Y						WIRING, Electric Back Light Feed
		1	C						
	4759 522AA	1	D						
6	4759 137AB	1	Y						WIRING, Electric Backlight Ground
		1	C						
	4759 523AA	1	D						
7	4759 138AB	1	Y						WIRING, Electric Back Light Feed
		1	C						
	4759 522AA	1	D						

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture, Body Side
Figure SLH-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture, (Served In Illustration 815), (NOT REQUIRED)
2	4575 386	1	D						PANEL, Windshield Frame Right
		1	C						Right
		1	Y						Right
	4575 387	1	D						Left
		1	C						Left
		1	Y						Left
3	4575 466	1	D						SUPPORT, Roof Right
	4575 467	1	D						Left
	4575 594	1	C						Right
		1	Y						Right
	4575 595	1	C						Left
		1	Y						Left
4	4580 398AG	1							SILL, Body Side Right
	4580 399AG	1							Left
5									SPACER, Door Latch Striker
	5507 5483	AR							2.0- 2.5mm thick
	4520 289	AR							3.75mm thick
6	4780 259	2							STRIKER, Door
7	6503 120	4							SCREW AND WASHER, Button Head Torx
-8	4886 364AA-	AR							REINFORCEMENT PACKAGE, Body Side Aperture, Apperture

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture, Body Side
Figure SLH-815


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
									Aperture Front
	5003 765AG	1	Y						Left
	5003 764AG	1	Y						Right
	5016 892AF	1	D						Right
	5016 893AF	1	D						Left
	5016 886AE	1	C						Right
	5016 887AE	1	C						Left
2									PANEL PACKAGE, Body Side
									Aperture Center
	5016 888AC	1	C						Right
	5016 889AC	1	C						Left
	5003 766AF	1	Y						Right
	5003 767AF	1	Y						Left
	5016 894AF	1	D						Right
	5016 895AF	1	D						Left
3									PANEL PACKAGE, Body Side
									Aperture Rear
	5003 768AD	1	C						Right
	5003 769AD	1	C						Left
	5003 770AH	1	D						Right
	5003 771AH	1	D						Left
	5003 772AG	1	Y						Right
	5003 773AG	1	Y						Left
4									PANEL PACKAGE, Body Side Sill
	5003 776AH	1	D						Right
	5003 777AH	1	D						Left
5									PANEL PACKAGE, Sill
	5003 774AG	1	Y						Right
	5003 775AG	1	Y						Left
	5016 890AE	1	C						Right
	5016 891AE	1	C						Left

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Panel Figure SLH-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4575 521AH	1							DOOR, Fuel Fill
-2	6504 303	2							SCREW, Tapping, M6x1x12, Fuel Filler Door attaching
-3	4780 553AA-	1							LABEL, Fuel, Federal
-4	4780 548AA-	1							LABEL, Fuel, "DO NOT TOP OFF", Canada
-5									BUMPER, Fuel Door
	4780 726AA-	2	D						
		2	Y						
		2	C						
-6									HOUSING, Fuel Filler
	4575 475AH-	1	C						
	4575 527AJ-	1	D						
	4575 532AH-	1	Y						
7									SUPPORT, Quarter
	4575 510AC	1	D						Right
	4575 511AC	1	D						Left
	4575 512AC	1	C, Y						Right
	4575 513AC	1	C, Y						Left
8									PANEL, Quarter
	4575 442AF	1	D						Right
	4575 443AG	1	D						Left
	4575 438AG	1	C						Right
	4575 439AH	1	C						Left
	4575 440AH	1	Y						Right
	4575 441AH	1	Y						Left
9									RETAINER, Door Striker
	4575 580AE	1	D						Right
	4575 581AE	1	D						Left
	4575 604AE	1	C, Y						Right
	4575 605AE	1	C, Y						Left
-10	4674 669	AR							PLATE, Liftgate Striker, RETAINER, Tapping Plate
11									PANEL, Wheelhouse
	4575 426AO	1							Right
	4575 427AO	1							Left
12									TROUGH, Deck Opening
	4575 232AD	1	D						Right
	4575 233AD	1	D						Left
	4575 094AH	1	C						Right
	4575 095AH	1	C						Left


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Panel Figure SLH-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4575 462AD	1	Y						Right
	4575 463AD	1	Y						Left
-13	4759 541AB-	1							TROUGH, Deck Opening, Decklid Wiring
14									PANEL, Decklid Opening
	4575 208AG	1	C						
	4575 209AI	1	D						
	4575 210AF	1	Y						
15									EXTENSION, Body Side Sill
	4580 446AF	1							Right
	4580 447AF	1							Left
16									PANEL, Quarter Inner
	4575 014AK	1	C						Right
	4575 015AJ	1	C						Left
	4575 006AI	1	D						Right
	4575 007AI	1	D						Left
	4575 008AH	1	Y						Right
	4575 009AE	1	Y						Left
17									EXTENSION, Quarter Panel, Lower
	4575 406AH	1	D						Right
	4575 407AH	1	D						Left
	4575 646AH	1	C						Right
	4575 647AJ	1	C						Left
	4575 674AE	1	Y						Right
	4575 675AF	1	Y						Left
18									EXTENSION, Quarter Panel, Rear
	4575 218AF	1	C						Rear, Right
	4575 219AF	1	C						Rear, Left
	4575 224AL	1	D						Rear, Right
	4575 225AL	1	D						Rear, Left
	4575 634AK	1	Y						Rear, Right
	4575 635AK	1	Y						Rear, Left
19									SHIELD, Wheelhouse
	4575 412AG	1	C, Y						Right
	4575 413AG	1	C, Y						Left
	4575 414AF	1	D						Right
	4575 415AF	1	D						Left
20									PANEL, Decklid Opening, Lower Outer
	4575 247	1	C						
	4575 249	1	D						


CONCORDE-INTREPID-300M (LH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Quarter Panel
Figure SLH-910**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4575 252AB	1	Y						
21	4780 382	2							EXHAUSTER, Quarter Panel, Quarter Panel
22	4780 450	1							PLUG
-23									PLUG, Weld Access Extension Quarter Panel
	4780 489AF-	2	D						
	4780 498AD-	2	C, Y						
24									EXTENSION, Quarter Panel
	4575 224AL	1	D						Right
	4575 225AL	1	D						Left
	4575 218AF	1	C						Right
	4575 219AF	1	C						Left
	4575 634AK	1	Y						Right
	4575 635AK	1	Y						Left

CONCORDE-INTREPID-300M (LH)

SERIES	LINE
P = Premium	H = Chrysler
S = Special	Intrepid
H = High Line	D = Dodge Intrepid
M = LXI	C = Concorde
X = R/T	Y = 300M

BODY
41 = 4 Door Sedan

ENGINE
EER, EE0 = 2.7L V6 DOHC
EGG = 3.5L HO V6 MPI 24V
EGJ = 3.5L V6 SOHC 24V
EGK = 3.5L HO V6 MPI 24V
EGC = İMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Roof Panel
Figure SLH-1110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Roof
	4575 192AC	1	Y						w/o Sunroof
	4805 174AI	1	Y						w/Sunroof
	4575 193	1	C						w/o Sunroof
	4805 172AH	1	C						w/Sunroof
	4575 194AB	1	D						w/o Sunroof
	4805 173AH	1	D						w/Sunroof
2	4575 457AD	1							HEADER, Windshield
3									HEADER, Rear Window Opening
	4575 196AE	1	C						
	4575 197AE	1	D						
	4575 195AE	1	Y						
4									REINFORCEMENT, Roof Panel, Served With Item 1, (NOT REQUIRED)
-5	2654 684	2							TAPE, Access Hole

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sunroof
Figure SLH-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	TL97 TL2AA-	1							SUNSHADE, Sunroof
-2	5011 591AA-	1							CONTROL UNIT, Sunroof
-3	5011 592AB-	1							MOTOR, Sunroof
-4	5011 602AA-	1							DEFLECTOR, Sunroof Wind
-5	5011 603AA-	1							CHANNEL, Sunroof Drain
-6	5011 656AD-	1							MODULE, Sunroof
-7	5011 658AA-	1							KIT, Sunshade Slide
8	5011 600AB	1							GLASS, Sunroof
9	4760 731AE	1							WIRING, Sunroof
10									TUBE, Sunroof Drain
	4805 178AF	1							Right
	4805 179AG	1							Left
11									TUBE, Sunroof Drain
	4805 330AJ	1	C						Right
	4805 331AJ	1	C						Left
	4805 348AI	1	D						Right
	4805 349AI	1	D						Left
	4805 398AF	1	Y						Right
	4805 399AF	1	Y						Left
12	4805 175AA	2							GROMMET, Tube, Sunroof Drain Tube
13	6502 450	1							CLAMP, HOSE CLAMP, I.D. 13-14. 9MM
14	6505 746AA	8							SCREW AND WASHER, Hex Head Locking, M6 x 1.00 x 21.00
15	6101 712	2							NUT, U, M6x1
16	4805 280AA	2							GROMMET, Tube, Rear Sunroof Drain
17	4805 378AB	2							CLIP, Tube

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Deck Lid
Figure SLH-1310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECKLID
	5003 266AD	1	D						
	5003 282AH	1	C						
	5003 283AD	1	Y						
-2	SA70 DX9AA-	1	C						STRAP, Cargo Tie Down, Deck Lid
									Pull Down
-3	6505 425AA-	4							PIN
4									WEATHERSTRIP, Decklid
	4575 226	1	C						
	4575 465AB	1	D						
	4575 474AD	1	Y						
5									HINGE, Deck Lid
	4575 144AF	1	C						Right
	4575 145AF	1	C						Left
	4575 146AE	1	D						Right
	4575 147AE	1	D						Left
	4575 656AD	1	Y						Right
	4575 657AD	1	Y						Left
6	6505 636AA	4							SCREW AND WASHER, M8x1. 25x20
7									PROP, Deck Lid
	4575 629AC	2	C						
	4575 666AE	2	Y						
	4756 959AC	2	D						
8	6100 287	2							SCREW, M6x1x25, Decklid Striker
									Attaching
9	4575 670AB	1							STRIKER, Decklid Latch
-10	6505 702AA-	2							SCREW AND WASHER, Hex Head, M6x1x24.5, Deck Lid Striker
									attaching
11									LATCH, Decklid
	4575 361AJ	1	C						With Emergency Release Handle
	4575 362AJ	1	D, Y						With Emergency Release Handle
-12									COVER, Deck Lid Latch
	5056 151AA-	1	D						
	5056 172AA-	1	C						
-13									HANDLE
	5080 847AA-	1	D, Y						Glow In The Dark Emergency Release
		1	C						Glow In The Dark Emergency Release
-14	6031 321	1							PIN, Retainer, Decklid Latch

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Deck Lid
Figure SLH-1310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15									BUMPER, Deck Lid Overslam
	4575 687AA	2	D						
	4575 689AB	2	C						
	4575 691AB	2	Y						
-16	4696 488	2							FASTENER, Deck Lid
-17	4575 695AA-	2							BUMPER, Deck Lid Overslam, Deck Lid Overslam Outside Body Half
-18									COVER, Decklid Interior Trim
	4628 813AF-	1	Y						
	4698 341AF-	1	C						
-19									PIN, Push In, M7.0x20.0
	6506 132AA-	4	D						Cover, Deck Lid Attaching
		2	C						Cover, Deck Lid Attaching
20	6505 907AA	2							SCREW, Self Tapping, M6x1x15
21									WIRING, Reference, (NOT REQUIRED)
22									BRACKET, Lock Cylinder Attach
	4575 148	1	Y						
	4575 162	1	D						
	4575 623	1	C						
23									SWITCH, Deck Lid Alarm
	4608 287AB	1	D						
		1	C						
		1	Y						
24	0153 908	2							SCREW
25									LINK, Deck Lid Lock Cylinder
	5012 876AA	1	C						Black
	5012 877AA	1	D, Y						White
-26	5016 810AA-	1							LATCH PACKAGE, Decklid,
									Emergency Release
-27	4440 294	1	C						PLUG, Deck Lid

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Spoiler - Deck Lid
Figure SLH-1315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: P.A.R. = Paint As Required


1									NUT AND WASHER, Hex, M6x1, Served With Item 2, (NOT SERVICED) (Not Served)
2									SPOILER KIT, Deck Lid
	8220 5701	1	D		41				[P.A.R.]
	8220 4087	1	D		41				Stone White, [SW1]

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = ÎMAGNUMÖ 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Shelf Panel Figure SLH-1410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Shelf Panel
									Rear
	4575 496	1	D						without Power Sunroof
	4575 685AA	1	D						w/Sunroof
	4575 497	1	Y						without Power Sunroof
	4575 686AA	1	Y						w/Sunroof
	4575 495AC	1	C						without Power Sunroof
	4575 684AC	1	C						w/Sunroof
2									PANEL, Shelf
	4575 620AD	1	D						
	4575 692AC	1	Y						
	4575 694AD	1	C						
3	4780 722AA	1							SHELF, Rear Seat Back Attach
									Upper, Upper
4	4580 515AB	1							SHELF, Rear Seat Back Attach
									Upper, Lower, Rear Seat Back
									Attach, Lower
5									REINFORCEMENT, Shelf Panel
									Rear
	4575 685AA	1	D						
	4575 686AA	1	Y						
	4575 684AC	1	C						
-6	5023 227AA-	AR							PIN, Rear Shelf Retractor

CONCORDE-INTREPID-300M (LH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
P = Premium	H = Chrysler	41 = 4 Door Sedan	EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
S = Special	Intrepid		EGG = 3.5L HO V6 MPI 24V	DG0 = All Automatic Transm
H = High Line	D = Dodge Intrepid		EGJ = 3.5L V6 SOHC 24V	
M = LXI	C = Concorde		EGK = 3.5L HO V6 MPI 24V	
X = R/T	Y = 300M		EGC = IMAGNUM® 3.5L V6	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005